



TRICK



<https://www.trick-project.eu/>

DRAFT

Extract from IMPLEMENTATION GUIDE
TRANSACTION "TRANSPARENCY AND SUSTAINABILITY
REPORT"

Version: draft

Date of release: 8/7/2023

Document code: TRC001e

technical Documentation: <http://www.ebiz.enea.it>

XML Schemas repository: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Guides repository: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Guide filename: TRC001-TRICK-TransparencyAndSustainabilityReport.pdf

0. PREMISE

This document contains a proposal for the updating and extension of eBIZ specifications starting from the eBIZ version 2018. Under the name of 'Draft version' it is reported the result of an extensive work of analysis and consultation aimed at developing and maintaining eBIZ specifications.

In particular, the content of this proposal is the result of various activities, mainly those carried out within the framework of the **TRICK project** funded by the European Commission: grant agreement 958352, call H2020-LOW-CARBON-CIRCULAR-INDUSTRIES-2020 / H2020-LCCI-2020-EASME-twostage.


The technical contents are backwards compatible with the latest official published version, with the exclusion of the totally new concepts added explicitly for the version that are thought as incremental evolution of the knowledge base.

1. BUSINESS DESCRIPTION

1.1 Scope

1.2. Possible scenario

P1.A1 Products, processes and facilities static data collection



2. IMPLEMENTATION GUIDE

2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema.

In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrences); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...)" is shown in square brackets.

Structure

TRCTRReport

@version [Optional] [Default= draft]

@useProfile [Optional]

@TRCReportFunction [Optional]

```
| TRCHeader 1-1
| | msgN 1-1
| | msgID 0-1
| | msgDate 1-1
| | @dateForm [Optional]
| | refDoc 0-9
| | @docType [Required]
| | | docID 1-2
| | | @numberingOrg [Optional]
| | | docDate 0-1
| | | @dateForm [Optional]
| | | season 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | itemID 0-1
| | | attachment 0-1
| | | @uid [Optional]
| | | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
| | | | @format [Optional]
| | | | @mime [Optional]
| | | | @encoding [Optional]
| | | | @characterSet [Optional]
| | | | externalReference 0-99
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | mimeTypeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | certificate 0-9
| | | @docStatusCode [Required]
| | | @docValidity [Required]
| | | | docID 1-1
| | | | @numberingOrg [Optional]
```

| certificateID 1-1
 | @schemeID [Optional]
 | certificationStandardName 1-1
 | @standardOwner [Required]
 | docDate 1-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | validityExtensionDate 0-1
 | @dateForm [Optional]
 | sustainabilityCharacteristicText 0-99
 | @ln [Optional]
 | **issuerParty 1-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **certifiedParty 1-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **certifiedEntity 0-unbounded**
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @ln [Optional]
 | **attachment 0-1**

```

| | | @uid [Optional]
| | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | externalReference 0-99
| | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | | mimeTypeCode 0-1
| | | | | | formatCode 0-1
| | | | | | encodingCode 0-1
| | | | | | characterSetCode 0-1
| | | | | hashFootprint 0-1
| | | | | | @schemeID [Optional]
| | | | | | @hashMethod [Required]
| | | | | blockChainReference 0-9
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | transactionReceipt 1-9
| | | note 0-99
| | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | externalRefDoc 0-9
| | | | docID 1-1
| | | | | @numberingOrg [Optional]
| | | | | docDate 0-1
| | | | | | @dateForm [Optional]
| | | | | title 0-unbounded
| | | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | | validityStart 0-1
| | | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | | @dateForm [Optional]
| | | | | documentType 0-1
| | | | issuerParty 0-1
| | | | | id 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | @geoRefSystem [Optional]
| | | | | | | | xGeoCoord 1-1
| | | | | | | | yGeoCoord 1-1
| | | | | | | | zGeoCoord 0-1
| | | | | issuerAccreditationInfo 0-1
| | | | signatureInformation 0-1
| | | | | signatureTypeCode 1-1
| | | | | signatoryParty 0-unbounded
| | | | | | id 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1

```

```

| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | attachment 0-1
| | @uid [Optional]
| | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | binaryObject 0-1
| | | | @format [Optional]
| | | | @mime [Optional]
| | | | @encoding [Optional]
| | | | @characterSet [Optional]
| | | externalReference 0-99
| | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | mimeCode 0-1
| | | | formatCode 0-1
| | | | encodingCode 0-1
| | | | characterSetCode 0-1
| | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @noteLabel [Optional]
| senderParty 1-1
| @role [Optional]
| @sender [Optional]
| | id 1-1
| | | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| receiverParty 1-1

```

| @role [Optional]
 | @sender [Optional]
 | | id 1-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **thirdParty 0-5**
 | | @VAT [Optional]
 | | @role [Required]
 | | @sender [Optional]
 | | | id 1-1
 | | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]

TRCTRReportbody 1-1

| **TRCProduct 0-unbounded**
 | | @externalProviderIndicator [Optional]
 | | **ProductIdentification 1-1**
 | | | uniqueProductID 1-1
 | | | | @schemeID [Required]
 | | | objectTypeCode 1-1
 | | | description 0-9
 | | | | @ln [Optional]
 | | - choose -
 | | | **rawCode 0-2**
 | | | | @numberingOrg [Optional]
 | | | | | art 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]

| | | | color 0-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | added 0-9
 | | | | @numberingOrg [Optional]
 | | | | @addType [Optional]
 | | | | description 0-unbounded
 | | | | @ln [Optional]

- or -

| | | | **yarnCode 0-2**
 | | | | @numberingOrg [Optional] [Default= CL]
 | | | | art 1-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | color 0-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | added 0-9
 | | | | @numberingOrg [Optional]
 | | | | @addType [Optional]
 | | | | description 0-unbounded
 | | | | @ln [Optional]

- or -

| | | | **texCode 0-2**
 | | | | @numberingOrg [Optional]
 | | | | art 1-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | pattern 0-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | color 0-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | added 0-9
 | | | | @numberingOrg [Optional]
 | | | | @addType [Optional]
 | | | | description 0-unbounded
 | | | | @ln [Optional]

- or -

| | | | **acsCode 1-2**
 | | | | @numberingOrg [Optional]
 | | | | art 1-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | pattern 0-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]
 | | | | @listVersion [Optional]
 | | | | color 0-1
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @listName [Optional]

| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]

- or -

| | | | **garmentPartCode 0-2**
| | | | @numberingOrg [Optional]
| | | | gPart 1-1
| | | | mod 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-19
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]

- or -

| | | | **garmentCode 0-2**
| | | | @numberingOrg [Optional]

- choose -

| | | | **garmentCodeB 1-1**
| | | | @numberingOrg [Optional]
| | | | mod 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | **garmentVariant 0-9**
| | | | variantType 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | variantCode 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | drop 0-1

```

| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | artGroup 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - or -
| | | | | garmentCodeA 1-1
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - end choose -
| | | | | - end choose -
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | billOfComponents 0-1
| | | | | @um [Required]
| | | | | @limitedByDisclosureIndicator [Optional]
| | | | | @exhaustiveInformation [Required]
| | | | | @disclosureLevel [Required]
| | | | | @storageAction [Required]
| | | | | productReferenceQty 0-1
| | | | | @um [Required]
| | | | | productComponent 0-unbounded
| | | | | @internallyPerformed [Required]
| | | | | uniqueProductID 1-1
| | | | | @schemeID [Required]
| | | | | - choose -
| | | | | rawCode 0-2
| | | | | @numberingOrg [Optional]
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - or -
| | | | | yarnCode 0-2
| | | | | @numberingOrg [Optional] [Default= CL]
| | | | | art 1-1

```

| | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | description 0-unbounded
 | | | | | @ln [Optional]

- or -

| | | | | **texCode 0-2**
 | | | | | @numberingOrg [Optional]
 | | | | | art 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | pattern 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | description 0-unbounded
 | | | | | @ln [Optional]

- or -

| | | | | **acsCode 0-2**
 | | | | | @numberingOrg [Optional]
 | | | | | art 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | pattern 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | description 0-unbounded
 | | | | | @ln [Optional]

- or -

| | | | | **garmentPartCode 0-2**
 | | | | | @numberingOrg [Optional]
 | | | | | gPart 1-1
 | | | | | mod 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]

```

| | | | | @listVersion [Optional]
| | | | | fabric 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-19
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
- or -
| | | | | garmentCode 0-2
| | | | | @numberingOrg [Optional]
- choose -
| | | | | garmentCodeB 1-1
| | | | | @numberingOrg [Optional]
| | | | | mod 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | fabric 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | garmentVariant 0-9
| | | | | variantType 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | variantCode 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | drop 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | artGroup 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]

```


validityEnd 0-1
 @dateForm [Optional]
 validityExtensionDate 0-1
 @dateForm [Optional]
 sustainabilityCharacteristicText 0-99
 @In [Optional]
issuerParty 1-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 issuerAccreditationInfo 0-1
certifiedParty 1-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
certifiedEntity 0-unbounded
 entityID 1-3
 @schemeID [Required]
 entityTypeCode 1-1
 description 0-9
 @In [Optional]
attachment 0-1
 @uid [Optional]
 fileName 0-1
 @numberingOrg [Optional]
 binaryObject 0-1
 @format [Optional]
 @mime [Optional]
 @encoding [Optional]
 @characterSet [Optional]
externalReference 0-99
 uri 1-1
 @isURL [Optional] [Default= true]
 mimeTypeCode 0-1

- | formatCode 0-1
- | encodingCode 0-1
- | characterSetCode 0-1
- hashFootprint 0-1
- @schemeID [Optional]
- @hashMethod [Required]
- blockChainReference 0-9**
- uri 1-1
- @isURL [Optional] [Default= true]
- transactionReceipt 1-9
- note 0-99
- @numberingOrg [Optional]
- @codeList [Optional]
- @noteLabel [Optional]
- selfAssertion 0-99**
- @disclosureLevel [Optional]
- @docStatusCode [Optional]
- sustainabilityCharacteristicText 0-99
- @In [Optional]
- assertionCategory 1-1
- description 1-99
- @In [Optional]
- issuerParty 1-1**
- id 0-1
- @numberingOrg [Optional]
- legalName 0-1
- dept 0-1
- subDept 0-1
- person 0-1
- @email [Optional]
- @phone [Optional]
- @fax [Optional]
- street 0-1
- city 0-1
- subCountry 0-1
- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
- @um [Optional] [Default= DEGD]
- @geoRefSystem [Optional]
- xGeoCoord 1-1
- yGeoCoord 1-1
- zGeoCoord 0-1
- issuerAccreditationInfo 0-1
- selfAssertionEntity 0-unbounded**
- entityID 1-3
- @schemeID [Required]
- entityTypeCode 1-1
- description 0-9
- @In [Optional]
- externalRefDoc 0-99**
- docID 1-1
- @numberingOrg [Optional]
- docDate 0-1
- @dateForm [Optional]
- title 0-unbounded
- @In [Optional]
- description 0-unbounded
- @In [Optional]
- validityStart 0-1
- @dateForm [Optional]
- validityEnd 0-1
- @dateForm [Optional]
- documentType 0-1
- issuerParty 0-1**
- id 0-1
- @numberingOrg [Optional]
- legalName 0-1

```

| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| | @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
| | uri 1-1
| | @isURL [Optional] [Default= true]
| | mimeTypeCode 0-1
| | formatCode 0-1
| | encodingCode 0-1
| | characterSetCode 0-1
| hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]
| blockChainReference 0-9
| | uri 1-1
| | @isURL [Optional] [Default= true]
| | transactionReceipt 1-9
note 0-99
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]

```


- | validityStart 0-1
- | | *@dateForm [Optional]*
- | validityEnd 0-1
- | | *@dateForm [Optional]*
- | validityExtensionDate 0-1
- | | *@dateForm [Optional]*
- | objectTypeCode 0-1
- | qty 0-2
- | | *@um [Required]*
- | **supplier 0-9**
- | | *@logo [Optional]*
- | | *@sender [Optional]*
- | | id 1-1
- | | | *@numberingOrg [Optional]*
- | | additionalIdentifier 0-9
- | | | *@numberingOrg [Optional]*
- | | | *@idQualifier [Optional]*
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | | *@email [Optional]*
- | | | *@phone [Optional]*
- | | | *@fax [Optional]*
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | | *@um [Optional] [Default= DEGD]*
- | | | *@geoRefSystem [Optional]*
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **productCompos 0-1**
- | | percCompos 1-99
- | | | *@fibre [Required]*
- | | | *@materialSource [Optional]*
- | | | *@recyclingProcessMethod [Optional]*
- | | | *@percSourcesRenewable [Optional]*
- | | | *@validationMethod [Optional]*
- | | | *@recyclingProcessEfficiency [Optional]*
- | **processStepsList 0-1**
- | | *@limitedByDisclosureIndicator [Optional]*
- | | *@exhaustiveInformation [Required]*
- | | *@disclosureLevel [Required]*
- | | *@storageAction [Required]*
- | | **processStep 1-unbounded**
- | | | *@progr [Required]*
- | | | *@internallyPerformed [Optional]*
- | | | processStepID 1-1
- | | | manufacturingOperationCode 1-1
- | | | description 0-9
- | | | | *@ln [Optional]*
- | | | **activityLocation 0-99**
- | | | | *@part [Optional] [Default= 100]*
- | | | | location 0-1
- | | | | | *@LRI [Optional]*
- | | | | legalName 0-1
- | | | | dept 0-1
- | | | | subDept 0-1
- | | | | person 0-1
- | | | | | *@email [Optional]*
- | | | | | *@phone [Optional]*
- | | | | | *@fax [Optional]*
- | | | | street 0-1
- | | | | city 0-1

- subCountry 0-1
- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
- @um [Optional] [Default= DEGD]
- @geoRefSystem [Optional]
- xGeoCoord 1-1
- yGeoCoord 1-1
- zGeoCoord 0-1
- note 0-99
- @numberingOrg [Optional]
- @codeList [Optional]
- @noteLabel [Optional]
- productOrigin 0-99**
- made 1-1
- refDoc 0-9**
- @docType [Required]
- docID 1-2
- @numberingOrg [Optional]
- docDate 0-1
- @dateForm [Optional]
- season 0-1
- @numberingOrg [Optional]
- @codeList [Optional]
- @listName [Optional]
- @listVersion [Optional]
- itemID 0-1
- attachment 0-1**
- @uid [Optional]
- fileName 0-1
- @numberingOrg [Optional]
- binaryObject 0-1
- @format [Optional]
- @mime [Optional]
- @encoding [Optional]
- @characterSet [Optional]
- externalReference 0-99**
- uri 1-1
- @isURL [Optional] [Default= true]
- mimeTypeCode 0-1
- formatCode 0-1
- encodingCode 0-1
- characterSetCode 0-1
- hashFootprint 0-1
- @schemeID [Optional]
- @hashMethod [Required]
- blockChainReference 0-9**
- uri 1-1
- @isURL [Optional] [Default= true]
- transactionReceipt 1-9
- customsStat 0-1
- @schemeID [Optional] [Default= TARIC]
- certificate 0-unbounded**
- @docStatusCode [Required]
- @docValidity [Required]
- docID 1-1
- @numberingOrg [Optional]
- certificateID 1-1
- @schemeID [Optional]
- certificationStandardName 1-1
- @standardOwner [Required]
- docDate 1-1
- @dateForm [Optional]
- title 0-unbounded
- @ln [Optional]
- description 0-unbounded
- @ln [Optional]
- validityStart 0-1

```

| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| validityExtensionDate 0-1
| @dateForm [Optional]
| sustainabilityCharacteristicText 0-99
| @ln [Optional]
| issuerParty 1-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| certifiedParty 1-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
| certifiedEntity 0-unbounded
|   entityID 1-3
|   @schemeID [Required]
|   entityTypeCode 1-1
|   description 0-9
|   @ln [Optional]
| attachment 0-1
| @uid [Optional]
|   fileName 0-1
|   @numberingOrg [Optional]
|   binaryObject 0-1
|   @format [Optional]
|   @mime [Optional]
|   @encoding [Optional]
|   @characterSet [Optional]
| externalReference 0-99
|   uri 1-1
|   @isURL [Optional] [Default= true]

```

```

| | | | | mimeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | | | | hashFootprint 0-1
| | | | | @schemeID [Optional]
| | | | | @hashMethod [Required]
| | | | | blockChainReference 0-9
| | | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | | transactionReceipt 1-9
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | selfAssertion 0-9
| | | | | @disclosureLevel [Optional]
| | | | | @docStatusCode [Optional]
| | | | | | sustainabilityCharacteristicText 0-99
| | | | | | @ln [Optional]
| | | | | | assertionCategory 1-1
| | | | | | description 1-99
| | | | | | @ln [Optional]
| | | | | | issuerParty 1-1
| | | | | | | id 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | legalName 0-1
| | | | | | | dept 0-1
| | | | | | | subDept 0-1
| | | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | | street 0-1
| | | | | | | city 0-1
| | | | | | | subCountry 0-1
| | | | | | | country 0-1
| | | | | | | postCode 0-1
| | | | | | | geoCoordinates 0-1
| | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | @geoRefSystem [Optional]
| | | | | | | | xGeoCoord 1-1
| | | | | | | | yGeoCoord 1-1
| | | | | | | | zGeoCoord 0-1
| | | | | | | issuerAccreditationInfo 0-1
| | | | | | | selfAssertionEntity 0-unbounded
| | | | | | | | entityID 1-3
| | | | | | | | @schemeID [Required]
| | | | | | | | entityTypeCode 1-1
| | | | | | | | description 0-9
| | | | | | | | @ln [Optional]
| | | | | | | | externalRefDoc 0-99
| | | | | | | | | docID 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | docDate 0-1
| | | | | | | | | @dateForm [Optional]
| | | | | | | | | title 0-unbounded
| | | | | | | | | @ln [Optional]
| | | | | | | | | description 0-unbounded
| | | | | | | | | @ln [Optional]
| | | | | | | | | validityStart 0-1
| | | | | | | | | @dateForm [Optional]
| | | | | | | | | validityEnd 0-1
| | | | | | | | | @dateForm [Optional]
| | | | | | | | | documentType 0-1
| | | | | | | | | issuerParty 0-1
| | | | | | | | | | id 0-1
| | | | | | | | | | @numberingOrg [Optional]

```

```

| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| | fileName 0-1
| | @numberingOrg [Optional]
| | binaryObject 0-1
| | @format [Optional]
| | @mime [Optional]
| | @encoding [Optional]
| | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | mimeTypeCode 0-1
| | | formatCode 0-1
| | | encodingCode 0-1
| | | characterSetCode 0-1
| | hashFootprint 0-1
| | @schemeID [Optional]
| | @hashMethod [Required]
| | blockChainReference 0-9
| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| @numberingOrg [Optional]
| @codeList [Optional]

```

```

| | | | @noteLabel [Optional]
| | | | validityStart 0-1
| | | | @dateForm [Optional]
| | | | validityEnd 0-1
| | | | @dateForm [Optional]
| | | | validityExtensionDate 0-1
| | | | @dateForm [Optional]
| | | | PEFStudyDocument 0-9
| | | | @disclosureLevel [Optional]
| | | | @docStatusCode [Optional]
| | | | @isStudyDataset [Required]
| | | | docID 0-1
| | | | @numberingOrg [Optional]
| | | | docDate 0-1
| | | | @dateForm [Optional]
| | | | PEFLifeCyclePhase 0-6
| | | | ProductIdentification 0-99
| | | | uniqueProductID 1-1
| | | | @schemeID [Required]
| | | | objectTypeCode 1-1
| | | | description 0-9
| | | | @ln [Optional]
| | | | - choose -
| | | | rawCode 0-2
| | | | @numberingOrg [Optional]
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | | | - or -
| | | | yarnCode 0-2
| | | | @numberingOrg [Optional] [Default= CL]
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | | | - or -
| | | | texCode 0-2
| | | | @numberingOrg [Optional]
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | pattern 0-1
| | | | @numberingOrg [Optional]

```

| | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | description 0-unbounded
 | | | | | @In [Optional]

- or -

| | | | | **acsCode 1-2**
 | | | | | @numberingOrg [Optional]
 | | | | | art 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | pattern 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | description 0-unbounded
 | | | | | @In [Optional]

- or -

| | | | | **garmentPartCode 0-2**
 | | | | | @numberingOrg [Optional]
 | | | | | gPart 1-1
 | | | | | mod 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | fabric 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-19
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | size 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | description 0-unbounded
 | | | | | @In [Optional]

- or -

| | | | | **garmentCode 0-2**
 | | | | | @numberingOrg [Optional]

- choose -

garmentCodeB 1-1

@numberingOrg [Optional]

mod 1-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

fabric 0-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

color 0-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

garmentVariant 0-9

variantType 1-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

variantCode 1-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

drop 0-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

size 0-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

artGroup 0-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

added 0-9

@numberingOrg [Optional]

@addType [Optional]

description 0-unbounded

@ln [Optional]

- or -

garmentCodeA 1-1

art 1-1

@numberingOrg [Optional]

@codeList [Optional]

@listName [Optional]

@listVersion [Optional]

description 0-unbounded

@ln [Optional]

- end choose -

- end choose -

note 0-99

@numberingOrg [Optional]

@codeList [Optional]

@noteLabel [Optional]

year 0-1

title 0-unbounded

@ln [Optional]

description 0-unbounded

| @ln [Optional]
 | publishableAbstract 0-99
 | @ln [Optional]
 | author 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | **reviewerParty 0-9**
 | | id 1-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | reviewDate 0-1
 | | @dateForm [Optional]
 | | **issuerParty 0-1**
 | | | id 0-1
 | | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | | issuerAccreditationInfo 0-1
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | | **signatureInformation 0-1**
 | | | signatureTypeCode 1-1
 | | | **signatoryParty 0-unbounded**
 | | | | id 0-1
 | | | | | @numberingOrg [Optional]
 | | | | legalName 0-1
 | | | | dept 0-1
 | | | | subDept 0-1
 | | | | person 0-1
 | | | | | @email [Optional]
 | | | | | @phone [Optional]
 | | | | | @fax [Optional]

```

| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | |   @um [Optional] [Default= DEGD]
| | | | |   @geoRefSystem [Optional]
| | | | |     xGeoCoord 1-1
| | | | |     yGeoCoord 1-1
| | | | |     zGeoCoord 0-1
| functionalUnitDescription 0-99
|   @ln [Optional]
| systemBoundariesDescription 0-99
|   @ln [Optional]
| limitationsDescription 0-99
|   @ln [Optional]
| allocationsDescription 0-99
|   @ln [Optional]
| dataQualityDescription 0-99
|   @ln [Optional]
| attachment 0-1
|   @uid [Optional]
|     fileName 0-1
|       @numberingOrg [Optional]
|     binaryObject 0-1
|       @format [Optional]
|       @mime [Optional]
|       @encoding [Optional]
|       @characterSet [Optional]
|     externalReference 0-99
|       uri 1-1
|         @isURL [Optional] [Default= true]
|       mimeTypeCode 0-1
|       formatCode 0-1
|       encodingCode 0-1
|       characterSetCode 0-1
|     hashFootprint 0-1
|       @schemeID [Optional]
|       @hashMethod [Required]
|     blockChainReference 0-9
|       uri 1-1
|         @isURL [Optional] [Default= true]
|       transactionReceipt 1-9
| note 0-99
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| assessmentStudyDocument 0-9
|   @disclosureLevel [Optional]
|   @docStatusCode [Optional]
|   @isStudyDataset [Required]
|     docID 0-1
|       @numberingOrg [Optional]
|     docDate 0-1
|       @dateForm [Optional]
|     ProductIdentification 0-99
|       uniqueProductID 1-1
|         @schemeID [Required]
|       objectTypeCode 1-1
|       description 0-9
|       @ln [Optional]
| - choose -
|   rawCode 0-2
|     @numberingOrg [Optional]
|     art 1-1
|       @numberingOrg [Optional]
|       @codeList [Optional]

```

				<ul style="list-style-type: none"> @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
			- or -	
				<p>yarnCode 0-2</p> <ul style="list-style-type: none"> @numberingOrg [Optional] [Default= CL] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
			- or -	
				<p>texCode 0-2</p> <ul style="list-style-type: none"> @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
			- or -	
				<p>acsCode 1-2</p> <ul style="list-style-type: none"> @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional]

| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]

- or -

| | | | | **garmentPartCode 0-2**
| | | | | @numberingOrg [Optional]
| | | | | gPart 1-1
| | | | | mod 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | fabric 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-19
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]

- or -

| | | | | **garmentCode 0-2**
| | | | | @numberingOrg [Optional]

- choose -

| | | | | **garmentCodeB 1-1**
| | | | | @numberingOrg [Optional]
| | | | | mod 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | fabric 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | **garmentVariant 0-9**
| | | | | variantType 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | variantCode 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]


```

reviewDate 0-1
  @dateForm [Optional]
issuerParty 0-1
  id 0-1
  @numberingOrg [Optional]
  legalName 0-1
  dept 0-1
  subDept 0-1
  person 0-1
  @email [Optional]
  @phone [Optional]
  @fax [Optional]
  street 0-1
  city 0-1
  subCountry 0-1
  country 0-1
  postCode 0-1
  geoCoordinates 0-1
  @um [Optional] [Default= DEGD]
  @geoRefSystem [Optional]
  xGeoCoord 1-1
  yGeoCoord 1-1
  zGeoCoord 0-1
  issuerAccreditationInfo 0-1
validityStart 0-1
  @dateForm [Optional]
validityEnd 0-1
  @dateForm [Optional]
signatureInformation 0-1
  signatureTypeCode 1-1
  signatoryParty 0-unbounded
  id 0-1
  @numberingOrg [Optional]
  legalName 0-1
  dept 0-1
  subDept 0-1
  person 0-1
  @email [Optional]
  @phone [Optional]
  @fax [Optional]
  street 0-1
  city 0-1
  subCountry 0-1
  country 0-1
  postCode 0-1
  geoCoordinates 0-1
  @um [Optional] [Default= DEGD]
  @geoRefSystem [Optional]
  xGeoCoord 1-1
  yGeoCoord 1-1
  zGeoCoord 0-1
attachment 0-1
  @uid [Optional]
  fileName 0-1
  @numberingOrg [Optional]
  binaryObject 0-1
  @format [Optional]
  @mime [Optional]
  @encoding [Optional]
  @characterSet [Optional]
externalReference 0-99
  uri 1-1
  @isURL [Optional] [Default= true]
  mimeTypeCode 0-1
  formatCode 0-1
  encodingCode 0-1
  characterSetCode 0-1
hashFootprint 0-1

```

```

| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | productSustainabilityCharacteristics 0-unbounded
| | | | | productReferenceQty 0-1
| | | | | @um [Required]
| | | | | billOfTreatments 0-1
| | | | | | @limitedByDisclosureIndicator [Optional]
| | | | | | @exhaustiveInformation [Required]
| | | | | | @disclosureLevel [Required]
| | | | | | @storageAction [Required]
| | | | | | treatmentDescriptor 1-unbounded
| | | | | | | @internallyPerformed [Required]
| | | | | | | | manufacturingOperationCode 1-1
| | | | | | | | machineryName 1-1
| | | | | | | | description 0-99
| | | | | | | | | @In [Optional]
| | | | | | | | certificate 0-9
| | | | | | | | | @docStatusCode [Required]
| | | | | | | | | @docValidity [Required]
| | | | | | | | | | docID 1-1
| | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | certificateID 1-1
| | | | | | | | | | | | @schemeID [Optional]
| | | | | | | | | | | | certificationStandardName 1-1
| | | | | | | | | | | | | @standardOwner [Required]
| | | | | | | | | | | | | docDate 1-1
| | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | title 0-unbounded
| | | | | | | | | | | | | | | @In [Optional]
| | | | | | | | | | | | | | | description 0-unbounded
| | | | | | | | | | | | | | | | @In [Optional]
| | | | | | | | | | | | | | | | validityStart 0-1
| | | | | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | | | | validityEnd 0-1
| | | | | | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | | | | | validityExtensionDate 0-1
| | | | | | | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | | | | | | sustainabilityCharacteristicText 0-99
| | | | | | | | | | | | | | | | | | | | @In [Optional]
| | | | | | | | | | | | | | | | | | | | issuerParty 1-1
| | | | | | | | | | | | | | | | | | | | | id 0-1
| | | | | | | | | | | | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | | | | | | | | | | | legalName 0-1
| | | | | | | | | | | | | | | | | | | | | | dept 0-1
| | | | | | | | | | | | | | | | | | | | | | subDept 0-1
| | | | | | | | | | | | | | | | | | | | | | person 0-1
| | | | | | | | | | | | | | | | | | | | | | | @email [Optional]
| | | | | | | | | | | | | | | | | | | | | | | @phone [Optional]
| | | | | | | | | | | | | | | | | | | | | | | @fax [Optional]
| | | | | | | | | | | | | | | | | | | | | | | street 0-1
| | | | | | | | | | | | | | | | | | | | | | | city 0-1
| | | | | | | | | | | | | | | | | | | | | | | subCountry 0-1
| | | | | | | | | | | | | | | | | | | | | | | country 0-1
| | | | | | | | | | | | | | | | | | | | | | | postCode 0-1
| | | | | | | | | | | | | | | | | | | | | | | geoCoordinates 0-1
| | | | | | | | | | | | | | | | | | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | | | | | | | | | | | | | | | | | @geoRefSystem [Optional]
| | | | | | | | | | | | | | | | | | | | | | | | xGeoCoord 1-1
| | | | | | | | | | | | | | | | | | | | | | | | yGeoCoord 1-1
| | | | | | | | | | | | | | | | | | | | | | | | zGeoCoord 0-1

```

- | issuerAccreditationInfo 0-1
- | **certifiedParty 1-1**
- | id 0-1
- | @numberingOrg [Optional]
- | legalName 0-1
- | dept 0-1
- | subDept 0-1
- | person 0-1
- | @email [Optional]
- | @phone [Optional]
- | @fax [Optional]
- | street 0-1
- | city 0-1
- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
- | | xGeoCoord 1-1
- | | yGeoCoord 1-1
- | | zGeoCoord 0-1
- | **certifiedEntity 0-unbounded**
- | entityID 1-3
- | @schemeID [Required]
- | entityTypeCode 1-1
- | description 0-9
- | @In [Optional]
- | **attachment 0-1**
- | @uid [Optional]
- | fileName 0-1
- | @numberingOrg [Optional]
- | binaryObject 0-1
- | @format [Optional]
- | @mime [Optional]
- | @encoding [Optional]
- | @characterSet [Optional]
- | **externalReference 0-99**
- | | uri 1-1
- | | @isURL [Optional] [Default= true]
- | | mimeTypeCode 0-1
- | | formatCode 0-1
- | | encodingCode 0-1
- | | characterSetCode 0-1
- | hashFootprint 0-1
- | @schemeID [Optional]
- | @hashMethod [Required]
- | **blockChainReference 0-9**
- | | uri 1-1
- | | @isURL [Optional] [Default= true]
- | | transactionReceipt 1-9
- | note 0-99
- | @numberingOrg [Optional]
- | @codeList [Optional]
- | @noteLabel [Optional]
- | **selfAssertion 0-99**
- | @disclosureLevel [Optional]
- | @docStatusCode [Optional]
- | sustainabilityCharacteristicText 0-99
- | @In [Optional]
- | assertionCategory 1-1
- | description 1-99
- | @In [Optional]
- | **issuerParty 1-1**
- | id 0-1
- | @numberingOrg [Optional]
- | legalName 0-1
- | dept 0-1

subDept 0-1
person 0-1
 @*email* [Optional]
 @*phone* [Optional]
 @*fax* [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1
geoCoordinates 0-1
 @*um* [Optional] [Default= DEGD]
 @*geoRefSystem* [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
 entityID 1-3
 @*schemeID* [Required]
 entityTypeCode 1-1
 description 0-9
 @*ln* [Optional]
externalRefDoc 0-99
 docID 1-1
 @*numberingOrg* [Optional]
 docDate 0-1
 @*dateForm* [Optional]
 title 0-unbounded
 @*ln* [Optional]
 description 0-unbounded
 @*ln* [Optional]
 validityStart 0-1
 @*dateForm* [Optional]
 validityEnd 0-1
 @*dateForm* [Optional]
 documentType 0-1
issuerParty 0-1
 id 0-1
 @*numberingOrg* [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @*email* [Optional]
 @*phone* [Optional]
 @*fax* [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 geoCoordinates 0-1
 @*um* [Optional] [Default= DEGD]
 @*geoRefSystem* [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 issuerAccreditationInfo 0-1
signatureInformation 0-1
 signatureTypeCode 1-1
 signatoryParty 0-unbounded
 id 0-1
 @*numberingOrg* [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1

```

| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| | | | | attachment 0-1
| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeType 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | | | blockChainReference 0-9
| | | | | | | | uri 1-1
| | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | transactionReceipt 1-9
| | | | | | note 0-99
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @noteLabel [Optional]
| | | | | | validityStart 0-1
| | | | | | | @dateForm [Optional]
| | | | | | validityEnd 0-1
| | | | | | | @dateForm [Optional]
| | | | | | validityExtensionDate 0-1
| | | | | | | @dateForm [Optional]
| | | | | | billOfComponents 0-1
| | | | | | @um [Required]
| | | | | | @limitedByDisclosureIndicator [Optional]
| | | | | | @exhaustiveInformation [Required]
| | | | | | @disclosureLevel [Required]
| | | | | | @storageAction [Required]
| | | | | | | productReferenceQty 0-1
| | | | | | | @um [Required]
| | | | | | | productComponent 0-unbounded
| | | | | | | | @internallyPerformed [Required]
| | | | | | | | uniqueProductID 1-1
| | | | | | | | @schemeID [Required]
| | | | | | - choose -
| | | | | | rawCode 0-2
| | | | | | @numberingOrg [Optional]
| | | | | | | art 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | | color 0-1

```



```

| @numberingOrg [Optional]
| certificateID 1-1
| @schemeID [Optional]
| certificationStandardName 1-1
| @standardOwner [Required]
| docDate 1-1
| @dateForm [Optional]
| title 0-unbounded
| @ln [Optional]
| description 0-unbounded
| @ln [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| validityExtensionDate 0-1
| @dateForm [Optional]
| sustainabilityCharacteristicText 0-99
| @ln [Optional]
| issuerParty 1-1
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| | issuerAccreditationInfo 0-1
| certifiedParty 1-1
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| certifiedEntity 0-unbounded
| | entityID 1-3
| | @schemeID [Required]
| | entityTypeCode 1-1
| | description 0-9
| | @ln [Optional]

```

attachment 0-1
 @uid [Optional]
 | fileName 0-1
 | @numberingOrg [Optional]
 | binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
externalReference 0-99
 | uri 1-1
 | @isURL [Optional] [Default= true]
 | mimeTypeCode 0-1
 | formatCode 0-1
 | encodingCode 0-1
 | characterSetCode 0-1
 | hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
blockChainReference 0-9
 | uri 1-1
 | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9
 note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
selfAssertion 0-99
 | @disclosureLevel [Optional]
 | @docStatusCode [Optional]
 | sustainabilityCharacteristicText 0-99
 | @ln [Optional]
 | assertionCategory 1-1
 | description 1-99
 | @ln [Optional]
issuerParty 1-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @ln [Optional]
externalRefDoc 0-99
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]

```

| title 0-unbounded
|   @ln [Optional]
| description 0-unbounded
|   @ln [Optional]
| validityStart 0-1
|   @dateForm [Optional]
| validityEnd 0-1
|   @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|     @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   signatureTypeCode 1-1
|   signatoryParty 0-unbounded
|     id 0-1
|       @numberingOrg [Optional]
|     legalName 0-1
|     dept 0-1
|     subDept 0-1
|     person 0-1
|       @email [Optional]
|       @phone [Optional]
|       @fax [Optional]
|     street 0-1
|     city 0-1
|     subCountry 0-1
|     country 0-1
|     postCode 0-1
|     geoCoordinates 0-1
|       @um [Optional] [Default= DEGD]
|       @geoRefSystem [Optional]
|         xGeoCoord 1-1
|         yGeoCoord 1-1
|         zGeoCoord 0-1
| attachment 0-1
|   @uid [Optional]
|   fileName 0-1
|     @numberingOrg [Optional]
|   binaryObject 0-1
|     @format [Optional]
|     @mime [Optional]
|     @encoding [Optional]
|     @characterSet [Optional]
|   externalReference 0-99
|     uri 1-1
|       @isURL [Optional] [Default= true]
|     mimeTypeCode 0-1
|     formatCode 0-1

```


| encodingCode 0-1
 | characterSetCode 0-1
 | hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | validityExtensionDate 0-1
 | | @dateForm [Optional]
 | objectTypeCode 0-1
 | qty 0-2
 | | @um [Required]
 | **supplier 0-9**
 | | @logo [Optional]
 | | @sender [Optional]
 | | id 1-1
 | | | @numberingOrg [Optional]
 | | additionalIdentifier 0-9
 | | | @numberingOrg [Optional]
 | | | @idQualifier [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **billOfChemical 0-1**
 | | @limitedByDisclosureIndicator [Optional]
 | | @exhaustiveInformation [Required]
 | | @disclosureLevel [Optional]
 | | @storageAction [Required]
 | | | productReferenceQty 0-1
 | | | | @um [Required]
 | | | year 0-1
 | | **facilityLocation 0-1**
 | | | location 1-1
 | | | | @LRI [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1

```

| | yGeoCoord 1-1
| | zGeoCoord 0-1
| dyesDescriptor 0-unbounded
| | dyesCategory 1-1
| | description 0-99
| |   @In [Optional]
| | note 0-9
| |   @numberingOrg [Optional]
| |   @codeList [Optional]
| |   @noteLabel [Optional]
| chemicalItem 0-unbounded
| | CASCode 1-1
| | description 1-9
| |   @In [Optional]
| SDSDoc 0-1
| | CASCode 1-1
| | attachment 1-1
| |   @uid [Optional]
| |   | fileName 0-1
| |   |   @numberingOrg [Optional]
| |   | binaryObject 0-1
| |   |   @format [Optional]
| |   |   @mime [Optional]
| |   |   @encoding [Optional]
| |   |   @characterSet [Optional]
| |   | externalReference 0-99
| |   |   | uri 1-1
| |   |   |   @isURL [Optional] [Default= true]
| |   |   |   | mimeTypeCode 0-1
| |   |   |   |   formatCode 0-1
| |   |   |   |   encodingCode 0-1
| |   |   |   |   characterSetCode 0-1
| |   |   | hashFootprint 0-1
| |   |   |   @schemeID [Optional]
| |   |   |   @hashMethod [Required]
| |   |   | blockChainReference 0-9
| |   |   |   | uri 1-1
| |   |   |   |   @isURL [Optional] [Default= true]
| |   |   |   |   transactionReceipt 1-9
| |   | note 0-9
| |   |   @numberingOrg [Optional]
| |   |   @codeList [Optional]
| |   |   @noteLabel [Optional]
| externalRefDoc 0-99
| | docID 1-1
| |   @numberingOrg [Optional]
| | docDate 0-1
| |   @dateForm [Optional]
| | title 0-unbounded
| |   @In [Optional]
| | description 0-unbounded
| |   @In [Optional]
| | validityStart 0-1
| |   @dateForm [Optional]
| | validityEnd 0-1
| |   @dateForm [Optional]
| | documentType 0-1
| issuerParty 0-1
| | id 0-1
| |   @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| |   @email [Optional]
| |   @phone [Optional]
| |   @fax [Optional]
| | street 0-1

```

```

| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     | xGeoCoord 1-1
|     | yGeoCoord 1-1
|     | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
|   | id 0-1
|   |   @numberingOrg [Optional]
|   | legalName 0-1
|   | dept 0-1
|   | subDept 0-1
|   | person 0-1
|   |   @email [Optional]
|   |   @phone [Optional]
|   |   @fax [Optional]
|   | street 0-1
|   | city 0-1
|   | subCountry 0-1
|   | country 0-1
|   | postCode 0-1
|   | geoCoordinates 0-1
|   |   @um [Optional] [Default= DEGD]
|   |   @geoRefSystem [Optional]
|   |     | xGeoCoord 1-1
|   |     | yGeoCoord 1-1
|   |     | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
|   | fileName 0-1
|   |   @numberingOrg [Optional]
|   | binaryObject 0-1
|   |   @format [Optional]
|   |   @mime [Optional]
|   |   @encoding [Optional]
|   |   @characterSet [Optional]
| externalReference 0-99
|   | uri 1-1
|   |   @isURL [Optional] [Default= true]
|   | mimeTypeCode 0-1
|   | formatCode 0-1
|   | encodingCode 0-1
|   | characterSetCode 0-1
|   | hashFootprint 0-1
|   |   @schemeID [Optional]
|   |   @hashMethod [Required]
| blockChainReference 0-9
|   | uri 1-1
|   |   @isURL [Optional] [Default= true]
|   | transactionReceipt 1-9
| note 0-99
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| note 0-9
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| billOfUsedWater 0-1
| @limitedByDisclosureIndicator [Optional]
| @exhaustiveInformation [Required]

```

@disclosureLevel [Optional]
 @storageAction [Required]
 | productReferenceQty 0-1
 | @um [Required]
 | year 0-1
 | **facilityLocation 0-1**
 | | location 1-1
 | | | @LRI [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **usedWaterDescriptor 0-99**
 | @indirectIncluded [Required]
 | | usedWaterType 1-1
 | | description 0-99
 | | | @In [Optional]
 | | declaredQty 0-9
 | | | @um [Required]
 | | | @validationMethod [Optional]
 | | | @referenceYear [Optional]
 | | productReferenceQty 0-1
 | | | @um [Required]
 | | note 0-9
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | **externalRefDoc 0-99**
 | | docID 1-1
 | | | @numberingOrg [Optional]
 | | docDate 0-1
 | | | @dateForm [Optional]
 | | title 0-unbounded
 | | | @In [Optional]
 | | description 0-unbounded
 | | | @In [Optional]
 | | validityStart 0-1
 | | | @dateForm [Optional]
 | | validityEnd 0-1
 | | | @dateForm [Optional]
 | | documentType 0-1
 | **issuerParty 0-1**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1

- | | zGeoCoord 0-1
- | issuerAccreditationInfo 0-1
- | **signatureInformation 0-1**
- | signatureTypeCode 1-1
- | **signatoryParty 0-unbounded**
- | | id 0-1
- | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | @email [Optional]
- | | @phone [Optional]
- | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **attachment 0-1**
- | | @uid [Optional]
- | | fileName 0-1
- | | @numberingOrg [Optional]
- | | binaryObject 0-1
- | | @format [Optional]
- | | @mime [Optional]
- | | @encoding [Optional]
- | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | | mimeTypeCode 0-1
- | | | formatCode 0-1
- | | | encodingCode 0-1
- | | | characterSetCode 0-1
- | | hashFootprint 0-1
- | | @schemeID [Optional]
- | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | note 0-9
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **billOfEnergy 0-1**
- | | @limitedByDisclosureIndicator [Optional]
- | | @exhaustiveInformation [Required]
- | | @disclosureLevel [Optional]
- | | @storageAction [Required]
- | | productReferenceQty 0-1
- | | | @um [Required]
- | | year 0-1
- | **facilityLocation 0-1**
- | | location 1-1
- | | | @LRI [Optional]
- | | street 0-1


```

| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   | id 0-1
|   |   | @numberingOrg [Optional]
|   | legalName 0-1
|   | dept 0-1
|   | subDept 0-1
|   | person 0-1
|   |   | @email [Optional]
|   |   | @phone [Optional]
|   |   | @fax [Optional]
|   | street 0-1
|   | city 0-1
|   | subCountry 0-1
|   | country 0-1
|   | postCode 0-1
|   | geoCoordinates 0-1
|   |   | @um [Optional] [Default= DEGD]
|   |   | @geoRefSystem [Optional]
|   |     | xGeoCoord 1-1
|   |     | yGeoCoord 1-1
|   |     | zGeoCoord 0-1
|   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   | signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   | id 0-1
|   |   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   |   | @email [Optional]
|   |   |   | @phone [Optional]
|   |   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   |   | @um [Optional] [Default= DEGD]
|   |   |   | @geoRefSystem [Optional]
|   |     | xGeoCoord 1-1
|   |     | yGeoCoord 1-1
|   |     | zGeoCoord 0-1
| attachment 0-1
|   | @uid [Optional]
|   | fileName 0-1
|   |   | @numberingOrg [Optional]
|   | binaryObject 0-1
|   |   | @format [Optional]
|   |   | @mime [Optional]
|   |   | @encoding [Optional]
|   |   | @characterSet [Optional]
|   | externalReference 0-99
|   |   | uri 1-1
|   |   |   | @isURL [Optional] [Default= true]
|   |   | mimeTypeCode 0-1
|   |   | formatCode 0-1
|   |   | encodingCode 0-1
|   |   | characterSetCode 0-1
|   | hashFootprint 0-1
|   |   | @schemeID [Optional]
|   |   | @hashMethod [Required]

```

blockChainReference 0-9
 | uri 1-1
 | | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9
 note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]

billOfWaste 0-1
 @limitedByDisclosureIndicator [Optional]
 @exhaustiveInformation [Required]
 @disclosureLevel [Optional]
 @storageAction [Required]
 | productReferenceQty 0-1
 | @um [Required]
 | year 0-1

facilityLocation 0-1
 | location 1-1
 | | @LRI [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1

geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1

wasteDescriptor 0-99
 @indirectIncluded [Required]
 | EWCWasteCode 1-1
 | wasteTypeCode 0-9
 | | @schemeID [Required]
 | description 0-99
 | | @In [Optional]
 | declaredQty 0-1
 | | @um [Required]
 | | @validationMethod [Optional]
 | | @referenceYear [Optional]
 | productReferenceQty 0-1
 | | @um [Required]
 | routeLength 0-1
 | | @um [Required]
 | wasteFinalTreatmentType 0-9
 | | @part [Optional]
 | | @recyclingProcessEfficiency [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]

externalRefDoc 0-99
 | docID 1-1
 | | @numberingOrg [Optional]
 | docDate 0-1
 | | @dateForm [Optional]
 | title 0-unbounded
 | | @In [Optional]
 | description 0-unbounded
 | | @In [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1


```

| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   | id 0-1
|   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   |   | @email [Optional]
|   |   |   | @phone [Optional]
|   |   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   |   | @um [Optional] [Default= DEGD]
|   |   |   | @geoRefSystem [Optional]
|   |   |   |   | xGeoCoord 1-1
|   |   |   |   | yGeoCoord 1-1
|   |   |   |   | zGeoCoord 0-1
|   |   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   | signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   | id 0-1
|   |   |   | @numberingOrg [Optional]
|   |   |   | legalName 0-1
|   |   |   | dept 0-1
|   |   |   | subDept 0-1
|   |   |   | person 0-1
|   |   |   |   | @email [Optional]
|   |   |   |   | @phone [Optional]
|   |   |   |   | @fax [Optional]
|   |   |   | street 0-1
|   |   |   | city 0-1
|   |   |   | subCountry 0-1
|   |   |   | country 0-1
|   |   |   | postCode 0-1
|   |   |   | geoCoordinates 0-1
|   |   |   |   | @um [Optional] [Default= DEGD]
|   |   |   |   | @geoRefSystem [Optional]
|   |   |   |   |   | xGeoCoord 1-1
|   |   |   |   |   | yGeoCoord 1-1
|   |   |   |   |   | zGeoCoord 0-1
| attachment 0-1
|   | @uid [Optional]
|   |   | fileName 0-1
|   |   |   | @numberingOrg [Optional]
|   |   | binaryObject 0-1
|   |   |   | @format [Optional]
|   |   |   | @mime [Optional]
|   |   |   | @encoding [Optional]
|   |   |   | @characterSet [Optional]
|   | externalReference 0-99
|   |   | uri 1-1
|   |   |   | @isURL [Optional] [Default= true]
|   |   |   | mimeTypeCode 0-1
|   |   |   | formatCode 0-1
|   |   |   | encodingCode 0-1
|   |   |   | characterSetCode 0-1
|   | hashFootprint 0-1
|   |   | @schemeID [Optional]
|   |   | @hashMethod [Required]
| blockChainReference 0-9
|   | uri 1-1

```

| | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
billOfWasteWater 0-1
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]
 | productReferenceQty 0-1
 | @um [Required]
 | year 0-1
facilityLocation 0-1
 | location 1-1
 | @LRI [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
wasteWaterDescriptor 1-99
 | @hazardous [Required]
 | @indirectIncluded [Required]
 | description 1-99
 | @In [Optional]
 | declaredQty 0-1
 | @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | wasteWaterFinalTreatmentType 0-9
 | @part [Optional]
 | wasteWaterContaminantType 0-99
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
externalRefDoc 0-99
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
issuerParty 0-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1

- | dept 0-1
- | subDept 0-1
- | person 0-1
- | @*email* [Optional]
- | @*phone* [Optional]
- | @*fax* [Optional]
- | street 0-1
- | city 0-1
- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @*um* [Optional] [Default= DEGD]
- | @*geoRefSystem* [Optional]
- | | xGeoCoord 1-1
- | | yGeoCoord 1-1
- | | zGeoCoord 0-1
- | issuerAccreditationInfo 0-1
- | **signatureInformation 0-1**
- | signatureTypeCode 1-1
- | **signatoryParty 0-unbounded**
- | | id 0-1
- | | @*numberingOrg* [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | @*email* [Optional]
- | | @*phone* [Optional]
- | | @*fax* [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | @*um* [Optional] [Default= DEGD]
- | | @*geoRefSystem* [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **attachment 0-1**
- | @*uid* [Optional]
- | | fileName 0-1
- | | @*numberingOrg* [Optional]
- | | binaryObject 0-1
- | | @*format* [Optional]
- | | @*mime* [Optional]
- | | @*encoding* [Optional]
- | | @*characterSet* [Optional]
- | | **externalReference 0-99**
- | | uri 1-1
- | | | @*isURL* [Optional] [Default= true]
- | | | mimeTypeCode 0-1
- | | | formatCode 0-1
- | | | encodingCode 0-1
- | | | characterSetCode 0-1
- | | hashFootprint 0-1
- | | @*schemeID* [Optional]
- | | @*hashMethod* [Required]
- | | **blockChainReference 0-9**
- | | uri 1-1
- | | | @*isURL* [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | note 0-99
- | @*numberingOrg* [Optional]
- | @*codeList* [Optional]
- | @*noteLabel* [Optional]

| note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]

billOfDirectEmissions 0-1
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]

| productReferenceQty 0-1
 | @um [Required]

| year 0-1

facilityLocation 0-1

| location 1-1
 | @LRI [Optional]

| street 0-1

| city 0-1

| subCountry 0-1

| country 0-1

| postCode 0-1

geoCoordinates 0-1

| @um [Optional] [Default= DEGD]

| @geoRefSystem [Optional]

| xGeoCoord 1-1

| yGeoCoord 1-1

| zGeoCoord 0-1

directEmissionDescriptor 1-99

| @releasedOn [Required]

| @indirectIncluded [Required]

| directEmissionType 1-1

| description 0-99
 | @In [Optional]

| declaredQty 0-1
 | @um [Required]

| @validationMethod [Optional]

| @referenceYear [Optional]

| productReferenceQty 0-1
 | @um [Required]

| note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]

externalRefDoc 0-99

| docID 1-1
 | @numberingOrg [Optional]

| docDate 0-1
 | @dateForm [Optional]

| title 0-unbounded
 | @In [Optional]

| description 0-unbounded
 | @In [Optional]

| validityStart 0-1
 | @dateForm [Optional]

| validityEnd 0-1
 | @dateForm [Optional]

| documentType 0-1

issuerParty 0-1

| id 0-1
 | @numberingOrg [Optional]

| legalName 0-1

| dept 0-1

| subDept 0-1

| person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]

| street 0-1

| city 0-1

```

| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| | fileName 0-1
| | @numberingOrg [Optional]
| | binaryObject 0-1
| | @format [Optional]
| | @mime [Optional]
| | @encoding [Optional]
| | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | mimeTypeCode 0-1
| | | formatCode 0-1
| | | encodingCode 0-1
| | | characterSetCode 0-1
| | hashFootprint 0-1
| | @schemeID [Optional]
| | @hashMethod [Required]
| | blockChainReference 0-9
| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]
| note 0-9
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]
| note 0-9
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]

```

billOfMaterials 0-1
 @limitedByDisclosureIndicator [Optional]
 @exhaustiveInformation [Required]
 @disclosureLevel [Optional]
 @storageAction [Required]
 productReferenceQty 0-1
 @um [Required]
 year 0-1
facilityLocation 0-1
 location 1-1
 @LRI [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
materialDescriptor 1-unbounded
 prodServName 1-1
 description 0-99
 @In [Optional]
 declaredQty 0-1
 @um [Required]
 @validationMethod [Optional]
 @referenceYear [Optional]
 productReferenceQty 0-1
 @um [Required]
 inputMaterialCategory 1-1
transportImpactPrimaryData 0-99
 @part [Optional] [Default= 100]
 description 0-99
 @In [Optional]
 transMode 1-1
 transMeans 1-1
 @propulsionSystemCode [Optional]
 routeLength 1-1
 @um [Required]
 transportMeansUtilisationPercentage 0-1
 emptyReturnForTruck 0-1
 note 0-9
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]
packagingImpactPrimaryData 0-99
 packageText 1-1
 weight 1-1
 @um [Required]
 note 0-9
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]
externalRefDoc 0-99
 docID 1-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]
 title 0-unbounded
 @In [Optional]
 description 0-unbounded
 @In [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1

```

| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   | id 0-1
|   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   |   | @email [Optional]
|   |   |   | @phone [Optional]
|   |   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   |   | @um [Optional] [Default= DEGD]
|   |   |   | @geoRefSystem [Optional]
|   |   |   |   | xGeoCoord 1-1
|   |   |   |   | yGeoCoord 1-1
|   |   |   |   | zGeoCoord 0-1
|   |   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   | signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   | id 0-1
|   |   |   | @numberingOrg [Optional]
|   |   |   | legalName 0-1
|   |   |   | dept 0-1
|   |   |   | subDept 0-1
|   |   |   | person 0-1
|   |   |   |   | @email [Optional]
|   |   |   |   | @phone [Optional]
|   |   |   |   | @fax [Optional]
|   |   |   | street 0-1
|   |   |   | city 0-1
|   |   |   | subCountry 0-1
|   |   |   | country 0-1
|   |   |   | postCode 0-1
|   |   |   | geoCoordinates 0-1
|   |   |   |   | @um [Optional] [Default= DEGD]
|   |   |   |   | @geoRefSystem [Optional]
|   |   |   |   |   | xGeoCoord 1-1
|   |   |   |   |   | yGeoCoord 1-1
|   |   |   |   |   | zGeoCoord 0-1
| attachment 0-1
|   | @uid [Optional]
|   |   | fileName 0-1
|   |   |   | @numberingOrg [Optional]
|   |   | binaryObject 0-1
|   |   |   | @format [Optional]
|   |   |   | @mime [Optional]
|   |   |   | @encoding [Optional]
|   |   |   | @characterSet [Optional]
| externalReference 0-99
|   | uri 1-1
|   |   | @isURL [Optional] [Default= true]
|   |   | mimeTypeCode 0-1
|   |   | formatCode 0-1
|   |   | encodingCode 0-1
|   |   | characterSetCode 0-1
|   | hashFootprint 0-1
|   |   | @schemeID [Optional]
|   |   | @hashMethod [Required]
| blockChainReference 0-9
|   | uri 1-1

```

- | | | | | @isURL [Optional] [Default= true]
- | | | | | transactionReceipt 1-9
- | | | | | note 0-99
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @noteLabel [Optional]
- | | | | | note 0-9
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @noteLabel [Optional]
- | | | | | **billOfChemical 0-1**
- | | | | | @limitedByDisclosureIndicator [Optional]
- | | | | | @exhaustiveInformation [Required]
- | | | | | @disclosureLevel [Optional]
- | | | | | @storageAction [Required]
- | | | | | productReferenceQty 0-1
- | | | | | @um [Required]
- | | | | | year 0-1
- | | | | | **facilityLocation 0-1**
- | | | | | location 1-1
- | | | | | @LRI [Optional]
- | | | | | street 0-1
- | | | | | city 0-1
- | | | | | subCountry 0-1
- | | | | | country 0-1
- | | | | | postCode 0-1
- | | | | | **geoCoordinates 0-1**
- | | | | | @um [Optional] [Default= DEGD]
- | | | | | @geoRefSystem [Optional]
- | | | | | xGeoCoord 1-1
- | | | | | yGeoCoord 1-1
- | | | | | zGeoCoord 0-1
- | | | | | **dyesDescriptor 0-unbounded**
- | | | | | dyesCategory 1-1
- | | | | | description 0-99
- | | | | | @ln [Optional]
- | | | | | note 0-9
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @noteLabel [Optional]
- | | | | | **chemicalItem 0-unbounded**
- | | | | | CASCode 1-1
- | | | | | description 1-9
- | | | | | @ln [Optional]
- | | | | | **SDSDoc 0-1**
- | | | | | CASCode 1-1
- | | | | | **attachment 1-1**
- | | | | | @uid [Optional]
- | | | | | fileName 0-1
- | | | | | @numberingOrg [Optional]
- | | | | | binaryObject 0-1
- | | | | | @format [Optional]
- | | | | | @mime [Optional]
- | | | | | @encoding [Optional]
- | | | | | @characterSet [Optional]
- | | | | | **externalReference 0-99**
- | | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | | mimeTypeCode 0-1
- | | | | | formatCode 0-1
- | | | | | encodingCode 0-1
- | | | | | characterSetCode 0-1
- | | | | | hashFootprint 0-1
- | | | | | @schemeID [Optional]
- | | | | | @hashMethod [Required]
- | | | | | **blockChainReference 0-9**
- | | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]


```

| | | transactionReceipt 1-9
| note 0-9
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| externalRefDoc 0-99
| docID 1-1
|   @numberingOrg [Optional]
| docDate 0-1
|   @dateForm [Optional]
| title 0-unbounded
|   @ln [Optional]
| description 0-unbounded
|   @ln [Optional]
| validityStart 0-1
|   @dateForm [Optional]
| validityEnd 0-1
|   @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|     @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
|   id 0-1
|     @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
|   fileName 0-1
|     @numberingOrg [Optional]

```

| binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | | mimeTypeCode 0-1
 | | formatCode 0-1
 | | encodingCode 0-1
 | | characterSetCode 0-1
 | hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9
 | note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **billOfUsedWater 0-9**
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]
 | productReferenceQty 0-1
 | @um [Required]
 | year 0-1
 | **facilityLocation 0-1**
 | location 1-1
 | @LRI [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **usedWaterDescriptor 0-99**
 | @indirectIncluded [Required]
 | usedWaterType 1-1
 | description 0-99
 | @In [Optional]
 | declaredQty 0-9
 | @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **externalRefDoc 0-99**
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1

```

| @dateForm [Optional]
| title 0-unbounded
| @ln [Optional]
| description 0-unbounded
| @ln [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|   | @numberingOrg [Optional]
|   | legalName 0-1
|   | dept 0-1
|   | subDept 0-1
|   | person 0-1
|   | @email [Optional]
|   | @phone [Optional]
|   | @fax [Optional]
|   | street 0-1
|   | city 0-1
|   | subCountry 0-1
|   | country 0-1
|   | postCode 0-1
|   | geoCoordinates 0-1
|   | @um [Optional] [Default= DEGD]
|   | @geoRefSystem [Optional]
|   |   xGeoCoord 1-1
|   |   yGeoCoord 1-1
|   |   zGeoCoord 0-1
|   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   id 0-1
|   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   | @email [Optional]
|   |   | @phone [Optional]
|   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   | @um [Optional] [Default= DEGD]
|   |   | @geoRefSystem [Optional]
|   |   |   xGeoCoord 1-1
|   |   |   yGeoCoord 1-1
|   |   |   zGeoCoord 0-1
| attachment 0-1
|   @uid [Optional]
|   | fileName 0-1
|   | | @numberingOrg [Optional]
|   | binaryObject 0-1
|   | | @format [Optional]
|   | | @mime [Optional]
|   | | @encoding [Optional]
|   | | @characterSet [Optional]
| externalReference 0-99
|   | uri 1-1
|   | | @isURL [Optional] [Default= true]
|   | | mimeTypeCode 0-1

```



```

| | | | | @um [Required]
| | | | | @validationMethod [Optional]
| | | | | @referenceYear [Optional]
| | | | | timeDuration 1-1
- or -
| | | | | energy 1-1
| | | | | @um [Required]
| | | | | @validationMethod [Optional]
| | | | | @referenceYear [Optional]
- end choose -
| | | | | productReferenceQty 0-1
| | | | | @um [Required]
| | | | | description 1-1
| | | | | @ln [Optional]
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | auxSystemsConsumptionPerc 0-2
| | | | | @isElectric [Optional]
| | | | | externalRefDoc 0-99
| | | | | docID 1-1
| | | | | @numberingOrg [Optional]
| | | | | docDate 0-1
| | | | | @dateForm [Optional]
| | | | | title 0-unbounded
| | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | validityStart 0-1
| | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | @dateForm [Optional]
| | | | | documentType 0-1
| | | | | issuerParty 0-1
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | | issuerAccreditationInfo 0-1
| | | | | signatureInformation 0-1
| | | | | signatureTypeCode 1-1
| | | | | signatoryParty 0-unbounded
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]

```

| street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
 | | **externalReference 0-99**
 | | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | mimeTypeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | | note 0-99
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | | note 0-9
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | **billOfWaste 0-9**
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]
 | | productReferenceQty 0-1
 | | | @um [Required]
 | | year 0-1
 | | **facilityLocation 0-1**
 | | | location 1-1
 | | | | @LRI [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | **wasteDescriptor 0-99**
 | | | @indirectIncluded [Required]
 | | | EWCWasteCode 1-1
 | | | wasteTypeCode 0-9

| @schemeID [Required]
 | description 0-99
 | @ln [Optional]
 | declaredQty 0-1
 | @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | routeLength 0-1
 | @um [Required]
 | wasteFinalTreatmentType 0-9
 | @part [Optional]
 | @recyclingProcessEfficiency [Optional]
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]

externalRefDoc 0-99

| docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1

issuerParty 0-1

| id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1

geoCoordinates 0-1

| @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1

signatureInformation 0-1

| signatureTypeCode 1-1

signatoryParty 0-unbounded

| id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1

- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
- | | xGeoCoord 1-1
- | | yGeoCoord 1-1
- | | zGeoCoord 0-1
- | **attachment 0-1**
- | @uid [Optional]
- | | fileName 0-1
- | | | @numberingOrg [Optional]
- | | binaryObject 0-1
- | | | @format [Optional]
- | | | @mime [Optional]
- | | | @encoding [Optional]
- | | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | note 0-9
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **billOfWasteWater 0-9**
- | | @limitedByDisclosureIndicator [Optional]
- | | @exhaustiveInformation [Required]
- | | @disclosureLevel [Optional]
- | | @storageAction [Required]
- | | productReferenceQty 0-1
- | | | @um [Required]
- | | year 0-1
- | | **facilityLocation 0-1**
- | | | location 1-1
- | | | | @LRI [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | | @um [Optional] [Default= DEGD]
- | | | | @geoRefSystem [Optional]
- | | | | | xGeoCoord 1-1
- | | | | | yGeoCoord 1-1
- | | | | | zGeoCoord 0-1
- | **wasteWaterDescriptor 1-99**
- | | @hazardous [Required]
- | | @indirectIncluded [Required]
- | | description 1-99
- | | | @ln [Optional]
- | | declaredQty 0-1

| @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | wasteWaterFinalTreatmentType 0-9
 | @part [Optional]
 | wasteWaterContaminantType 0-99
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **externalRefDoc 0-99**
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
 | **issuerParty 0-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]

```

| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| | fileName 0-1
| | | @numberingOrg [Optional]
| | binaryObject 0-1
| | | @format [Optional]
| | | @mime [Optional]
| | | @encoding [Optional]
| | | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | | @isURL [Optional] [Default= true]
| | | | mimeTypeCode 0-1
| | | | formatCode 0-1
| | | | encodingCode 0-1
| | | | characterSetCode 0-1
| | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | blockChainReference 0-9
| | | uri 1-1
| | | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]
| note 0-9
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]
| billOfDirectEmissions 0-9
| | @limitedByDisclosureIndicator [Optional]
| | @exhaustiveInformation [Required]
| | @disclosureLevel [Optional]
| | @storageAction [Required]
| | | productReferenceQty 0-1
| | | | @um [Required]
| | | year 0-1
| | facilityLocation 0-1
| | | location 1-1
| | | | @LRI [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| directEmissionDescriptor 1-99
| | @releasedOn [Required]
| | @indirectIncluded [Required]
| | | directEmissionType 1-1
| | | description 0-99
| | | | @In [Optional]
| | | declaredQty 0-1
| | | | @um [Required]
| | | | @validationMethod [Optional]
| | | | @referenceYear [Optional]
| | | productReferenceQty 0-1
| | | | @um [Required]

```

note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]

externalRefDoc 0-99
 docID 1-1
 | @numberingOrg [Optional]
 docDate 0-1
 | @dateForm [Optional]
 title 0-unbounded
 | @ln [Optional]
 description 0-unbounded
 | @ln [Optional]
 validityStart 0-1
 | @dateForm [Optional]
 validityEnd 0-1
 | @dateForm [Optional]
 documentType 0-1

issuerParty 0-1
 id 0-1
 | @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1

geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 issuerAccreditationInfo 0-1

signatureInformation 0-1
 signatureTypeCode 1-1

signatoryParty 0-unbounded
 id 0-1
 | @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1

geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1

attachment 0-1
 | @uid [Optional]
 fileName 0-1
 | @numberingOrg [Optional]
 binaryObject 0-1

| @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | mimeTypeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | **internalWastewaterTreatmentPlant 0-9**
 | | **activityLocation 0-1**
 | | | @part [Optional] [Default= 100]
 | | | location 0-1
 | | | | @LRI [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | description 0-9
 | | @In [Optional]
 | productReferenceQty 0-1
 | | @um [Required]
 | **wasteWaterPlantInputList 0-1**
 | | **wasteWaterPlantInputDescriptor 0-99**
 | | | @sharePerc [Optional]
 | | | wasteWaterProvenance 0-1
 | | | **materialDescriptor 0-99**
 | | | | prodServName 1-1
 | | | | description 0-99
 | | | | | @In [Optional]
 | | | | declaredQty 0-1
 | | | | | @um [Required]
 | | | | | @validationMethod [Optional]
 | | | | | @referenceYear [Optional]
 | | | | productReferenceQty 0-1
 | | | | | @um [Required]
 | | | | inputMaterialCategory 1-1

washingType 0-1
 maximumWashingTemperature 0-1
 @um [Optional]
 maximumIroningTemperature 0-1
 allowedTumbleDrying 0-1
externalRefDoc 0-99
 docID 1-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]
 title 0-unbounded
 @ln [Optional]
 description 0-unbounded
 @ln [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 documentType 0-1
issuerParty 0-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 issuerAccreditationInfo 0-1
signatureInformation 0-1
 signatureTypeCode 1-1
 signatoryParty 0-unbounded
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
attachment 0-1
 @uid [Optional]
 fileName 0-1
 @numberingOrg [Optional]

```

| | | | | binaryObject 0-1
| | | | |   @format [Optional]
| | | | |   @mime [Optional]
| | | | |   @encoding [Optional]
| | | | |   @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | |   uri 1-1
| | | | | |   @isURL [Optional] [Default= true]
| | | | | |   mimeTypeCode 0-1
| | | | | |   formatCode 0-1
| | | | | |   encodingCode 0-1
| | | | | |   characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | |   @schemeID [Optional]
| | | | | |   @hashMethod [Required]
| | | | | | | blockChainReference 0-9
| | | | | | |   uri 1-1
| | | | | | |   @isURL [Optional] [Default= true]
| | | | | | |   transactionReceipt 1-9
| | | | | note 0-99
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @noteLabel [Optional]
| | | | | note 0-9
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @noteLabel [Optional]
| | | | | | expectedUsagePerformance 0-1
| | | | | | averageWashingNumber 0-9
| | | | | |   @um [Required]
| | | | | |   @validationMethod [Optional]
| | | | | |   @referenceYear [Optional]
| | | | | | averageProductLifetime 0-9
| | | | | |   @um [Required]
| | | | | |   @validationMethod [Optional]
| | | | | |   @referenceYear [Optional]
| | | | | | averageReferenceProductLifeTime 0-9
| | | | | |   @um [Required]
| | | | | |   @validationMethod [Optional]
| | | | | |   @referenceYear [Optional]
| | | | | | | externalRefDoc 0-99
| | | | | | | docID 1-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | | docDate 0-1
| | | | | | |   @dateForm [Optional]
| | | | | | | title 0-unbounded
| | | | | | |   @In [Optional]
| | | | | | | description 0-unbounded
| | | | | | |   @In [Optional]
| | | | | | | validityStart 0-1
| | | | | | |   @dateForm [Optional]
| | | | | | | validityEnd 0-1
| | | | | | |   @dateForm [Optional]
| | | | | | | documentType 0-1
| | | | | | | issuerParty 0-1
| | | | | | | id 0-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | | legalName 0-1
| | | | | | | dept 0-1
| | | | | | | subDept 0-1
| | | | | | | person 0-1
| | | | | | |   @email [Optional]
| | | | | | |   @phone [Optional]
| | | | | | |   @fax [Optional]
| | | | | | | street 0-1
| | | | | | | city 0-1
| | | | | | | subCountry 0-1
| | | | | | | country 0-1

```

| postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | | @format [Optional]
 | | | @mime [Optional]
 | | | @encoding [Optional]
 | | | @characterSet [Optional]
 | | **externalReference 0-99**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | mimeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | **endOfLifePerformance 0-1**
 | collectedFractionMassPercentage 0-9

@um [Required]
 @validationMethod [Optional]
 @referenceYear [Optional]
 fractionMassToCompostingPerc 0-9
 @um [Required]
 @validationMethod [Optional]
 @referenceYear [Optional]
 @energyRecoveryEfficiency [Optional]
 fractionMassToRecyclingPerc 0-9
 @um [Required]
 @recyclingProcessMethod [Optional]
 @validationMethod [Optional]
 @referenceYear [Optional]
 @recyclingProcessEfficiency [Optional]
 fractionMassToReusePerc 0-9
 @um [Required]
 @validationMethod [Optional]
 @referenceYear [Optional]
externalRefDoc 0-99
 | docID 1-1
 | | @numberingOrg [Optional]
 | docDate 0-1
 | | @dateForm [Optional]
 | title 0-unbounded
 | | @ln [Optional]
 | description 0-unbounded
 | | @ln [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | documentType 0-1
issuerParty 0-1
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
signatureInformation 0-1
 | signatureTypeCode 1-1
signatoryParty 0-unbounded
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | street 0-1
 | city 0-1

- subCountry 0-1
- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
 - @um [Optional] [Default= DEGD]
 - @geoRefSystem [Optional]
 - xGeoCoord 1-1
 - yGeoCoord 1-1
 - zGeoCoord 0-1
- attachment 0-1**
 - @uid [Optional]
 - fileName 0-1
 - @numberingOrg [Optional]
 - binaryObject 0-1
 - @format [Optional]
 - @mime [Optional]
 - @encoding [Optional]
 - @characterSet [Optional]
 - externalReference 0-99**
 - uri 1-1
 - @isURL [Optional] [Default= true]
 - mimeCode 0-1
 - formatCode 0-1
 - encodingCode 0-1
 - characterSetCode 0-1
 - hashFootprint 0-1
 - @schemeID [Optional]
 - @hashMethod [Required]
 - blockChainReference 0-9**
 - uri 1-1
 - @isURL [Optional] [Default= true]
 - transactionReceipt 1-9
 - note 0-99
 - @numberingOrg [Optional]
 - @codeList [Optional]
 - @noteLabel [Optional]
 - note 0-9
 - @numberingOrg [Optional]
 - @codeList [Optional]
 - @noteLabel [Optional]
- organisationDescriptor 0-1**
 - id 1-1
 - @numberingOrg [Optional]
 - legalName 1-1
 - organisationAddress 1-1**
 - street 0-1
 - city 0-1
 - subCountry 0-1
 - country 0-1
 - postCode 0-1
 - geoCoordinates 0-1**
 - @um [Optional] [Default= DEGD]
 - @geoRefSystem [Optional]
 - xGeoCoord 1-1
 - yGeoCoord 1-1
 - zGeoCoord 0-1
 - person 1-99
 - @email [Optional]
 - @phone [Optional]
 - @fax [Optional]
 - activityStatisticalCode 0-1
 - @schemeID [Optional] [Default= NACE]
 - certificate 0-99**
 - @docStatusCode [Required]
 - @docValidity [Required]
 - docID 1-1
 - @numberingOrg [Optional]
 - certificatID 1-1

| @schemeID [Optional]
 | certificationStandardName 1-1
 | @standardOwner [Required]
 | docDate 1-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | validityExtensionDate 0-1
 | @dateForm [Optional]
 | sustainabilityCharacteristicText 0-99
 | @In [Optional]
| issuerParty 1-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
| geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
| certifiedParty 1-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
| geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
| certifiedEntity 0-unbounded
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @In [Optional]
| attachment 0-1
 | @uid [Optional]

fileName 0-1
 | @numberingOrg [Optional]
 binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
externalReference 0-99
 | uri 1-1
 | | @isURL [Optional] [Default= true]
 | mimeTypeCode 0-1
 | formatCode 0-1
 | encodingCode 0-1
 | characterSetCode 0-1
 hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
blockChainReference 0-9
 | uri 1-1
 | | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9
 note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
selfAssertion 0-99
 | @disclosureLevel [Optional]
 | @docStatusCode [Optional]
 | sustainabilityCharacteristicText 0-99
 | | @ln [Optional]
 | assertionCategory 1-1
 | description 1-99
 | | @ln [Optional]
issuerParty 1-1
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
 | entityID 1-3
 | | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | | @ln [Optional]
externalRefDoc 0-99
 | docID 1-1
 | | @numberingOrg [Optional]
 | docDate 0-1
 | | @dateForm [Optional]
 | title 0-unbounded
 | | @ln [Optional]

description 0-unbounded
 @ln [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 documentType 0-1
issuerParty 0-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 issuerAccreditationInfo 0-1
signatureInformation 0-1
 signatureTypeCode 1-1
signatoryParty 0-unbounded
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
attachment 0-1
 @uid [Optional]
 fileName 0-1
 @numberingOrg [Optional]
 binaryObject 0-1
 @format [Optional]
 @mime [Optional]
 @encoding [Optional]
 @characterSet [Optional]
externalReference 0-99
 uri 1-1
 @isURL [Optional] [Default= true]
 mimeTypeCode 0-1
 formatCode 0-1
 encodingCode 0-1
 characterSetCode 0-1

- | hashFootprint 0-1
 - | @schemeID [Optional]
 - | @hashMethod [Required]
- | **blockChainReference 0-9**
 - | uri 1-1
 - | @isURL [Optional] [Default= true]
 - | transactionReceipt 1-9
- | note 0-99
 - | @numberingOrg [Optional]
 - | @codeList [Optional]
 - | @noteLabel [Optional]
- | validityStart 0-1
 - | @dateForm [Optional]
- | validityEnd 0-1
 - | @dateForm [Optional]
- | validityExtensionDate 0-1
 - | @dateForm [Optional]
- | **socialAndEthicalSpecificInformation 0-1**
 - | @limitedByDisclosureIndicator [Optional]
 - | @exhaustiveInformation [Required]
 - | @disclosureLevel [Required]
 - | @storageAction [Required]
- | **certificate 0-99**
 - | @docStatusCode [Required]
 - | @docValidity [Required]
 - | docID 1-1
 - | @numberingOrg [Optional]
 - | certificateID 1-1
 - | @schemeID [Optional]
 - | certificationStandardName 1-1
 - | @standardOwner [Required]
 - | docDate 1-1
 - | @dateForm [Optional]
 - | title 0-unbounded
 - | @ln [Optional]
 - | description 0-unbounded
 - | @ln [Optional]
 - | validityStart 0-1
 - | @dateForm [Optional]
 - | validityEnd 0-1
 - | @dateForm [Optional]
 - | validityExtensionDate 0-1
 - | @dateForm [Optional]
 - | sustainabilityCharacteristicText 0-99
 - | @ln [Optional]
- | **issuerParty 1-1**
 - | id 0-1
 - | @numberingOrg [Optional]
 - | legalName 0-1
 - | dept 0-1
 - | subDept 0-1
 - | person 0-1
 - | @email [Optional]
 - | @phone [Optional]
 - | @fax [Optional]
 - | street 0-1
 - | city 0-1
 - | subCountry 0-1
 - | country 0-1
 - | postCode 0-1
- | **geoCoordinates 0-1**
 - | @um [Optional] [Default= DEGD]
 - | @geoRefSystem [Optional]
 - | xGeoCoord 1-1
 - | yGeoCoord 1-1
 - | zGeoCoord 0-1
- | issuerAccreditationInfo 0-1
- | **certifiedParty 1-1**

id 0-1
 | @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **certifiedEntity 0-unbounded**
 | entityID 1-3
 | | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | | @In [Optional]
 | **attachment 0-1**
 | @uid [Optional]
 | fileName 0-1
 | | @numberingOrg [Optional]
 | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | mimeTypeCode 0-1
 | | formatCode 0-1
 | | encodingCode 0-1
 | | characterSetCode 0-1
 | hashFootprint 0-1
 | | @schemeID [Optional]
 | | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | transactionReceipt 1-9
 note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **selfAssertion 0-99**
 | @disclosureLevel [Optional]
 | @docStatusCode [Optional]
 | sustainabilityCharacteristicText 0-99
 | | @In [Optional]
 | assertionCategory 1-1
 | description 1-99
 | | @In [Optional]
 | **issuerParty 1-1**
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1

| @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **selfAssertionEntity 0-unbounded**
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @ln [Optional]
 | **externalRefDoc 0-99**
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
 | **issuerParty 0-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]


```

| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| | | | | attachment 0-1
| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeTypeCode 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | @schemeID [Optional]
| | | | | | @hashMethod [Required]
| | | | | | blockChainReference 0-9
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | transactionReceipt 1-9
| | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | validityStart 0-1
| | | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | | @dateForm [Optional]
| | | | | validityExtensionDate 0-1
| | | | | | @dateForm [Optional]
| | | | | assessmentStudyDocument 0-9
| | | | | | @disclosureLevel [Optional]
| | | | | | @docStatusCode [Optional]
| | | | | | @isStudyDataset [Required]
| | | | | | docID 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | docDate 0-1
| | | | | | | @dateForm [Optional]
| | | | | | ProductIdentification 0-99
| | | | | | | uniqueProductID 1-1
| | | | | | | @schemeID [Required]
| | | | | | | objectTypeCode 1-1
| | | | | | | description 0-9
| | | | | | | @ln [Optional]
| | | | | - choose -
| | | | | | rawCode 0-2
| | | | | | | @numberingOrg [Optional]
| | | | | | | | art 1-1
| | | | | | | | @numberingOrg [Optional]
| | | | | | | | @codeList [Optional]
| | | | | | | | @listName [Optional]
| | | | | | | | @listVersion [Optional]
| | | | | | | color 0-1

```

						<ul style="list-style-type: none"> @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
					- or -	<p>yarnCode 0-2</p> <ul style="list-style-type: none"> @numberingOrg [Optional] [Default= CL] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
					- or -	<p>texCode 0-2</p> <ul style="list-style-type: none"> @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
					- or -	<p>acsCode 1-2</p> <ul style="list-style-type: none"> @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional]

id 0-1
 | @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 issuerAccreditationInfo 0-1
 validityStart 0-1
 | @dateForm [Optional]
 validityEnd 0-1
 | @dateForm [Optional]
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | fileName 0-1
 | | @numberingOrg [Optional]
 | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | mimeTypeCode 0-1
 | | formatCode 0-1
 | | encodingCode 0-1
 | | characterSetCode 0-1
 hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
 | **blockChainReference 0-9**

- | uri 1-1
- | | *@isURL [Optional] [Default= true]*
- | transactionReceipt 1-9
- note 0-99
- | | *@numberingOrg [Optional]*
- | | *@codeList [Optional]*
- | | *@noteLabel [Optional]*
- socialAccountabilityEvidence 1-unbounded**
- | *@socialAccountabilityMethod [Optional]*
- | socialAccountabilityEvidenceCategory 1-1
- | description 0-99
- | | *@In [Optional]*
- | evidenceValue 0-1
- | | *@um [Optional]*
- selfAssertion 0-99**
- | | *@disclosureLevel [Optional]*
- | | *@docStatusCode [Optional]*
- | | sustainabilityCharacteristicText 0-99
- | | | *@In [Optional]*
- | | assertionCategory 1-1
- | | description 1-99
- | | | *@In [Optional]*
- issuerParty 1-1**
- | | id 0-1
- | | | *@numberingOrg [Optional]*
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | | *@email [Optional]*
- | | | *@phone [Optional]*
- | | | *@fax [Optional]*
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- geoCoordinates 0-1**
- | | *@um [Optional] [Default= DEGD]*
- | | *@geoRefSystem [Optional]*
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | issuerAccreditationInfo 0-1
- selfAssertionEntity 0-unbounded**
- | | entityID 1-3
- | | | *@schemeID [Required]*
- | | entityTypeCode 1-1
- | | description 0-9
- | | | *@In [Optional]*
- externalRefDoc 0-99**
- | | docID 1-1
- | | | *@numberingOrg [Optional]*
- | | docDate 0-1
- | | | *@dateForm [Optional]*
- | | title 0-unbounded
- | | | *@In [Optional]*
- | | description 0-unbounded
- | | | *@In [Optional]*
- | | validityStart 0-1
- | | | *@dateForm [Optional]*
- | | validityEnd 0-1
- | | | *@dateForm [Optional]*
- | | documentType 0-1
- issuerParty 0-1**
- | | id 0-1
- | | | *@numberingOrg [Optional]*
- | | legalName 0-1

```

dept 0-1
subDept 0-1
person 0-1
  @email [Optional]
  @phone [Optional]
  @fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1
geoCoordinates 0-1
  @um [Optional] [Default= DEGD]
  @geoRefSystem [Optional]
    | xGeoCoord 1-1
    | yGeoCoord 1-1
    | zGeoCoord 0-1
issuerAccreditationInfo 0-1
signatureInformation 0-1
signatureTypeCode 1-1
signatoryParty 0-unbounded
  id 0-1
  @numberingOrg [Optional]
  legalName 0-1
  dept 0-1
  subDept 0-1
  person 0-1
  @email [Optional]
  @phone [Optional]
  @fax [Optional]
  street 0-1
  city 0-1
  subCountry 0-1
  country 0-1
  postCode 0-1
  geoCoordinates 0-1
  @um [Optional] [Default= DEGD]
  @geoRefSystem [Optional]
    | xGeoCoord 1-1
    | yGeoCoord 1-1
    | zGeoCoord 0-1
attachment 0-1
@uid [Optional]
  fileName 0-1
  @numberingOrg [Optional]
  binaryObject 0-1
  @format [Optional]
  @mime [Optional]
  @encoding [Optional]
  @characterSet [Optional]
externalReference 0-99
  uri 1-1
  @isURL [Optional] [Default= true]
  mimeTypeCode 0-1
  formatCode 0-1
  encodingCode 0-1
  characterSetCode 0-1
hashFootprint 0-1
  @schemeID [Optional]
  @hashMethod [Required]
blockChainReference 0-9
  uri 1-1
  @isURL [Optional] [Default= true]
  transactionReceipt 1-9
note 0-99
  @numberingOrg [Optional]
  @codeList [Optional]
  @noteLabel [Optional]

```

validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 validityExtensionDate 0-1
 @dateForm [Optional]

externalRefDoc 0-99
 docID 1-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]
 title 0-unbounded
 @ln [Optional]
 description 0-unbounded
 @ln [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 documentType 0-1

issuerParty 0-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1

geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]

- | xGeoCoord 1-1
- | yGeoCoord 1-1
- | zGeoCoord 0-1

issuerAccreditationInfo 0-1

signatureInformation 0-1
 signatureTypeCode 1-1

signatoryParty 0-unbounded
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1

geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]

- | xGeoCoord 1-1
- | yGeoCoord 1-1
- | zGeoCoord 0-1

attachment 0-1
 @uid [Optional]
 fileName 0-1

| subDept 0-1
 | person 0-1
 | @*email* [Optional]
 | @*phone* [Optional]
 | @*fax* [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @*um* [Optional] [Default= DEGD]
 | @*geoRefSystem* [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 | note 0-99
 | @*numberingOrg* [Optional]
 | @*codeList* [Optional]
 | @*noteLabel* [Optional]
 | **certificate 0-99**
 | @*docStatusCode* [Required]
 | @*docValidity* [Required]
 | docID 1-1
 | @*numberingOrg* [Optional]
 | certificateID 1-1
 | @*schemeID* [Optional]
 | certificationStandardName 1-1
 | @*standardOwner* [Required]
 | docDate 1-1
 | @*dateForm* [Optional]
 | title 0-unbounded
 | @*ln* [Optional]
 | description 0-unbounded
 | @*ln* [Optional]
 | validityStart 0-1
 | @*dateForm* [Optional]
 | validityEnd 0-1
 | @*dateForm* [Optional]
 | validityExtensionDate 0-1
 | @*dateForm* [Optional]
 | sustainabilityCharacteristicText 0-99
 | @*ln* [Optional]
 | **issuerParty 1-1**
 | id 0-1
 | @*numberingOrg* [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @*email* [Optional]
 | @*phone* [Optional]
 | @*fax* [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @*um* [Optional] [Default= DEGD]
 | @*geoRefSystem* [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **certifiedParty 1-1**
 | id 0-1
 | @*numberingOrg* [Optional]

| legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **certifiedEntity 0-unbounded**
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @In [Optional]
 | **attachment 0-1**
 | @uid [Optional]
 | fileName 0-1
 | @numberingOrg [Optional]
 | binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | | mimeTypeCode 0-1
 | | formatCode 0-1
 | | encodingCode 0-1
 | | characterSetCode 0-1
 | hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | | transactionReceipt 1-9
 | note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **selfAssertion 0-99**
 | @disclosureLevel [Optional]
 | @docStatusCode [Optional]
 | sustainabilityCharacteristicText 0-99
 | @In [Optional]
 | assertionCategory 1-1
 | description 1-99
 | @In [Optional]
 | **issuerParty 1-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]

| @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **selfAssertionEntity 0-unbounded**
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @In [Optional]
 | **externalRefDoc 0-99**
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
 | **issuerParty 0-1**
 | | id 0-1
 | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | @um [Optional] [Default= DEGD]
 | | @geoRefSystem [Optional]
 | | | xGeoCoord 1-1
 | | | yGeoCoord 1-1
 | | | zGeoCoord 0-1
 | | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | | id 0-1
 | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | | street 0-1

| legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 validityStart 0-1
 | @dateForm [Optional]
 validityEnd 0-1
 | @dateForm [Optional]
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | | @format [Optional]
 | | | @mime [Optional]
 | | | @encoding [Optional]
 | | | @characterSet [Optional]
 | | **externalReference 0-99**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | mimeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]

| | transactionReceipt 1-9
 | note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
| facilityYearlyProductionMass 0-9
 | objectTypeCode 0-1
 | declaredQty 0-2
 | @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | year 0-1
| facilitySustainabilityCharacteristics 0-1
| billOfUsedWater 0-9
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]
 | productReferenceQty 0-1
 | @um [Required]
 | year 0-1
| facilityLocation 0-1
 | location 1-1
 | @LRI [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
| geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
| usedWaterDescriptor 0-99
 | @indirectIncluded [Required]
 | usedWaterType 1-1
 | description 0-99
 | @In [Optional]
 | declaredQty 0-9
 | @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
| externalRefDoc 0-99
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
| issuerParty 0-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1

dept 0-1
 subDept 0-1
 person 0-1
 @*email* [Optional]
 @*phone* [Optional]
 @*fax* [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 geoCoordinates 0-1
 @*um* [Optional] [Default= DEGD]
 @*geoRefSystem* [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 issuerAccreditationInfo 0-1
 signatureInformation 0-1
 signatureTypeCode 1-1
 signatoryParty 0-unbounded
 id 0-1
 @*numberingOrg* [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @*email* [Optional]
 @*phone* [Optional]
 @*fax* [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
 geoCoordinates 0-1
 @*um* [Optional] [Default= DEGD]
 @*geoRefSystem* [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 attachment 0-1
 @*uid* [Optional]
 fileName 0-1
 @*numberingOrg* [Optional]
 binaryObject 0-1
 @*format* [Optional]
 @*mime* [Optional]
 @*encoding* [Optional]
 @*characterSet* [Optional]
 externalReference 0-99
 uri 1-1
 @*isURL* [Optional] [Default= true]
 mimeTypeCode 0-1
 formatCode 0-1
 encodingCode 0-1
 characterSetCode 0-1
 hashFootprint 0-1
 @*schemeID* [Optional]
 @*hashMethod* [Required]
 blockChainReference 0-9
 uri 1-1
 @*isURL* [Optional] [Default= true]
 transactionReceipt 1-9
 note 0-99
 @*numberingOrg* [Optional]
 @*codeList* [Optional]
 @*noteLabel* [Optional]


```

| note 0-99
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
auxSystemsConsumptionPerc 0-2
@isElectric [Optional]
externalRefDoc 0-99
| docID 1-1
|   @numberingOrg [Optional]
| docDate 0-1
|   @dateForm [Optional]
| title 0-unbounded
|   @ln [Optional]
| description 0-unbounded
|   @ln [Optional]
| validityStart 0-1
|   @dateForm [Optional]
| validityEnd 0-1
|   @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
|   fileName 0-1

```

| @numberingOrg [Optional]
 | binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | mimeTypeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | **billOfWaste 0-9**
 | | @limitedByDisclosureIndicator [Optional]
 | | @exhaustiveInformation [Required]
 | | @disclosureLevel [Optional]
 | | @storageAction [Required]
 | | | productReferenceQty 0-1
 | | | | @um [Required]
 | | | year 0-1
 | | **facilityLocation 0-1**
 | | | location 1-1
 | | | | @LRI [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | **wasteDescriptor 0-99**
 | | | @indirectIncluded [Required]
 | | | | EWCWasteCode 1-1
 | | | | wasteTypeCode 0-9
 | | | | | @schemeID [Required]
 | | | | description 0-99
 | | | | | @In [Optional]
 | | | | declaredQty 0-1
 | | | | | @um [Required]
 | | | | | @validationMethod [Optional]
 | | | | | @referenceYear [Optional]
 | | | | productReferenceQty 0-1
 | | | | | @um [Required]
 | | | | routeLength 0-1
 | | | | | @um [Required]
 | | | | wasteFinalTreatmentType 0-9
 | | | | | @part [Optional]
 | | | | | @recyclingProcessEfficiency [Optional]

note 0-9
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]

externalRefDoc 0-99

docID 1-1
| @numberingOrg [Optional]
docDate 0-1
| @dateForm [Optional]
title 0-unbounded
| @ln [Optional]
description 0-unbounded
| @ln [Optional]
validityStart 0-1
| @dateForm [Optional]
validityEnd 0-1
| @dateForm [Optional]
documentType 0-1

issuerParty 0-1

| id 0-1
| | @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| **geoCoordinates 0-1**
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| issuerAccreditationInfo 0-1

signatureInformation 0-1

| signatureTypeCode 1-1

signatoryParty 0-unbounded

| id 0-1
| | @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| **geoCoordinates 0-1**
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1

attachment 0-1

@uid [Optional]
| fileName 0-1
| | @numberingOrg [Optional]
| binaryObject 0-1

| @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | mimeTypeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | **billOfWasteWater 0-9**
 | | @limitedByDisclosureIndicator [Optional]
 | | @exhaustiveInformation [Required]
 | | @disclosureLevel [Optional]
 | | @storageAction [Required]
 | | | productReferenceQty 0-1
 | | | | @um [Required]
 | | | year 0-1
 | | **facilityLocation 0-1**
 | | | location 1-1
 | | | | @LRI [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **wasteWaterDescriptor 1-99**
 | | @hazardous [Required]
 | | @indirectIncluded [Required]
 | | | description 1-99
 | | | | @In [Optional]
 | | | declaredQty 0-1
 | | | | @um [Required]
 | | | | @validationMethod [Optional]
 | | | | @referenceYear [Optional]
 | | | productReferenceQty 0-1
 | | | | @um [Required]
 | | | wasteWaterFinalTreatmentType 0-9
 | | | | @part [Optional]
 | | | wasteWaterContaminantType 0-99
 | | | note 0-9
 | | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @noteLabel [Optional]
 | **externalRefDoc 0-99**
 | | docID 1-1


```

| @numberingOrg [Optional]
| docDate 0-1
| @dateForm [Optional]
| title 0-unbounded
| @ln [Optional]
| description 0-unbounded
| @ln [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   | id 0-1
|   |   | @numberingOrg [Optional]
|   | legalName 0-1
|   | dept 0-1
|   | subDept 0-1
|   | person 0-1
|   |   | @email [Optional]
|   |   | @phone [Optional]
|   |   | @fax [Optional]
|   | street 0-1
|   | city 0-1
|   | subCountry 0-1
|   | country 0-1
|   | postCode 0-1
|   | geoCoordinates 0-1
|   |   | @um [Optional] [Default= DEGD]
|   |   | @geoRefSystem [Optional]
|   |     | xGeoCoord 1-1
|   |     | yGeoCoord 1-1
|   |     | zGeoCoord 0-1
|   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   | signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   | id 0-1
|   |   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   |   | @email [Optional]
|   |   |   | @phone [Optional]
|   |   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   |   | @um [Optional] [Default= DEGD]
|   |   |   | @geoRefSystem [Optional]
|   |     | xGeoCoord 1-1
|   |     | yGeoCoord 1-1
|   |     | zGeoCoord 0-1
| attachment 0-1
|   | @uid [Optional]
|   | fileName 0-1
|   |   | @numberingOrg [Optional]
|   | binaryObject 0-1
|   |   | @format [Optional]
|   |   | @mime [Optional]
|   |   | @encoding [Optional]
|   |   | @characterSet [Optional]
|   | externalReference 0-99
|     | uri 1-1

```

- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | | **blockChainReference 0-9**
- | | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | | transactionReceipt 1-9
- | | | | note 0-99
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @noteLabel [Optional]
- | | | | note 0-9
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @noteLabel [Optional]
- | | | | **billOfDirectEmissions 0-9**
- | | | | | @limitedByDisclosureIndicator [Optional]
- | | | | | @exhaustiveInformation [Required]
- | | | | | @disclosureLevel [Optional]
- | | | | | @storageAction [Required]
- | | | | | productReferenceQty 0-1
- | | | | | | @um [Required]
- | | | | | year 0-1
- | | | | | **facilityLocation 0-1**
- | | | | | | location 1-1
- | | | | | | | @LRI [Optional]
- | | | | | | street 0-1
- | | | | | | city 0-1
- | | | | | | subCountry 0-1
- | | | | | | country 0-1
- | | | | | | postCode 0-1
- | | | | | | **geoCoordinates 0-1**
- | | | | | | | @um [Optional] [Default= DEGD]
- | | | | | | | @geoRefSystem [Optional]
- | | | | | | | xGeoCoord 1-1
- | | | | | | | yGeoCoord 1-1
- | | | | | | | zGeoCoord 0-1
- | | | | | **directEmissionDescriptor 1-99**
- | | | | | | @releasedOn [Required]
- | | | | | | @indirectIncluded [Required]
- | | | | | | | directEmissionType 1-1
- | | | | | | | description 0-99
- | | | | | | | | @In [Optional]
- | | | | | | | declaredQty 0-1
- | | | | | | | | @um [Required]
- | | | | | | | | @validationMethod [Optional]
- | | | | | | | | @referenceYear [Optional]
- | | | | | | | productReferenceQty 0-1
- | | | | | | | | @um [Required]
- | | | | | | | note 0-9
- | | | | | | | | @numberingOrg [Optional]
- | | | | | | | | @codeList [Optional]
- | | | | | | | | @noteLabel [Optional]
- | | | | | **externalRefDoc 0-99**
- | | | | | | docID 1-1
- | | | | | | | @numberingOrg [Optional]
- | | | | | | docDate 0-1
- | | | | | | | @dateForm [Optional]
- | | | | | | title 0-unbounded
- | | | | | | | @In [Optional]
- | | | | | | description 0-unbounded
- | | | | | | | @In [Optional]
- | | | | | | validityStart 0-1


```

| | | | | | | | | | blockChainReference 0-9
| | | | | | | | | | | uri 1-1
| | | | | | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | | | | | transactionReceipt 1-9
| | | | | | | | | | | note 0-99
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]
| | | | | | | | | | | note 0-9
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]
| | | | | | | | | | | note 0-99
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]
| | | | | | | | | | | certificate 0-99
| | | | | | | | | | | @docStatusCode [Required]
| | | | | | | | | | | @docValidity [Required]
| | | | | | | | | | | docID 1-1
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | certificateID 1-1
| | | | | | | | | | | | | @schemeID [Optional]
| | | | | | | | | | | | | certificationStandardName 1-1
| | | | | | | | | | | | | | @standardOwner [Required]
| | | | | | | | | | | | | docDate 1-1
| | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | title 0-unbounded
| | | | | | | | | | | | | | | @ln [Optional]
| | | | | | | | | | | | | | | description 0-unbounded
| | | | | | | | | | | | | | | | @ln [Optional]
| | | | | | | | | | | | | | | | validityStart 0-1
| | | | | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | | | | validityEnd 0-1
| | | | | | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | | | | | validityExtensionDate 0-1
| | | | | | | | | | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | | | | | | | | | | sustainabilityCharacteristicText 0-99
| | | | | | | | | | | | | | | | | | | | @ln [Optional]
| | | | | | | | | | | | | | | | | | | issuerParty 1-1
| | | | | | | | | | | | | | | | | | | | id 0-1
| | | | | | | | | | | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | | | | | | | | | | legalName 0-1
| | | | | | | | | | | | | | | | | | | | | dept 0-1
| | | | | | | | | | | | | | | | | | | | | subDept 0-1
| | | | | | | | | | | | | | | | | | | | | person 0-1
| | | | | | | | | | | | | | | | | | | | | | @email [Optional]
| | | | | | | | | | | | | | | | | | | | | | @phone [Optional]
| | | | | | | | | | | | | | | | | | | | | | @fax [Optional]
| | | | | | | | | | | | | | | | | | | | | | street 0-1
| | | | | | | | | | | | | | | | | | | | | | city 0-1
| | | | | | | | | | | | | | | | | | | | | | subCountry 0-1
| | | | | | | | | | | | | | | | | | | | | | country 0-1
| | | | | | | | | | | | | | | | | | | | | | postCode 0-1
| | | | | | | | | | | | | | | | | | | | | | geoCoordinates 0-1
| | | | | | | | | | | | | | | | | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | | | | | | | | | | | | | | | | @geoRefSystem [Optional]
| | | | | | | | | | | | | | | | | | | | | | | | xGeoCoord 1-1
| | | | | | | | | | | | | | | | | | | | | | | | yGeoCoord 1-1
| | | | | | | | | | | | | | | | | | | | | | | | zGeoCoord 0-1
| | | | | | | | | | | | | | | | | | | | | | | | issuerAccreditationInfo 0-1
| | | | | | | | | | | | | | | | | | | | | | certifiedParty 1-1
| | | | | | | | | | | | | | | | | | | | | | id 0-1
| | | | | | | | | | | | | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | | | | | | | | | | | | legalName 0-1
| | | | | | | | | | | | | | | | | | | | | | | dept 0-1
| | | | | | | | | | | | | | | | | | | | | | | subDept 0-1
| | | | | | | | | | | | | | | | | | | | | | | person 0-1

```

- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | | **certifiedEntity 0-unbounded**
- | | | entityID 1-3
- | | | @schemeID [Required]
- | | | entityTypeCode 1-1
- | | | description 0-9
- | | | @ln [Optional]
- | | **attachment 0-1**
- | | | @uid [Optional]
- | | | | fileName 0-1
- | | | | @numberingOrg [Optional]
- | | | | binaryObject 0-1
- | | | | @format [Optional]
- | | | | @mime [Optional]
- | | | | @encoding [Optional]
- | | | | @characterSet [Optional]
- | | | **externalReference 0-99**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | | mimeTypeCode 0-1
- | | | | | formatCode 0-1
- | | | | | encodingCode 0-1
- | | | | | characterSetCode 0-1
- | | | | hashFootprint 0-1
- | | | | | @schemeID [Optional]
- | | | | | @hashMethod [Required]
- | | | | **blockChainReference 0-9**
- | | | | | uri 1-1
- | | | | | | @isURL [Optional] [Default= true]
- | | | | | transactionReceipt 1-9
- | | | note 0-99
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @noteLabel [Optional]
- | | **selfAssertion 0-99**
- | | | @disclosureLevel [Optional]
- | | | @docStatusCode [Optional]
- | | | | sustainabilityCharacteristicText 0-99
- | | | | | @ln [Optional]
- | | | | assertionCategory 1-1
- | | | | description 1-99
- | | | | | @ln [Optional]
- | | | **issuerParty 1-1**
- | | | | id 0-1
- | | | | | @numberingOrg [Optional]
- | | | | | legalName 0-1
- | | | | | dept 0-1
- | | | | | subDept 0-1
- | | | | | person 0-1
- | | | | | | @email [Optional]
- | | | | | | @phone [Optional]
- | | | | | | @fax [Optional]
- | | | | | street 0-1
- | | | | | city 0-1
- | | | | | subCountry 0-1

```

| country 0-1
| postCode 0-1
| geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| selfAssertionEntity 0-unbounded
|   entityID 1-3
|   @schemeID [Required]
|   entityTypeCode 1-1
|   description 0-9
|   @ln [Optional]
| externalRefDoc 0-99
|   docID 1-1
|   @numberingOrg [Optional]
|   docDate 0-1
|   @dateForm [Optional]
|   title 0-unbounded
|   @ln [Optional]
|   description 0-unbounded
|   @ln [Optional]
|   validityStart 0-1
|   @dateForm [Optional]
|   validityEnd 0-1
|   @dateForm [Optional]
|   documentType 0-1
| issuerParty 0-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   signatureTypeCode 1-1
|   signatoryParty 0-unbounded
|     id 0-1
|     @numberingOrg [Optional]
|     legalName 0-1
|     dept 0-1
|     subDept 0-1
|     person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|     street 0-1
|     city 0-1
|     subCountry 0-1
|     country 0-1
|     postCode 0-1

```

```

| | | | | geoCoordinates 0-1
| | | | |   @um [Optional] [Default= DEGD]
| | | | |   @geoRefSystem [Optional]
| | | | |     | xGeoCoord 1-1
| | | | |     | yGeoCoord 1-1
| | | | |     | zGeoCoord 0-1
| | | | | attachment 0-1
| | | | |   @uid [Optional]
| | | | |     | fileName 0-1
| | | | |     | @numberingOrg [Optional]
| | | | |     | binaryObject 0-1
| | | | |     | @format [Optional]
| | | | |     | @mime [Optional]
| | | | |     | @encoding [Optional]
| | | | |     | @characterSet [Optional]
| | | | |   externalReference 0-99
| | | | |     | uri 1-1
| | | | |     | @isURL [Optional] [Default= true]
| | | | |     | mimeTypeCode 0-1
| | | | |     | formatCode 0-1
| | | | |     | encodingCode 0-1
| | | | |     | characterSetCode 0-1
| | | | |     | hashFootprint 0-1
| | | | |     | @schemeID [Optional]
| | | | |     | @hashMethod [Required]
| | | | |   blockChainReference 0-9
| | | | |     | uri 1-1
| | | | |     | @isURL [Optional] [Default= true]
| | | | |     | transactionReceipt 1-9
| | | | |   note 0-99
| | | | |     | @numberingOrg [Optional]
| | | | |     | @codeList [Optional]
| | | | |     | @noteLabel [Optional]
| | | | | validityStart 0-1
| | | | |   @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | |   @dateForm [Optional]
| | | | | validityExtensionDate 0-1
| | | | |   @dateForm [Optional]

```

2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, 2) data type and syntax constraints, 3) information about usage of the element in a particular position in the document: aggregation notes..

2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs).Complex elements are alphabetically ordered.

<p>acsCode</p>	<p>full codification identifying an accessory product usually coupled with garment or other fashion product</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/acsCode: 1-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>
<p>activityLocation</p>	<p>data relating to a place where activities take places (indicate at least element location or address, city and country)</p> <p>- base type: Nad, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation: 0-99 - note for this position: <i>Here filling location, country and subcountry is enough. When the activity is carried out in more than one location, indicate what percentage of the total is carried out at each one</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/processStepsList/processStep/activityLocation: 0-99 - note for this position: <i>Here filling location, country and subcountry is enough. When the activity is carried out in more than one location, indicate what percentage of the total is carried out at each one</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activityLocation: 0-1 - note for this position: <i>Here filling location code, country and subcountry is enough.</i></p>
<p>assessmentStudyDocument</p>	<p>resulting study document (e.g. an LCA study). It can be related to a component or a product. It can be a dataset (in any format) or a report according to isStudyDataset flag). In the case of PEF study, prefer PEFStudyDocument if possible.</p>

	<p>- base type: , XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument: 0-9 - note for this position: <i>any existing pre-existent useful study</i></p>
<p>attachment</p>	<p>an attached document. An attachment can refer to an external document or be included with the document being exchanged XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment: 1-1 - note for this position: <i>reference to the SDS document</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/certificate/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment: 0-1 - note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p>

	<p><i>bject (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCheader/certificate/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/attachment: 0-1</p>
--	---

	<p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ PEFStudyDocument/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ billOfComponents/productComponent/certificate/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>
--	--

	<p>fWaste/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fUsedWater/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment: 1-1</p> <p>- note for this position: <i>reference to the SDS document</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment: 0-1</p> <p>- note for this position: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p>
billOfChemical	<p>bill of chemicals used to make the product.</p> <p>- base type: ,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fChemical: 0-1</p> <p>- note for this position: <i>bill relating to this single treatment or processing phase</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical: 0-1</p> <p>- note for this position: <i>list of chemical related to the current product.</i></p>
billOfComponents	<p>bill of components used to create the product.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fComponents: 0-1</p> <p>- note for this position: <i>bill relating to this single treatment or processing phase</i></p>
billOfDirectEmissions	<p>bill of direct emissions generated to make the product, excluding waste water, relating to quantities of the reference product or to yearly data of a facility/plant</p> <p>- base type: ,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fDirectEmissions: 0-1</p> <p>- note for this position: <i>bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements.</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions: 0-9</p> <p>- note for this position: <i>list of direct emissions related to the current product. Data from different years goes into different billOfxxxx elements.</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions: 0-9</p> <p>- note for this position: <i>quantity related to the yearly outputs of the facility</i></p>
billOfEnergy	<p>breakdown of used or produced energy relating to quantities of the reference product or to yearly data of a facility/plant</p> <p>- base type: ,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy: 0-9</p> <p>- note for this position: <i>list of energy related to the current product. Data from different years goes into different billOfxxxx elements.</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>

	<p>fEnergy: 0-1 - note for this position: <i>bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy: 0-9 - note for this position: <i>quantity related to the yearly consumption of the facility</i></p>
billOfMaterials	<p>quantitative bill of used materials - base type: ,</p>
billOfTreatments	<p>list of the treatments necessary to make the product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments: 0-1 - note for this position: <i>list of treatments related to the current product.</i></p>
billOfUsedWater	<p>breakdown of used water relating to quantities of the reference product or to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater: 0-1 - note for this position: <i>bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater: 0-9 - note for this position: <i>list of water used for the current product. Data from different years goes into different billOfxxxx elements.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater: 0-9 - note for this position: <i>quantity related to the yearly consumption of the facility</i></p>
billOfWaste	<p>list of waste generated to make the product, excluding waste water, relating to quantities of the reference product or to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste: 0-9 - note for this position: <i>list of released waste related to the current product. Data from different years goes into different billOfxxxx elements.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste: 0-9 - note for this position: <i>quantity related to the yearly consumption of the facility</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste: 0-1 - note for this position: <i>bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements.</i></p>
billOfWasteWater	<p>breakdown of waste water generated to make the product relating to quantities of the reference product or to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater: 0-9 - note for this position: <i>list of waste water related to the current product. Data from different years goes into different billOfxxxx elements.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater: 0-9 - note for this position: <i>quantity related to the yearly outputs of the facility</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater: 0-1 - note for this position: <i>bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements.</i></p>
blockChainReference	<p>blockchain reference - base type: string, max length: 80,</p>

certificate	<p>Reference and details relating to a document containing a certification issued by a third party who is entitled to issue it</p> <p>- base type: ,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate: 0-9</p> <p>- note for this position: <i>scope certificate of the component</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate: 0-99</p> <p>- note for this position: <i>certificates related to the facility</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate: 0-99</p> <p>- note for this position: <i>certificates that apply to the whole organisation</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate: 0-99</p> <p>- note for this position: <i>the certifiedEntity element of every certificate must be filled</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/certificate: 0-9</p> <p>- note for this position: <i>scope certificate of the component</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/certificate: 0-unbounded</p> <p>- note for this position: <i>any certificate related to the product itself</i></p>
certifiedEntity	<p>The entity (organisation, process, product..) for which the certification is valid.</p> <p>- base type: ,</p>
certifiedParty	<p>identification and details of the party to whom the certificate has been issued</p> <p>- base type: Nad,</p>
chemicalItem	<p>indicates the presence of a chemical product and possibly its quantity</p>
directEmissionDescriptor	<p>descriptor of direct emission (emissions that come from sources that are owned or controlled by the producer and produced by the manufacturing process)</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor: 0-99</p> <p>- note for this position: <i>consider only water emissions (@releadOn=WAT). In directEmissionType consider, in example, Ammonia (NH4+, NH3, as N), COD (Chemical Oxygen Demand), Nitrates (NO3-), Nitrites (NO2-), Nitrogenous Matter (unspecified, as N)</i></p>
dyesDescriptor	<p>dyes descriptor</p>
endOfLifePerformance	<p>product end of life performance</p>
energyConsumptionDescriptor	<p>descriptor of a quantity of used energy with the indication of its characteristics</p>
energySupplyDescriptor	<p>descriptor of a quantity of supplied or produced energy with the indication of its characteristics</p>
expectedUsagePerformance	<p>expected performance in the product usage.</p>
externalRefDoc	<p>external document, used to refer generic office documents (like pdf, docx, xls, for example shop window instructions)</p> <p>- base type: ,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc: 0-99</p>

	<p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc: 0-99</p> <p>- note for this position: <i>supporting documents</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/selfAssertion/externalRefDoc: 0-99</p> <p>- note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc: 0-99</p> <p>- note for this position: <i>any supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc: 0-99</p>
--	--

	<p>ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc: 0-99 - note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc: 0-99 - note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc: 0-99 - note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/externalRefDoc: 0-99 - note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc: 0-99 - note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc: 0-99 - note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc: 0-99 - note for this position: <i>any supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc: 0-99 - note for this position: <i>any supporting information</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc: 0-99 - note for this position: <i>Any type of supporting documentation</i> XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReportheader/externalRefDoc: 0-99 - note for this position: <i>reference to a document produced by or towards third parties (e.g. customs declarations, waybills, etc.) In case of Despatch or Receive, any logistic documents (e.g. CMR) must be indicated here.</i></p>
externalReference	details about an external object, such as a document stored at a remote location
facilityDescriptor	descriptor of a company facility
facilityLocation	<p>data relating to a place of a facility (indicate at least element location or address, city and country) - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation: 0-1 Best Practice - note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation: 0-1 Best Practice - note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/facilityLocation: 0-1 Best Practice - note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation: 0-1 Best Practice - note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation: 0-1 Best Practice - note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation: 0-1 Best Practice - note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfChemical/facilityLocation: 0-1 Best Practice</p>

	<p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/facilityLocation: 0-1 Best Practice</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific facility.</i></p>
facilitySustainabilityCharacteristics	facility sustainability characteristics
facilityYearlyProductionMass	<p>rough mass of production (by product type) and not by single article in a specific facility. Usually expressed as weight. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass: 0-9</p> <p>- note for this position: <i>when more instances are present, they must differ for value of object type code</i></p>
garmentCode	<p>codification of the garment product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>

	<p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>
garmentCodeA	<p>codification of the garment product- type A XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: <i>here the barcode EAN-13 or EAN-8 should be specified</i></p>
garmentCodeB	<p>codification of the garment product - type B</p>
garmentPartCode	<p>codification of the component or part of a fashion article XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p><i>nisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>
garmentVariant	garment product variant
geoCoordinates	geographical coordinates
internalWastewaterTreatment Plant	<p>descriptor of the internal waste water treatment plant. Indicate if it serves the entire production cycle or just some phases.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant: 0-9 - note for this position: <i>indicate the plants separately when more than one. It is possible to associate them to the single phases of the production cycle or to different locations.</i></p>
issuerParty	<p>Details of the party that issued the document.</p> <p>- base type: Nad, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/issuerParty: 1-1 - note for this position: <i>Indicate at least the legalname</i></p>
listOfFacilities	list of facilities of the organisation
materialDescriptor	<p>descriptor of a quantity of used material with the indication of its characteristics</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor: 0-99 - note for this position: <i>in description indicate the content and the input type: please consider water treated, flocculants, chemicals, energy...</i></p>

organisationAddress	organisation legal address - base type: ,
organisationDescriptor	organisation description
packagingImpactPrimaryData	primary data on packaging impact
PEFStudyDocument	PEF study document (it could be both the dataset saved by an analysis tool and the resulting report drawn up by an expert, it depends on the isStudyDataset flag) - base type: ,
processStep	single manufacturing operation needed to produce the product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep: 1-unbounded - note for this position: <i>inserting in the correct sequence is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep: 1-unbounded - note for this position: <i>inserting in the correct sequence is recommended</i>
processStepsList	List of manufacturing operations required to produce the product XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList: 0-1 - note for this position: <i>activities performed there</i>
productComponent	descriptor of one of the elements used to create the product, it indicates the codes of the component, the quantity for final product unit, supplier and any documentation
productCompos	Quantitative composition of a product
ProductIdentification	Identifies the product whose transparency and sustainability characteristics are reported XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification: 0-99 - note for this position: <i>indicate the product(s) to whom this study is related</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification: 0-99 - note for this position: <i>indicate the product(s) to whom this study is related</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification: 0-99 - note for this position: <i>indicate the product(s) to whom this study is related</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification: 0-99 - note for this position: <i>indicate the product(s) to whom this study is related</i>
productOrigin	Origin of the product according to customs regulations
productSustainabilityCharacteristics	transparency information about product sustainability characteristics
productUsageCharacteristics	transparency information about usage product characteristics
rawCode	full codification of a raw material XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/rawCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode: 0-2 - note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode: 0-2

	<p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/rawCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>
receiverParty	<p>Details of the party receiving the document. - base type: Nad,</p>
refDoc	<p>identification of a document and of an item thereof, to which the message makes reference XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productOrigin/refDoc: 0-9</p> <p>- note for this position: <i>reference to document certifying the origin</i> XPath TRCTRNReport/TRCHeader/refDoc: 0-9</p> <p>- note for this position: <i>reference to a document produced in the framework of the collaboration activities between the parties (e.g. order, catalog, price list, etc.)</i></p>
reviewerParty	<p>Details of the party that reviewed the conformance of the adopted methodology. - base type: Nad,</p>
SDSDoc	<p>reference to SDS, Safety Data Sheet, associated to a chemical according to REACH regulation</p>
selfAssertion	<p>A self declared statement that issuer is able to support with detailed descriptions or documentation. It might comply with standards about assertions (it is the case for example of ISO14021 for environmental assertions). XPath TRCTRNReport/TRCTRNReportbody/selfAssertion: 0-99</p> <p>- note for this position: <i>the selfAssertionEntity element of every selfAssertion must be filled</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion: 0-99</p> <p>- note for this position: <i>selfassertions that apply to the whole organisation</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion: 0-99</p> <p>- note for this position: <i>supporting assertion(s)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion: 0-99</p> <p>- note for this position: <i>any self declaration related to this single treatment or processing phase.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion: 0-99</p> <p>- note for this position: <i>selfassertions related to the facility</i></p>
selfAssertionEntity	<p>The entity (organisation, process, product..) referred by the self assertion - base type: ,</p>
senderParty	<p>Details of the party sending the document. - base type: Nad,</p>
signatoryParty	<p>Details of the party that signed the document. - base type: Nad,</p>
signatureInformation	<p>information about the document signature</p>
socialAccountabilityEvidence	<p>Evidence of the conformance to the social responsibility requirements</p>

	- base type: string,
socialAndEthicalSpecificInformation	social and ethical specific information list
supplier	<p>details of the Supplier (party that supplies the good or service that is object of the current collaborative process)</p> <p>- base type: Nad,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/supplier: 0-9</p> <p>- note for this position: <i>it is the supplier of the entire component when internallyPerformed=FALSE</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier: 0-9</p> <p>- note for this position: <i>it is the supplier of the entire component when internallyPerformed=FALSE</i></p>
texCode	<p>full codification of the textile product</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>
thirdParty	<p>identification and details of the Third Party, different from Sender and Receiver of the document</p> <p>- base type: Nad,</p>
transportImpactPrimaryData	<p>primary data on transport impact on a leg route (or a group of routes, similar by type of transport of which the total mileage is reported)</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData: 0-99</p> <p>- note for this position: <i>use only transMode and routeLenght elements within transportImpactPrimaryData</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData: 0-99</p> <p>- note for this position: <i>use only transMode and routeLenght elements within transportImpactPrimaryData</i></p>
TRCheader	header of the Traceability documents ("Traceability Receiving Advise", "Traceability D

	espatching Advise", "Traceability Report", "Transparency and Sustainability Report")
TRCProduct	Description of transparency and sustainability features of a product
TRCTRReportbody	body of the document TRANSPARENCY REPORT
treatmentDescriptor	descriptor of the specific single production phase (with the indication of the quantity and of the associated bills)
usageDirectives	directives about the usage of the product.
usedWaterDescriptor	<p>descriptor of the used water produced (with the indication of the quantity)</p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor: 0-99</p> <p>- note for this position: <i>Different descriptors must be used for different types of water</i></p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor: 0-99</p> <p>- note for this position: <i>Different descriptors must be used for different types of water</i></p> <p>XPath TRCTRReport/TRCTRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor: 0-99</p> <p>- note for this position: <i>Different descriptors must be used for different types of water</i></p>
wasteDescriptor	<p>describes a type of waste generated by the activities to which it is associated and possibly its quantity in relation to a reference quantity of product</p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor: 1-99</p> <p>- note for this position: <i>(not final treated water)</i></p>
wasteWaterDescriptor	<p>descriptor of the waste water produced (with the indication of the quantity, their treatment and the possible presence of contaminants)</p> <p>XPath TRCTRReport/TRCTRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor: 1-99</p> <p>- note for this position: <i>Different descriptors must be used for different types of waste water</i></p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor: 1-99</p> <p>- note for this position: <i>Different descriptors must be used for different types of waste water</i></p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor: 1-99</p> <p>- note for this position: <i>Different descriptors must be used for different types of waste water</i></p>
wasteWaterPlantInputDescriptor	<p>descriptor of an input of the waste water plant. Provide only one descriptor for each source of waste water that flows into the installation</p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor: 0-99</p> <p>- note for this position: <i>Provide a descriptor for each source of waste water that flows into the installation</i></p>
wasteWaterPlantInputList	list of the inputs of the waste water plant. (these are the different sources of waste water that flow into the same plant)
wasteWaterPlantOutputList	list of outputs of the waste water plant (water excluded)
yarnCode	<p>full codification of a yarn product</p> <p>XPath TRCTRReport/TRCTRReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath</p>

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode: 0-2</p> <p>- note for this position: <i>this element can have two instances only if the numbering organisations are different</i></p>
--	--

2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

activePower	<p>active power (used or produced; use kW or W)</p> <p>- base type: ,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/activePower: 1-1</p> <p>- note for this position: <i>when a precise energy measure is lacking, here we could give an estimator: indicate the estimated average produced power related to a duration per iod. W or kW</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower: 1-1</p> <p>- note for this position: <i>when a precise energy measure is lacking, here we could give an estimator: indicate the estimated average produced power related to a duration per iod. W or kW</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower: 1-1</p> <p>- note for this position: <i>when a precise energy measure is lacking, give an estimator: indicate the estimated average load related to a duration period. Use W or kW</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower: 1-1</p> <p>- note for this position: <i>when a precise energy measure is lacking, here we could give an estimator: indicate the estimated average produced power related to a duration per iod. W or kW</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/activePower: 1-1</p> <p>- note for this position: <i>when a precise energy measure is lacking, give an estimator: indicate the estimated average load related to a duration period. Use W or kW</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower: 1-1</p>
-------------	--

	<p>r/activePower: 1-1</p> <p>- note for this position: <i>when a precise energy measure is lacking, give an estimator: indicate the estimated average load related to a duration period. Use W or kW</i></p>
activityStatisticalCode	<p>statistical classification of economic activity (NACE is suggested)</p> <p>- base type: string,</p>
added	<p>additional code of the product (complementing the formers)</p> <p>- base type: string, max length: 80,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/yarnCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/yarnCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/added: 0-9</p>

	<p>- note for this position: <i>here an additional codification (see table T44) can be specified</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/yarnCode/added: 0-9</p> <p>- note for this position: <i>here an additional codification (see table T44) can be specified</i></p>
additionalIdentifier	<p>additional identification code of a Party, for example customs registries or others</p> <p>- base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/additionalIdentifier: 0-9</p> <p>- note for this position: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), REX (identifier in EU Registered Exporter system)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/supplier/additionalIdentifier: 0-9</p> <p>- note for this position: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), REX (identifier in EU Registered Exporter system)</i></p>
@addType	<p>qualifier of the additional coding of a product</p> <p>- base type: string, cod. table: T44 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/rawCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/texCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/acsCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/acsCode/added/@addType: [Optional]</p> <p>- note for this position: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/acsCode/added/@addType: [Optional]</p>

a)]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
ProductIdentification/garmentPartCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
billOfComponents/productComponent/yarnCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
PEFStudyDocument/ProductIdentification/garmentPartCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
billOfComponents/productComponent/texCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/added/@addType: [Optional]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/
ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional]

l)]

- note for this position: *addType* allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentPartCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/rawCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/texCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCodeB/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/yarnCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional] - note for this position: <i>addType</i> allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p>
allocationsDescription	description of the allocations in the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/allocationsDescription: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i>
allowedTumbleDrying	allowed tumble drying, according to BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols - base type: string, cod. table: T311 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T311.xml
art	article number of the product - base type: string, max length: 80, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical

	<p>SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productComponent/texCode/art: 1-1 - note for this position: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i></p>
artGroup	code identifying a class of products - base type: string, max length: 40,
assertionCategory	assertion category, indicates the object of the assertion - base type: string, cod. table: NT323 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml
author	textual indication of the authors, one or more - base type: string, max length: 40,
auxSystemsConsumptionPerc	auxiliary system consumption estimated percentage on total consumption - base type: decimal, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: <i>synthetic indicator for the whole bill of energy. Might be referred to the only electric energy, or thermal or both if isElectric is unspecified</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: <i>synthetic indicator for the whole bill of energy. Might be referred to the only electric energy, or thermal or both if isElectric is unspecified</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: <i>synthetic indicator for the whole bill of energy. Might be referred to the only electric energy, or thermal or both if isElectric is unspecified</i>
averageProductLifetime	average product life time (in usage phase). - base type: , min inclusive: 0, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/averageProductLifetime: 0-9 - note for this position: <i>indicate multiple values only if originating from different evaluation methods (different values of validationMethod).</i>
averageReferenceProductLifetime	average life time (in usage phase) of a reference product in the market, different from the present product. - base type: , min inclusive: 0, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/averageReferenceProductLifetime: 0-9 - note for this position: <i>indicate multiple values only if originating from different evaluation methods (different values of validationMethod or declare in note).</i>
averageWashingNumber	expected average washing number during the expected life of the product - base type: , min inclusive: 0, fraction digits: 0, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/averageWashingNumber: 0-9 - note for this position: <i>indicate multiple values only if originating from different evaluation methods (different values of validationMethod).</i>
binaryObject	a binary large object containing an attached document, Coding 'base64Binary' is recommended. - base type: base64Binary,

CASCode	<p>CAS code of the chemical (assigned by Chemical Abstracts Service)</p> <p>- base type: string, min length: 1, max length: 30, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/CASCode: 1-1</p> <p>- note for this position: <i>chemical product to which the SDS sheet refers</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/CASCode: 1-1</p> <p>- note for this position: <i>chemical product to which the SDS sheet refers</i></p>
certificateID	<p>Identifier of the certificate assigned by the issuer</p> <p>- base type: string,</p>
certificationStandardName	<p>it indicates the specification that has been used as normative basis of the certificate. (e examples: 'GRS–global recycling standard' or 'Standard 100 OEKO-TEX')</p> <p>- base type: string,</p>
@characterSet	<p>the character set of the binary object (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,..)</p> <p>- base type: normalizedString,</p>
characterSetCode	<p>the character set of an external document (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,..)</p> <p>- base type: normalizedString,</p>
city	<p>name of the city (town, village)</p> <p>- base type: string, max length: 40,</p>
@codeList	<p>it specifies the URL where the list of codes used to make an instance of the element can be found</p> <p>- base type: string, max length: 255, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p>

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/ @codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@codeList: [Optional]</p>
--	---

	<p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]</p> <p>- note for this position: <i>always at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCHeader/certificate/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]</p> <p>- note for this position: <i>always at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/pattern/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>
--	--

	<p>fComponents/productComponent/acsCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/texCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/refDoc/season/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional] - note for this position: <i>always at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@codeList: [Optional]</p>
--	---

	<p>t: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCHeader/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/yarnCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList: [Optional]</p>
--	--

	<p>deList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNRReport/TRCHeader/refDoc/season/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV ariant/variantCode/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/acsCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeLi st: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@c odeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode/color/@codeList: [O ptional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpa ctPrimaryData/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@codeLi st: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/certificate/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif icate/note/@codeList: [Optional]</p>
--	---

	<p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/processStepsList/processStep/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]</p> <p>- note for this position: <i>always at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/acsCode/pattern/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac</p>
--	---

	<p> <code>ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional]</code> - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@codeList: [Optional]</code> - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/note/@codeList: [Optional]</code> - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@codeList: [Optional]</code> - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/rawCode/art/@codeList: [Optional]</code> - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@codeList: [Optional]</code> - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional]</code> - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@codeList: [Optional]</code> - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional]</code> - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@codeList: [Optional]</code> - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/texCode/pattern/@codeList: [Optional]</code> - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional]</code> - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/acsCode/color/@codeList: [Optional]</code> - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath </p> <p> <code>TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional]</code> - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath </p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/ @codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantCode/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/usedWaterDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantType/@codeList: [Optional] - note for this position: <i>always at least one out of this attribute and "numberingOrg" sho uld be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@ codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listN ame" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeL ist: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listN ame" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeB/artGroup/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLa bel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/season/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listN ame" and "listVersion"</i></p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/garmentPartCode/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/texCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/yarnCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/rawCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/certificate/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode/color/@codeList: [Optional]</p>
--	---

	<p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/texCode/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/fabric/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]</p> <p>- note for this position: <i>always at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>
--	---

	<p>fComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCHeader/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional] - note for this position: <i>always at least one out of this attribute and "numberingOrg" should be set</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/rawCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/texCode/pattern/@codeList: [Optional]</p>
--	--

	<p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentPartCode/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/yarnCode/art/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@codeList: [Optional]</p> <p>- note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@codeList: [Optional]</p> <p>- note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/yarnCode/color/@codeList: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical</p>
--	--

	<p>SpecificInformation/assessmentStudyDocument/ProductIdentification/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/chemicalItem/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@codeList: [Optional] - note for this position: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/art/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@codeList: [Optional] - note for this position: <i>at least one out of this attribute and "numberingOrg" should be set</i> set</p>
collectedFractionMassPercentage	<p>percentage of total collected post consumption fraction mass (calculated on the weight). - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/collectedFractionMassPercentage: 0-9 - note for this position: <i>Use distinct elements for data related to different years</i></p>
color	<p>colour number of the product, when not included in the model or fabric code - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to t</i></p>

	<p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p>
country	<p>code of the nation - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml</p>
customsStat	<p>statistic code assigned by Customs to a specified product (TARIC code) - base type: string, max length: 15,</p>
dataQualityDescription	<p>description of the data quality in the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/dataQualityDescription: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p>
@dateForm	<p>format used for the date - base type: string, cod. table: NT29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml</p>
declaredQty	<p>declared net quantity (might be referred to a year; could be measured, estimated or derived from literature or other sources, as specified by the appropriate attribute) - base type: , min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty: 0-2 - note for this position: <i>this element can have two instances only if the units of measure are different</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty: 0-1 - note for this position: <i>resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty: 0-1 - note for this position: <i>resulting emission quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p><i>the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/declaredQty: 0-9 - note for this position: <i>needed water quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p><i>the garment article</i> XPath</p>

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting emission quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting emission quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>needed material quantity for the product quantity indicated in referenceProductQuantity. Use a weight unit of measure</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty: 0-9</p> <p>- note for this position: <i>needed water quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty: 0-9</p> <p>- note for this position: <i>needed water quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>needed material quantity for the product quantity indicated in referenceProductQuantity. Use a weight unit of measure</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting emission quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/declaredQty: 0-1</p> <p>- note for this position: <i>resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity</i></p>
--	---

dept	name or code of a department - base type: string, max length: 40,
description	<p>free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language).</p> <p>- base type: string, max length: 250, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/description: 1-99</p> <p>- note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/description: 0-9</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/rawCode/description: 0-unbounded</p> <p>- note for this position: <i>Raw material description</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/description: 1-99</p> <p>- note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/certifiedEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>

	<p>fWaste/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description: 1-1 - note for this position: <i>Also indicate in the description whether it is used by auxiliary systems or direct processes or both</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/chemicalItem/description: 1-9 - note for this position: <i>give a rough indication of the type of chemical product</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/description: 1-99 - note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/description: 0-unbounded</p>
--	---

	<p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/ certifiedEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/selfAssertionEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/description: 0-9</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/description: 0-unbounded</p> <p>- note for this position: <i>Product part description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/description: 1-9</p> <p>- note for this position: <i>give a rough indication of the type of chemical product</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCHeader/certificate/certifiedEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/rawCode/description: 0-unbounded</p> <p>- note for this position: <i>Raw material description</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p>
--	--

	<p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/description: 0-unbounded - note for this position: <i>Raw material description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded - note for this position: <i>Product part description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/description: 0-9 - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCHeader/certificate/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In'</i></p> <p><i>attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/description: 1-99 - note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath</p>
--	---

	<p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded - note for this position: <i>Product description</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded - note for this position: <i>Product description</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNRReport/TRCheader/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/description: 0-unbounded - note for this position: <i>Product part description</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/rawCode/description: 0-unbounded - note for this position: <i>Raw material description</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description: 1-99 - note for this position: <i>For example water or sludge... and indicate the operation that it is producing it. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded - note for this position: <i>Product part description</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/certificate/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/selfAssertionEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/description : 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDo c/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ processStepsList/processStep/description: 0-9 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/wasteWaterDescriptor/description: 1-99 - note for this position: <i>For example water or sludge... and indicate the operation that it s producing it. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/descripti on: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/externalRefDoc/description: 0-unbound ed - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/yarnCode/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/descrip tion: 0-unbounded - note for this position: <i>Raw material description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/description: 0-9 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentPartCode/description: 0-unbound ded - note for this position: <i>Product part description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded - note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif icate/certifiedEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif</p>
--	---

	<p>icate/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/yarnCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/certificate/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/description: 1-99</p> <p>- note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i></p> <p><i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded</p> <p>- note for this position: <i>Product part description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ selfAssertionEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/acsCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description: 1-1</p> <p>- note for this position: <i>Also indicate in the description whether it is used by auxiliary systems or direct processes or both</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath</p>
--	--

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/texCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/certificate/certifiedEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description: 0-unbounded</p> <p>- note for this position: <i>Raw material description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/description: 0-9</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ selfAssertion/description: 1-99</p> <p>- note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i></p> <p><i>Only one instance of this element for each different value of 'In' attribute (language)</i></p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded - note for this position: <i>Product part description</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/description: 1-1 - note for this position: <i>Also indicate in the description whether it is used by auxiliary systems or direct processes or both</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/description: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded - note for this position: <i>Product part description</i></p>
--	---

	<p>ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ certificate/certifiedEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/rawCode/description: 0-unbounded - note for this position: <i>Raw material description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/description: 1-99 - note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/description: 0-9 - note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description: 1-99 - note for this position: <i>For example water or sludge... and indicate the operation that it is producing it. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ selfAssertion/externalRefDoc/description: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/acsCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded - note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/selfAssertion/description: 1-99 - note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/description: 0-99</p>
--	---

	<p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/description: 1-99</p> <p>- note for this position: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/description: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/description: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/description: 0-unbounded</p> <p>- note for this position: <i>Product description</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/selfAssertionEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/description: 0-9</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ selfAssertion/selfAssertionEntity/description: 0-9</p> <p>- note for this position: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/description: 0-9</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p>
directEmissionType	<p>type of direct emission generated for the realization of the product (examples: in air CO₂, NO_x, PO₄, PM₁₀, PM_{2.5}; in water SO₂; in soil PO₄ ...)</p> <p>- base type: string, max length: 40,</p>
@disclosureLevel	<p>indicates the level of disclosure permitted for the information it is associated with</p> <p>- base type: decimal, cod. table: NT311 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml</p>
docDate	<p>date of issue of the referenced document, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p>

docID	<p>identification number of the referenced document</p> <ul style="list-style-type: none"> - base type: string, max length: 80, XPath <code>TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCHeader/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/billOfComponents/productComponent/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/docID: 1-1</code> - note for this position: <i>reference to the internal certificate to the systems of the participants in the supply chain</i>
@docStatusCode	<p>current status of the document</p> <ul style="list-style-type: none"> - base type: decimal, cod. table: NT313 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml
@docType	<p>type or class to which the referenced document belongs</p> <ul style="list-style-type: none"> - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml
documentType	<p>type or class to which the document belongs</p> <ul style="list-style-type: none"> - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml
@docValidity	<p>document current validity indicator</p> <ul style="list-style-type: none"> - base type: boolean,
drop	<p>drop number of the garment</p> <ul style="list-style-type: none"> - base type: string, max length: 15, XPath <code>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop: 0-1</code> - note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/billOfComponents/productComponent/garmentCode/garmentCodeB/drop: 0-1</code> - note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i> XPath <code>TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ProductIdentification/garmentCode/garmentCodeB/drop: 0-1</code>

	<p>- note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop: 0-1</p> <p>- note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/drop: 0-1</p> <p>- note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeB/drop: 0-1</p> <p>- note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/drop: 0-1</p> <p>- note for this position: <i>Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</i></p>
dyesCategory	<p>dyes category - base type: integer, cod. table: T312 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T312.xml</p>
@email	<p>electronic mail address of the contact person within a Party - base type: string, max length: 250,</p>
emptyReturnForTruck	<p>empty return for truck transport - base type: boolean,</p>
@encoding	<p>specifies the decoding algorithm of the binary object - base type: normalizedString,</p>
encodingCode	<p>the encoding/decoding algorithm used with the external object (example is 'base64Binary')</p> <p>- base type: normalizedString,</p>
energy	<p>Quantity of Energy measured (produced or consumed; use Wh or kWh) - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/energyConsumptionDescriptor/energy: 1-1</p> <p>- note for this position: <i>when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/energySupplyDescriptor/energy: 1-1</p> <p>- note for this position: <i>when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/ r/energy: 1-1</p> <p>- note for this position: <i>when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor /energy: 1-1</p> <p>- note for this position: <i>when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/ener gy: 1-1</p> <p>- note for this position: <i>when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</i> XPath</p>

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy: 1-1</p> <p>- note for this position: <i>when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</i></p>
@energyRecoveryEfficiency	<p>efficiency value of the energy recovery process (indicator calculated by Wh per kg of product)</p> <p>- base type: decimal,</p>
energySourceType	<p>type of energy source</p> <p>- base type: string, cod. table: NT320</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energySourceType: 0-1</p> <p>- note for this position: <i>specify this information especially for renewable sources</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/energySourceType: 0-1</p> <p>- note for this position: <i>specify this information especially for renewable sources</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energySourceType: 0-1</p> <p>- note for this position: <i>specify this information especially for renewable sources</i></p>
entityID	<p>unique identification number assigned to an entity.</p> <p>- base type: string,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/certificate/certifiedEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/selfAssertionEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/selfAssertionEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/certificate/certifiedEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/certifiedEntity/entityID: 1-3</p> <p>- note for this position: <i>Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme/D value)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate/certifiedEntity/entityID: 1-3</p>

	<p>SpecificInformation/socialAccountabilityEvidence/evidenceValue: 0-1 - note for this position: <i>any unit of measurement is indicated by the socialAccountabilityEvidenceCategory</i></p>
EWCWasteCode	<p>code of the waste according to the European Waste Catalogue (CER or EWC) classification. Refer to table NT315 or directly to the standard if the code you are looking for is not present. - base type: string, max length: 9,</p>
@exhaustiveInformation	<p>indicates that the provided information is guaranteed as exhaustive (all the information are mentioned – with the only limitations due to the access rights-) or non-exhaustive (the list contains just some elements): value true=exhaustive - base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicated – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/@exhaustiveInformation: [Required]</p>

	<p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfUsedWater/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/@exhaustiveInformation: [Required]</p> <p>- note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>
--	---

	<p>fUsedWater/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/processStepsList/@exhaustiveInformation: [Required] - note for this position: <i>When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</i></p>
<p>@externalProviderIndicator</p>	<p>indicates that the product is supplied by an external supplier: value true = supplied by external; false value = made internally. - base type: boolean, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/@externalProviderIndicator: [Optional] - note for this position: <i>Indicate true only if the product is made entirely externally to the company</i></p>
<p>fabric</p>	<p>fabric number of the garment - base type: string, max length: 15, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric: 0-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric: 0-1</p>

	<p>- note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric: 0-1</p> <p>- note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric: 0-1</p> <p>- note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentPartCode/fabric: 0-1</p> <p>- note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric: 0-1</p> <p>- note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentPartCode/fabric: 0-1</p> <p>- note for this position: <i>when a garment component, it should be the code assigned to the garment article</i></p>
@fax	<p>fax number of the contact person within a Party - base type: string, max length: 35,</p>
@fibre	<p>type of fibre used in a textile product - base type: string, cod. table: T19 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml</p>
fileName	<p>unique identifier (name) of the file - base type: string, max length: 255,</p>
@format	<p>the format of the binary content (examples xml, pdf, doc,...) - base type: string,</p>
formatCode	<p>the format of the external object (examples xml, pdf, doc,...) - base type: normalizedString,</p>
fractionMassToCompostingPerc	<p>percentage of collected post consumption fraction mass to composting. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/fractionMassToCompostingPerc: 0-9 - note for this position: <i>Use distinct elements for data related to different years</i></p>
fractionMassToRecyclingPerc	<p>percentage of collected post consumption fraction mass to recycling. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/fractionMassToRecyclingPerc: 0-9 - note for this position: <i>Use distinct elements for data related to different years</i></p>
fractionMassToReusePerc	<p>percentage of collected post consumption fraction mass to reuse. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/fractionMassToReusePerc: 0-9 - note for this position: <i>Use distinct elements for data related to different years</i></p>
functionalUnitDescription	<p>description of the functional unit object of the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/functionalUnitDescription: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p>

@geoRefSystem	georeference system adopted for the coordinate (in example wgs84 with decimal degree o degree with minute and seconds) - base type: string,
gPart	code specifying the type of component or part of a fashion product (sleeve, neck, ...) - base type: string, cod. table: T48 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml
hashFootprint	footprint obtained by applying an hashing alorythm - base type: string, max length: 80,
@hashMethod	type of used hashing alorythm - base type: string, max length: 80, cod. table: NT333 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml
@hazardous	qualification as 'hazardous' for the object to which it refers (if true it is dangerous) - base type: boolean,
id	primary identification code of a Party; it is recommended to use an EORI number (with @numberingOrg= "EO") or the format: nation code (ISO 3166) + national tax code (i.e. VAT identification number) with @numberingOrg= "MF" - base type: string, max length: 15,
@idQualifier	Qualification of the identifier. - base type: string, XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/additionalIdentifier/@idQualifier: [Optional] - note for this position: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/billOfComponents/productComponent/supplier/additionalIdentifier/@idQualifier: [Optional] - note for this position: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i>
@indirectIncluded	indicatets that also indirect consumptions or emissions or impacts (for example energy consumption of auxiliary systems) have been considered. False value = direct impacts only, true value also indirect impacts. - base type: boolean,
inputMaterialCategory	input material category - base type: string, cod. table: NT322 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT322.xml
@internalEnergyProduction	indicates if the energy is supplied by an internal energy production (TRUE) or from me xternal source (for example electricity grid) - base type: boolean,
@internallyPerformed	indicates that the operation is carried out internally (value TRUE) of the organization a nd not at a subcontractor or other subject (value FALSE) - base type: boolean, XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/billOfComponents/productComponent/@internallyPerformed: [Required] - note for this position: <i>information relating to the entire component</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/@internallyPerformed: [Required] - note for this position: <i>information relating to the entire component</i>
@isElectric	indicates whether it is electricity ('true' value) or thermal energy ('false' value). When a bsent refer to both. - base type: boolean,
@isStudyDataset	if 'true' the element to which it is associated is the dataset of a study to be treated as a binary dataset, otherwise it is a report - base type: boolean,
issuerAccreditationInfo	accrediting information of the issuer of the document - base type: string,
@isURL	it indicates if the referred element is an URL (true) or not (false)

	<p>- base type: boolean, XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/certificate/ attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productOrigin/refDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ PEFStudyDocument/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ assessmentStudyDocument/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p>
--	---

	<p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/attachment/blockChainReference /uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/bl ockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/atta achment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Def ault= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Defa ult= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/atta achment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att achment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachm ent/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/bl ockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri /@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default = true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Defa ult= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/uri/@ isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachm ent/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ PEFStudyDocument/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productOrigin/refDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCHeader/certificate/attachment/ externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ assessmentStudyDocument/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p>
--	---

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default = true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCHeader/refDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCHeader/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default = true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCHeader/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p>
--	--

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRHeader/externalRefDoc/attachment/ blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: <i>usage of URLs is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate/ attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCHeader/refDoc/attachment/ blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p>
--	---

	<p>fWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]</p> <p>- note for this position: <i>usage of URLs is recommended</i></p>
itemID	<p>number of the line/item of the referenced document</p> <p>- base type: string, max length: 40,</p>
legalName	<p>legal name</p> <p>- base type: string, max length: 250,</p>
limitationsDescription	<p>description of the limitations of the study</p> <p>- base type: string,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/limitationsDescription: 0-99</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p>
@limitedByDisclosureIndicator	<p>indicates whether the content has been restricted by the enforcement of accessibility rights (i.e. it may not be complete): true = restricted, false = not restricted</p> <p>- base type: boolean,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/@limitedByDisclosureIndicator: [Optional]</p> <p>- note for this position: <i>use when you want to indicate that the content provided is only a part of what is actually stored</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/@limitedByDisclosureIndicator: [Optional]</p> <p>- note for this position: <i>use when you want to indicate that the content provided is only a part of what is actually stored</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@limitedByDisclosureIndicator: [Optional]</p> <p>- note for this position: <i>use when you want to indicate that the content provided is only a part of what is actually stored</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/@limitedByDisclosureIndicator: [Optional]</p> <p>- note for this position: <i>use when you want to indicate that the content provided is only a part of what is actually stored</i></p>

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/processStepsList/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only</p>
--	---

	<p>a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored</p>
@listName	<p>the name of the list of codes used to make an instance of the element (it might be thought as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264") - base type: string, max length: 40, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/texCode/pattern/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/texCode/pattern/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g"</p>

	<p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeA/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/acsCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@listName: [Optional]</p>
--	--

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/texCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga rmentCodeB/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/texCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/art/@listName: [Opt ional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/rawCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@lis tName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga rmentCodeB/garmentVariant/variantType/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/rawCode/art/@listName: [Op tional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga rmentCodeB/drop/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/acsCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@list Name: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/yarnCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath</p>
--	---

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga rmentCodeB/garmentVariant/variantCode/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName: [O ptional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/rawCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@list Name: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/yarnCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@list Name: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/acsCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga rmentCodeB/mod/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeA/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/mod/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/rawCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/art/@listName: [Op tional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@list Name: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/acsCode/pattern/@listName: [Optional]</p>
--	--

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ProductIdentification/garmentPartCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCodeB/mod/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productOrigin/refDoc/season/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCHeader/refDoc/season/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/texCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p>
--	---

	<p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/size/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/yarnCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/rawCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/fabric/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/fabric/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p>
--	--

	<p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/mod/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/garmentPartCode/fabric/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/rawCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/season/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/drop/@listName: [Optional]</p>
--	--

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/mod/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV ariant/variantType/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeB/garmentVariant/variantType/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/yarnCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listN ame: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garme ntVariant/variantType/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/drop/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/varian tType/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@li stName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/color/@listName: [Opt ional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p>
--	--

	<p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p> <p>g” XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/garmentPartCode/size/@listName: [Optional]</p>
--	---

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/acsCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/texCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/game</p>
--	--

	<p>ntVariant/variantCode/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/ @listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf Components/productComponent/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf Components/productComponent/garmentCode/garmentCodeB/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/art/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeB/size/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/mod/@listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@lis tName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/ @listName: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g”</i></p>
@listVersion	<p>it specifies the version of the list of codes used to make an instance of the element - base type: string, max length: 6, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantType/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath</p>

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/model/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@list Version: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@list Version: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@list Version: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listV ersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/fabric/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listV ersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/artGroup/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeB/garmentVariant/variantCode/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/size/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@lis tVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/season/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@list Version: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVer</p>
--	---

	<p>sion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/size/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p>
--	---

	<p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentPartCode/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional]</p>
--	---

	<p>tVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentCode/garmentCodeB/artGroup/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/texCode/art/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/ @listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/yarnCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/rawCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReport/refDoc/season/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/rawCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/season/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/yarnCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p> <p>XPath</p>
--	--

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/texCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentPartCode/color/@listVersion: [Optional] - note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Optional]</p>
--	--

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/texCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/acsCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/texCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional]</p>
--	---

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@listVersion: [Optional]</p>
--	---

	<p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/pattern/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color/@listVersion: [Optional]</p> <p>- note for this position: <i>this attribute should always be used coupled with “numberingOr g” and “listName”</i></p>
@ln	<p>Language code. - base type: string, cod. table: NT60 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml XPath TRCTRNReport/TRCHeader/certificate/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/ sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText/@ln: [Optional]</p> <p>- note for this position: <i>Indicates the language of the text</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/sustain</p>

	<p>abilityCharacteristicText/@In: [Optional] - note for this position: <i>Indicates the language of the text</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: <i>Indicates the language of the text</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: <i>Indicates the language of the text</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/sustainabilityCharacteristicText/@In: [Optional] - note for this position: <i>Indicates the language of the text</i></p>
location	<p>specification of a location. It can be represented by an identification code (preferable) or a short text (not recommended). For example a GLN code that requires to assign the value "GLN" to the attribute @LRI. - base type: string, max length: 128, XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ processStepsList/processStep/activityLocation/location: 0-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activityLocation/location: 0-1 - note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/location: 1-1</p>

	<p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/location: 0-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location: 1-1</p> <p>- note for this position: <i>Use this element only to indicate an identification code of this place.</i></p>
@logo	<p>company logo (URL of the image jpeg or gif). It is recommended that the width of the image does not exceed 640 pixel. - base type: string, max length: 255,</p>
@LRI	<p>issuer of the identifier (or identification system) of a location. - base type: string, cod. table: NT3</p>

	http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml
machineryName	machinery name - base type: string, max length: 50,
made	specifies the country where the product has been manufactured - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml
manufacturingOperationCode	single manufacturing operation type - base type: string, cod. table: T305 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml
@materialSource	Indicates whether the material is virgin or comes from recycling or reuse processes - base type: string, cod. table: T306 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T306.xml
maximumIroningTemperature	maximum ironing temperature, according to BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols - base type: decimal,
maximumWashingTemperature	maximum washing temperature, according to BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols - base type: decimal,
@mime	the mime type of the binary object - base type: normalizedString,
mimeCode	mime type of the external object - base type: normalizedString,
mod	model number of the garment - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: <i>when a garment component, it should be the code assigned to the garment article</i>
msgDate	date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string,
msgID	key identifier of the business document in the information system of the issuing Party. I

	<p>n case of more despatches of the same business document, it is unchanged.</p> <p>- base type: string, max length: 35,</p>
msgN	<p>identification number given to the message (xml document) by its issuer. In case of more despatches of the same business document, it changes.</p> <p>- base type: string, max length: 35, XPath TRCTRNRReport/TRCHeader/msgN: 1-1</p> <p>- note for this position: <i>in the case of Traceability Report or Transparency Report this identifier corresponds to a UNIQUE identifier assigned by the platform (for example TRRN)</i></p>
note	<p>free text or structured (computer processing) note. For note structuring use the attributes "noteLabel" and "codelist"</p> <p>- base type: string, max length: 350,</p>
@noteLabel	<p>subject qualifier of a note</p> <p>- base type: string, max length: 35, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@noteLabel: [Optional]</p>

	<p>bel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/chemicalItem/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel: [Optional]</p>
--	---

	<p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/certificate/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRHeader/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRHeader/certificate/note/@noteLabel: [Optional]</p>
--	--

	<p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfDirectEmissions/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i> XPath</p>
--	--

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath</p>
--	---

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/endOfLifePerformance/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/certificate/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/note/@noteLabel: [Optional]</p> <p>- note for this position: <i>must be used to qualify the subject of the note</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/note/@noteLabel : [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@noteLabel: [Optional] - note for this position: <i>must be used to qualify the subject of the note</i></p>
@numberingOrg	<p>code specifying the organisation who has created or owns the coding or numbering system - base type: string, cod. table: NT6 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/certificate/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/acsCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/docID/@numberingOrg: [Optional]</p>

	<p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCHeader/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/acsCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of</i></p>
--	---

	<p>codes used in "noteLabel"</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>PEFStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCodeB/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/additionalIdentifier/@numberingOrg: [Optional] - note for this position: <i>here the issuer of the identifier must be specified</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/season/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCHeader/certificate/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/size/@numberingOrg: [Optional]</p>
--	--

	<p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentPartCode/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/certificate/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p>
--	---

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/yarnCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/texCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/texCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/chemical/dyesDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@</p>
--	---

	<p>numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/supplier/additionalIdentifier/@numberingOrg: [Optional] - note for this position: <i>here the issuer of the identifier must be specified</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p style="text-align: center;">ProductIdentification/rawCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p>
--	---

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/rawCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/acsCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/garmentPartCode/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/yarnCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga</p>
--	---

	<p>mentCodeB/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/yarnCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCodeB/size/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/acsCode/added/@numberingOrg: [Optional]</p>
--	---

	<p>nal]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ProductIdentification/rawCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ...)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/certificate/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/yarnCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p>
--	---

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReportbody/refDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/certificate/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p>
--	---

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/note/@numberingOrg: [Optional]</p>
--	--

	<p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName"</i></p>
--	---

	<p>ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReport/season/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReport/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/note/@numberingOrg: [Optional]</p>
--	---

	<p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ assessmentStudyDocument/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/rawCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/refDoc/season/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/refDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]</p>
--	---

	<p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of</i></p>
--	--

	<p>codes used in "noteLabel" XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/color/@numberingOrg: [Optional]</p>
--	--

	<p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/yarnCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/no</p>
--	---

	<p>te/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]</p>
--	--

	<p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/texCode/pattern/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ certificate/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/</p>
--	---

	<p>billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@numberingOrg: [Optional] - note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/added/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@numberingOrg: [Optional] - note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/externalRefDoc/docID/@numberingOrg: [Optional] - note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg: [Optional]</p>
--	--

	<p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/ @numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/texCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/texCode/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg: [Optional]</p> <p>- note for this position: <i>here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/chemicalItem/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@numberingOrg: [Optional]</p> <p>- note for this position: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with "listName"</i></p>
--	--

	<p>ame” and “listVersion”</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/ @numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with “listName” and “listVersion”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with “listName” and “listVersion”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with “listName” and “listVersion”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with “listName” and “listVersion”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with “listName” and “listVersion”</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional]</p> <p>- note for this position: <i>this attribute should be used either single or coupled with “listName” and “listVersion”</i></p>
objectTypeCode	<p>code that identifies the type of object</p> <p>- base type: string, cod. table: T302</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml</p>
packageText	<p>denomination of the type of transport package (text)</p> <p>- base type: string, max length: 80,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImpactPrimaryData/packageText: 1-1</p> <p>- note for this position: <i>type of packaging and its material</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/packagingImpactPrimaryData/packageText: 1-1</p> <p>- note for this position: <i>type of packaging and its material</i></p>
@part	<p>percent fraction</p> <p>- base type: decimal, min inclusive: 1, max inclusive: 100, fraction digits: 2,</p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activityLocation/@part: [Optional] [Default= 100]</p> <p>- note for this position: <i>percentage of activities performed at the location</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste water destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/@part: [Optional] [Default= 100]</p> <p>- note for this position: <i>percentage of activities performed at the location</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/@part: [Optional] [Default= 100]</p>

	<p>- note for this position: <i>fraction of the total following this route (or group of routes)</i>; XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste water destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%.</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/@part: [Optional] [Default= 100]</p> <p>- note for this position: <i>fraction of the total following this route (or group of routes)</i>; XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste water destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/activityLocation/@part: [Optional] [Default= 100]</p> <p>- note for this position: <i>percentage of activities performed at the location</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional]</p> <p>- note for this position: <i>Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%.</i></p>
pattern	<p>pattern/design number of the product, when not included in the article code - base type: string, max length: 15,</p>
PEFLifeCyclePhase	<p>PEF life cycle phase (it is a first level grouping of the activities analysed by the PEF; each group includes more manufacturing operation or other activities like 'distribution') - base type: string, cod. table: T308 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/PEFLifeCyclePhase: 0-6</p> <p>- note for this position: <i>indicates to which life cycle phases the study is addressed; when omitted it is intended the whole life cycle.</i></p>
percCompos	<p>fiber percentage in the product composition - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,</p>
@percSourcesRenewable	<p>indicates the percentage of renewable sources - base type: decimal, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable: [Optional]</p> <p>- note for this position: <i>percentage of renewable energy calculated on the total energy of the energySupply Descriptor element to which it belongs</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable: [Optional]</p> <p>- note for this position: <i>percentage of renewable energy calculated on the total energy of the energySupply Descriptor element to which it belongs</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>

	<p>productCompos/percCompos/@percSourcesRenewable: [Optional]</p> <p>- note for this position: <i>use only for virgin material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable: [Optional]</p> <p>- note for this position: <i>percentage of renewable energy calculated on the total energy of the energySupply Descriptor element to which it belongs</i></p>
person	<p>name of a person (e.g. contact person within an organization)</p> <p>- base type: string, max length: 40,</p>
@phone	<p>phone number of the contact person within a Party</p> <p>- base type: string, max length: 35,</p>
postCode	<p>code defining the postal zone</p> <p>- base type: string, max length: 10,</p>
processStepID	<p>internal identifier of the single manufacturing operation needed to produce the product</p> <p>- base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ processStepsList/processStep/processStepID: 1-1</p> <p>- note for this position: <i>internal identifier of the single manufacturing operation</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/processStepID: 1-1</p> <p>- note for this position: <i>internal identifier of the single manufacturing operation</i></p>
prodServName	<p>description of the product or service that either complements or substitutes its coding</p> <p>- base type: string, max length: 100,</p>
productReferenceQty	<p>net reference quantity of the product</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/productReferenceQty: 0-1</p> <p>- note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/productReferenceQty: 0-1</p> <p>-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productReferenceQty: 0-1</p> <p>- note for this position: <i>if present, each 'bill of ...' element contained refers to this quantity of product / material.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/productReferenceQty: 0-1</p> <p>- note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is referred to a facility</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty: 0-1</p> <p>- note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty: 0-1 Best Practice</p> <p>- note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/productReferenceQty: 0-1</p> <p>- note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/productReferenceQty: 0-1</p>

	<p>y: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a descriptor in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wastewaterPlantOutputList/wasteDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wastewaterPlantInputList/wastewaterPlantInputDescriptor/materialDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a descriptor in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the f</i></p>
--	--

	<p>unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productReferenceQty: 0-1 - note for this position: when filled, all the quantities indicated in product Component are relative to the realization of this quantity of product.</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is referred to a facility</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is referred to a facility</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of product / material</p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productReferenceQty: 0-1 - note for this position: <i>when filled, all the quantities indicated in product Component are relative to the realization of this quantity of product.</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/productReferenceQty: 0-1 - note for this position: <i>this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/productReferenceQty: 0-1 Best Practice - note for this position: <i>when present, each contained input/output figure refers to this quantity of product / material</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/productReferenceQty: 0-1 - note for this position: <i>when the quantity refers to a global ANNUAL activity of a plant indicate the ANNUAL production of the plant if it is not possible to estimate in greater detail</i></p>
@progr	<p>progressive number in the sequence - base type: positiveInteger, min inclusive: 1, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ processStepsList/processStep/@progr: [Required] - note for this position: <i>Indicates the sequence of operations necessary to make the product. In the case of repeated operations, assign different values of progr.</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/@progr: [Required] - note for this position: <i>Indicates the sequence of operations necessary to make the product. In the case of repeated operations, assign different values of progr.</i></p>
@propulsionSystemCode	<p>propulsion system type - base type: string, cod. table: NT324 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT324.xml XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/transMeans/@propulsionSystemCode: [Optional] - note for this position: <i>indicates the type of propulsion of the means of transport</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/transMeans/@propulsionSystemCode: [Optional] - note for this position: <i>indicates the type of propulsion of the means of transport</i></p>
publishableAbstract	<p>publishable abstract of the study - base type: string, XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ assessmentStudyDocument/publishableAbstract: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/publishableAbstract: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableAbstract: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p>

<p>qty</p>	<p>net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context</p> <ul style="list-style-type: none"> - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/qty: 0-2 - note for this position: <i>this value is referred to the unit of measure of the product declared in the billOfComponents</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/qty: 0-2 - note for this position: <i>this value is referred to the unit of measure of the product declared in the billOfComponents</i>
<p>@recyclingProcessEfficiency</p>	<p>recycling process efficiency rate (percentage by weight).</p> <ul style="list-style-type: none"> - base type: decimal, min inclusive: 0, max inclusive: 100, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: <i>efficiency of the recycling process adopted on the waste</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: <i>efficiency of the recycling process adopted on the waste</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: <i>efficiency of the recycling process adopted on the waste</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productCompos/percCompos/@recyclingProcessEfficiency: [Optional] - note for this position: <i>process efficiency declared by the fibre supplier</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: <i>efficiency of the recycling process adopted on the waste</i>
<p>@recyclingProcessMethod</p>	<p>recycling process method</p> <ul style="list-style-type: none"> - base type: string, cod. table: T307 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T307.xml XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productCompos/percCompos/@recyclingProcessMethod: [Optional] - note for this position: <i>use only for non virgin material</i>
<p>@referenceYear</p>	<p>reference year of the element to whom is associated</p> <ul style="list-style-type: none"> - base type: positiveInteger,
<p>@releasedOn</p>	<p>indicates the possible destinations of direct emissions with which it is associated</p> <ul style="list-style-type: none"> - base type: string, cod. table: NT317 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/@releasedOn: [Required] - note for this position: <i>when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/@releasedOn: [Required] - note for this position: <i>when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/@releasedOn: [Required] - note for this position: <i>when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/@releasedOn: [Required]

	- note for this position: <i>when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres</i>
reviewDate	date of accomplishment of the document review, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string,
@role	Third Party role qualifier - base type: string, cod. table: NT2 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml XPath TRCTRNReport/TRCHeader/senderParty/@role: [Optional] - note for this position: <i>The use of this attribute is mandatory when the element to which it is associated has TRCHeader as its parent.</i> XPath TRCTRNReport/TRCHeader/receiverParty/@role: [Optional] - note for this position: <i>The use of this attribute is mandatory when the element to which it is associated has TRCHeader as its parent.</i>
routeLength	length of a route - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/routeLength: 0-1 - note for this position: <i>length of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/routeLength: 0-1 - note for this position: <i>length of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength: 0-1 - note for this position: <i>length of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength: 0-1 - note for this position: <i>length of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred)</i>
@schemeID	identifier of an identification scheme - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID: [Required] - note for this position: <i>indicates the adopted classification, a URI is recommended</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/ext

	<p>ernalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCHeader/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/certificate/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productComponent/refDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID: [Required]</p> <p>- note for this position: <i>indicates the adopted classification, a URI is recommended</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]</p> <p>- note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p>
--	---

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/customsStat/@schemeID: [Optional] [Default= TARIC] - note for this position: <i>By default the value is TARIC, other different coding schemes must be indicated</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID: [Required] - note for this position: <i>indicates the adopted classification, a URI is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReportheader/refDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productOrigin/refDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteTypeCode/@schemeID: [Required] - note for this position: <i>indicates the adopted classification, a URI is recommended</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p>
--	---

	<p><i>entifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti ves/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p><i>entifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [O ptional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment /hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment /hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att achment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/attachment/hashFootprint/@schemeID: [Op tional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/refDoc/attachment/hashFootprint/@schemeID: [Opti onal] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/attachment/hashFootprint/@schemeI D: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/atta chment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as id entifier (for example HDFS system..)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p>
season	<p>sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc. - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/season: 0-1 - note for this position: <i>here indicates the season to which the referenced document belongs</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/season: 0-1 - note for this position: <i>here indicates the season to which the referenced document belongs</i> XPath TRCTRNReport/TRCHeader/refDoc/season: 0-1 - note for this position: <i>here indicates the season to which the referenced document belongs</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season: 0-1 - note for this position: <i>here indicates the season to which the referenced document belongs</i></p>
@sender	qualifier that specifies the Party issuing of the document

	<p>- base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/supplier/@sender: [Optional]</p> <p>- note for this position: <i>This attribute is mandatory when the STYLESHEET must be used</i></p> <p>XPath TRCTRNReport/TRCHeader/thirdParty/@sender: [Optional]</p> <p>- note for this position: <i>This attribute is mandatory when the STYLESHEET must be used</i></p> <p>XPath TRCTRNReport/TRCHeader/receiverParty/@sender: [Optional]</p> <p>- note for this position: <i>This attribute is mandatory when the STYLESHEET must be used.</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/@sender: [Optional]</p> <p>- note for this position: <i>This attribute is mandatory when the STYLESHEET must be used</i></p> <p>XPath TRCTRNReport/TRCHeader/senderParty/@sender: [Optional]</p> <p>- note for this position: <i>This attribute is mandatory when the STYLESHEET must be used.</i></p>
@sharePerc	<p>indicates the percentual</p> <p>- base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/@sharePerc: [Optional]</p> <p>- note for this position: <i>indicates how much of the wastewater comes from this source</i></p>
signatureTypeCode	<p>indicator of existing and type of signature</p> <p>- base type: string,</p>
size	<p>size number of a fashion product (knitwear, clothing, ..)</p> <p>- base type: string, max length: 15,</p>
socialAccountabilityEvidenceCategory	<p>Category of Social Accountability Requirements (according to SA8000 description)</p> <p>- base type: string, cod. table: NT326 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml</p>
@socialAccountabilityMethod	<p>applied social accountability assessment method (might be SA8000 or a specialisation/adaptation of it)</p> <p>- base type: string,</p>
@standardOwner	<p>standard owner is the organisation that owns and manages the standard specifications (for example Textile exchange or OEKO-TEX)</p> <p>- base type: string,</p>
@storageAction	<p>indicates how to insert the information to which it refers into an archive, also specifying what should happen to the pre-existing information.</p> <p>- base type: string, cod. table: NT312 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml</p>
street	<p>street and building number identifying a location</p> <p>- base type: string, max length: 80,</p>
subCountry	<p>short name or code of the sub-country entity</p> <p>- base type: string, max length: 9,</p>
subDept	<p>name or code of a department</p> <p>- base type: string, max length: 40,</p>
sustainabilityCharacteristicText	<p>text that describes a single sustainability characteristic (for example a claim). The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language).</p> <p>- base type: string, min length: 1, XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/sustainabilityCharacteristicText: 0-99</p> <p>- note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/sustainabilityCharacteristicText: 0-99</p> <p>- note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'ln' attribute (language)</i></p>

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: <i>Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)</i></p>
systemBoundariesDescription	<p>description of the system boundaries of the studied system - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/systemBoundariesDescription: 0-99 - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p>
timeDuration	<p>duration time in days, hours, possibly also indicating minutes and seconds (format nnnD:nnnH: nnM: nnS) - base type: duration,</p>
title	<p>document title - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath</p>

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ PEFStudyDocument/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title: 0-unbounded - note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/title: 0-unbounded</p>
--	---

	<p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/certificate/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>productSustainabilityCharacteristics/billOfWaste/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/certificate/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/selfAssertion/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfChemical/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCHeader/certificate/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath</p> <p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> <p>XPath TRCTRNReport/TRCHeader/externalRefDoc/title: 0-unbounded</p> <p>- note for this position: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p>
transactionReceipt	<p>transaction receipt on blockchain</p> <p>- base type: string, max length: 80,</p>
transMeans	<p>means of transport, in general or referred to a specific leg</p> <p>- base type: string, cod. table: T40</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml</p>
transMode	<p>way of transport, in general or referred to the specified leg</p> <p>- base type: string, cod. table: T8</p>

	http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml
transportMeansUtilisationPercentage	utilisation percentage of the means of transport (estimation) - base type: decimal,
@TRCReportFunction	indicates whether the document has the function of REQUEST for recording events in the traceability system OR if it is a REPORT on the events recorded up to now in the traceability system - base type: string, cod. table: NT205 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT205.xml
typeOfEnergyVector	type of energy vector - base type: string, cod. table: NT319 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml
@uid	unique element identifier within the xml document - base type: string,
@um	specification of the unit of measure - base type: string, cod. table: NT7 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCTRNReport/TRCTRNReportbody/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	<p>productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/organisationAddress/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCHeader/receiverParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/selfAssertion/ issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath</p> <p>TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/@um: [Required]</p>
--	--

	<p>- note for this position: <i>this unit of measure is the reference unit for the quantities of each component; if it is 'piece', each quantity is referred to the quantity of the component needed for 1 piece.</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRHeader/thirdParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p>
--	---

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
billOfComponents/productComponent/supplier/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/certificate/
issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*
XPath TRCTRNRReport/TRHeader/senderParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: *when not specified assume decimal DEGREES*

	<p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/activityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCHeader/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/reviewerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	--

	<p>ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/reviewerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/</p>
--	---

	<p>billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRHeader/certificate/certifiedParty/ geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/certificate/ certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]</p> <p>- note for this position: <i>when not specified assume decimal DEGREES</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/@um: [</p>
--	--

	<p>Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/@um: [Required] - note for this position: <i>this unit of measure is the reference unit for the quantities of each component; if it is 'piece', each quantity is referred to the quantity of the component needed for 1 piece.</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: <i>when not specified assume decimal DEGREES</i></p>
uniqueProductID	<p>Unique product identifier. It identifies the product completely, differentiating any variants, sizes, colors, etc. It should be unique throughout the whole value chain. (It can be the GTIN) - base type: string, max length: 80,</p>
uri	<p>Uniform Resource Identifier (URI) that identifies the external object as an Internet resource - base type: normalizedString, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCHeader/certificate/attachment/ blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri: 1-1</p>

	<p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri: 1-1</p> <p>- note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical</p>
--	--

	<p>SpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/certificate/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productOrigin/refDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/assessmentStudyDocument/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCTRNRReportheader/refDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/PEFStudyDocument/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath</p>
--	--

	<p>TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p>
usedWaterType	<p>origin of the used water - base type: string, cod. table: NT318 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml</p>
@useProfile	<p>use profile to which the present document is compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile. - base type: string,</p>
@validationMethod	<p>type of method used to validate the quantity to which it refers. For example, it indicates whether it was measured in the field, estimated indirectly, approved by an expert or taken from the literature - base type: string, cod. table: NT329 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml</p>
validityEnd	<p>date by which the validity ends, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string,</p>
validityExtensionDate	<p>end date of validity resulting from extension, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string,</p>
validityStart	<p>date by which the validity starts, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string,</p>
variantCode	<p>Code of variant used for fashion product. - base type: string,</p>
variantType	<p>Type of variant used for fashion product (examples: 'treatment', 'washing type', 'size class',...) - base type: string,</p>
@VAT	<p>VAT rate or code (DEPRECATED, use dtScheme element) - base type: string, cod. table: NT16 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml</p>
@version	<p>Dictionary version from which the instance has been created - base type: string, cod. table: NT100 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml</p>

washingType	washing type, according to BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols - base type: decimal, cod. table: T309 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T309.xml
wasteFinalTreatmentType	indicates the final treatment of the waste (in whole or in part) - base type: string, cod. table: NT316 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml
wasteTypeCode	indicates a code of the type of waste according to a classification that can be of various kinds, usually of greater detail than the EWC one; the classification is identified by SchemeID - base type: string,
wasteWaterContaminantType	type of contaminant in the waste water produced (textile and leather examples: BOD, solids, sulfates and chromium; other sectors: Chlorinated organic compounds, COD, mineral oils, phenols, organic chemicals, heavy metals, SS, cyanide, Fluorine) - base type: string, XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterContaminantType: 0-99 - note for this position: <i>indicates the presence of contaminant in the wastewater stream described by current element</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/wasteWaterContaminantType: 0-99 - note for this position: <i>indicates the presence of contaminant in the wastewater stream described by current element</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterContaminantType: 0-99 - note for this position: <i>indicates the presence of contaminant in the wastewater stream described by current element</i>
wasteWaterFinalTreatmentType	type of final treatment of the waste water produced (examples: none, septic tank, activated sludge treatment, etc.) - base type: string,
wasteWaterProvenance	provenance of the waste water - base type: string, cod. table: T308 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/wasteWaterProvenance: 0-1 - note for this position: <i>when non indicated the whole process is assumed as origin</i>
weight	effective weight of a specified object - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/packagingImpactPrimaryData/weight: 1-1 - note for this position: <i>the weight of the packaging without the product</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImpactPrimaryData/weight: 1-1 - note for this position: <i>the weight of the packaging without the product</i>
xGeoCoord	geographical coordinate x , corresponding to latitude - base type: decimal,
year	reference year - base type: integer, min inclusive: 1800, max inclusive: 2100, XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

	<p>fWaste/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fWasteWater/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfMaterials/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fDirectEmissions/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fChemical/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fEnergy/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOf</p> <p>fUsedWater/year: 0-1 - note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWaste/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfEnergy/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/year: 0-1</p> <p>- note for this position: <i>indicate the year to whom the study is referred</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/year: 0-1</p> <p>- note for this position: <i>year of production to which the data refers</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/year: 0-1</p>
--	---

	<p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfChemical/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/year: 0-1</p> <p>- note for this position: <i>indicate the year to whom the study is referred</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfUsedWater/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/year: 0-1</p> <p>- note for this position: <i>when filled indicates that collected figures are related to a specific year</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/PEFStudyDocument/year: 0-1</p> <p>- note for this position: <i>indicate the year to whom the study is referred</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/year: 0-1</p> <p>- note for this position: <i>indicate the year to whom the study is referred</i></p>
yGeoCoord	<p>geographical coordinate y , corresponding to longitude - base type: decimal,</p>
zGeoCoord	<p>geographical coordinate z , corresponding to altitude - base type: decimal, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p>

	<p>geoCoordinates/zGeoCoord: 0-1 - note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/zGeoCoord</p>
--	--

	<p>: 0-1 - note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/organisationAddress/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1</p>
--	--

	<p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/certificateParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p>
--	---

	<p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/z GeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/facilityLocation/geoCoordin ates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI nformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCo ord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/ zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGe oCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0- 1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/issuerParty /geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/facilityLocation/geoCoordin ates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCo ordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/signatureIn formation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issu erParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/ PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGe</p>
--	--

	<p>oCoord: 0-1 - note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/ issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNReport/TRCTRNReportbody/certificate/</p>
--	--

	<p>certifiedParty/geoCoordinates/zGeoCoord: 0-1 - note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCTRNRReport/TCHeader/receiverParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReport/TCHeader/senderParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i> XPath TRCTRNRReport/TRCTRNRReportbody/TRCPProduct/</p>
--	--

	<p>productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/processStepsList/processStep/activityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/billOfComponents/productComponent/supplier/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNRReport/TRCTRNRReportbody/TRCProduct/productSustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p>
--	--

	<p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p> <p>XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1</p> <p>- note for this position: <i>altitude might be omitted</i></p>
--	---

2.3 Suggested best practices

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfMaterials/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfChemical/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfEnergy/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/**TRCTRNR**Reportbody/**TRC**Product/

productSustainabilityCharacteristics/billOfWaste/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

ate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

TRCTRNRReport/TRCHeader/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/

productOrigin/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/selfAssertion/
externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/certificate/
attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/
productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCHeader/refDoc/attachment/
externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/TRCProduct/
selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

t)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

PEFStudyDocument/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRReport/TRCTRReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/**TRC**Product/
billOfComponents/productComponent/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/**TRC**Product/
billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/**TRC**Product/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/**TRC**Product/
assessmentStudyDocument/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TR**Header/externalRefDoc/attachment/
externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/**TRC**Product/
productOrigin/refDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TR**Header/certificate/attachment/
externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNReport/**TRCTRNR**eportbody/**TRC**Product/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfWasteWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfChemical/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfUsedWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfEnergy/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNRReport/TRCTRNRReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfMaterials/productReferenceQty (net reference quantity of the product)

product)

Might be ignored when facilityLocation is filled

TRCTRReport/TRCTRReportbody/TRCProduct/

**productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/productReference
Qty (net reference quantity of the product)**

Might be ignored when facilityLocation is filled

2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find all the tables with the corresponding codes at:
<http://www.ebiz.enea.it/eBIZ/imple/eBIZTCU-draft.asp?lingua=en&pag=6>

NT100 - eBIZ TCFUpstream version
NT16 - VAT rate or code
NT2 - third party qualifier
NT201 - entity type
NT205 - Function of the document
NT29 - format of a date
NT3 - issuer of the identifier (or identification system) of a location.
NT311 - information disclosure level
NT312 - storage action
NT313 - status of the document
NT316 - waste final treatment type
NT317 - emission to
NT318 - water type
NT319 - Type of energy vector
NT320 - type of energy source
NT322 - input material function
NT323 - category of the object of a declaration
NT324 - propulsion system type
NT326 - Evidence type on Social Accountability Requirements
NT329 - type of validation method of the value
NT333 - type of hashing algorithm
NT6 - coding system owner/issuer
NT60 - language, codes from ISO 639-1 (subset)
NT7 - unit of measure
T10 - ISO3166 - Country
T19 - fibre type
T21 - type of document
T302 - type of object
T305 - table of manufacturing operation types
T306 - material circularity attribute
T307 - recycling process method
T308 - table of macro groups of manufacturing operations for the PEF
T309 - washing type
T311 - allowed tumble drying mode
T312 - dye Category
T40 - type of transport means
T44 - additional code type
T48 - garment part type
T8 - Modes of Transport

ACKNOWLEDGEMENT



This action is part of the TRICK project, which has received funding from Horizon 2020 research and innovation programme under grant agreement No. 958352 of the European Union.




DISCLAIMER

The content of this document represents the views of the authors only and is their sole responsibility; it cannot be considered to reflect the views of the European Commission or any other body of the European Union.


The European Commission does not accept any responsibility for use that may be made of the information it contains.

Annex A


Representative images of the principal complex elements' structure.




energyConsumptionDescriptor
 energy consumption descriptor: descriptor of a quantity of used energy with the indication of its characteristics




energySupplyDescriptor
 energy supply descriptor: descriptor of a quantity of supplied or produced energy with the indication of its characteristics




facilityDescriptor
 facility descriptor: descriptor of a company facility




garmentPartCode
 Garment part code: codification of the component or part of a fashion article




internalWastewaterTreatmentPlant
 internal waste water treatment plant: descriptor of the internal waste water treatment plant. Indicate if it serves the entire production cycle or just some phases.




materialDescriptor
 material descriptor: descriptor of a quantity of used material with the indication of its characteristics




organisationDescriptor
 organisation descriptor: organisation description




productComponent
 product component: descriptor of one of the elements used to create the product, it indicates the codes of the component, the quantity for final product unit, supplier and any documentation




productSustainabilityCharacteristics
 product sustainability characteristics: transparency information about product sustainability characteristics




productUsageCharacteristics
 product usage characteristics: transparency information about usage product characteristics



refDoc
 reference document details: identification of a document and of an item thereof, to which the message makes reference



TRCheader
 TRC header: header of the Traceability documents ("Traceability Receiving Advice", "Traceability Despatching Advice", "Traceability Report", "Transparency and Sustainability Report")



TRCProduct
 transparency product: Description of transparency and sustainability features of a product




treatmentDescriptor

treatment descriptor: descriptor of the specific single production phase (with the indication of the quantity and of the associated bills)




usedWaterDescriptor

used water descriptor: descriptor of the used water produced (with the indication of the quantity)



wasteDescriptor

waste descriptor: describes a type of waste generated by the activities to which it is associated and possibly its quantity in relation to a reference quantity of product



wasteWaterDescriptor

waste water descriptor: descriptor of the waste water produced (with the indication of the quantity, their treatment and the possible presence of contaminants)

