

http://www.ebiz-tcf.eu



Extract from IMPLEMENTATION GUIDE TRANSACTION "TRANSPARENCY AND SUSTAINABILITY REPORT"

Version: draft

Date of release: 8/7/2023 Document code: TRC001e

technical Documentation: http://www.ebiz.enea.it

XML Schemas repository: http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp

Guides repository: http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp

Guide filename: TRC001-eBIZ-TransparencyAndSustainabilityReport.pdf

0. PREMISE

This document contains a proposal for the updating and extension of eBIZ specifications starting from the eBIZ version 2018. Under the name of 'Draft version' it is reported the result of an extensive work of analysis and consultation aimed at developing and maintaining eBIZ specifications.

In particular, the content of this proposal is the result of various activities, mainly those carried out within the framework of the **TRICK project** funded by the European Commission: grant agreement 958352, call H2020-LOW-CARBON-CIRCULAR-INDUSTRIES-2020 / H2020-LCCI-2020-EASME-twostage.


The technical contents are backwards compatible with the latest official published version, with the exclusion of the totally new concepts added explicitly for the version that are thought as incremental evolution of the knowledge base.

1. BUSINESS DESCRIPTION

1.1 Scope

1.2. Possible scenario

P1.A1 Products, processes and facilities static data collection



2. IMPLEMENTATION GUIDE

2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema. In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrencies); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...) is shown in square brackets.

Structure

```
TRCTRNReport
@version [Optional] [Default= draft]
@useProfile [Optional]
@TRCReportFunction [Optional]
  | TRCheader 1-1
        msgN 1-1
        msgID 0-1
        msgDate 1-1
        @dateForm [Optional]
        refDoc 0-9
        @docType [Required]
            docID 1-2
            @numberingOrg [Optional]
            docDate 0-1
            @dateForm [Optional]
            season 0-1
            @numberingOrg [Optional]
            @codeList [Optional]
            @listName [Optional]
            @listVersion [Optional]
            itemID 0-1
            attachment 0-1
            @uid [Optional]
                fileName 0-1
                @numberingOrg [Optional]
                binaryObject 0-1
                @format [Optional]
                @mime [Optional]
                @encoding [Optional]
                @characterSet [Optional]
                externalReference 0-99
                    uri 1-1
                     @isURL [Optional] [Default= true]
                    mimeCode 0-1
                    formatCode 0-1
                    encodingCode 0-1
                    characterSetCode 0-1
                hashFootprint 0-1
                @schemeID [Optional]
                @hashMethod [Required]
                blockChainReference 0-9
                     @isURL [Optional] [Default= true]
                    transactionReceipt 1-9
        certificate 0-9
        @docStatusCode [Required]
        @docValidity [Required]
            docID 1-1
            @numberingOrg [Optional]
```

```
certificateID 1-1
@schemeID [Optional]
certificationStandardName 1-1
@standardOwner [Required]
docDate 1-1
@dateForm [Optional]
title 0-unbounded
@In [Optional]
description 0-unbounded
@In [Optional]
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
validityExtensionDate 0-1
@dateForm [Optional]
sustainabilityCharacteristicText 0-99
@In [Optional]
issuerParty 1-1
    id 0-1
     @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    .
@email [Optional]
     @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
     @um [Optional] [Default= DEGD]
     @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
        zGeoCoord 0-1
  | issuerAccreditationInfo 0-1
certifiedParty 1-1
    id 0-1
     @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
     @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
     @um [Optional] [Default= DEGD]
     @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
        zGeoCoord 0-1
certifiedEntity 0-unbounded
    entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
    description 0-9
    @In [Optional]
attachment 0-1
```

```
@uid [Optional]
        fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
        @mime [Optional]
        @encoding [Optional]
        @characterSet [Optional]
        externalReference 0-99
            uri 1-1
            @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
           transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
externalRefDoc 0-9
  | docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
      I issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
           legalName 0-1
```

```
dept 0-1
             subDept 0-1
             person 0-1
             .
@email [Optional]
             @phone [Optional]
             @fax [Optional]
             street 0-1
            city 0-1
             subCountry 0-1
            country 0-1
             postCode 0-1
             geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
                zGeoCoord 0-1
    attachment 0-1
    @uid [Optional]
        fileName 0-1
         @numberingOrg [Optional]
        binaryObject 0-1
         @format [Optional]
@mime [Optional]
         @encoding [Optional]
         @characterSet [Optional]
        externalReference 0-99
            uri 1-1
             @isURL [Optional] [Default= true]
             mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
         @schemeID [Optional]
         @hashMethod [Required]
        blockChainReference 0-9
             uri 1-1
             @isURL [Optional] [Default= true]
           | transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
senderParty 1-1
@role [Optional]
@sender [Optional]
    id 1-1
     @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
     @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
     @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
       xGeoCoord 1-1
        yGeoCoord 1-1
       ZGeoCoord 0-1
receiverParty 1-1
```

```
@role [Optional]
    @sender [Optional]
        id 1-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
    thirdParty 0-5

@VAT [Optional]

@role [Required]
    @sender [Optional]
        id 1-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          ZGeoCoord 0-1
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
TRCTRNReportbody 1-1
    TRCProduct 0-unbounded
    @externalProviderIndicator [Optional]
        ProductIdentification 1-1
            uniqueProductID 1-1
            @schemeID [Required]
            objectTypeCode 1-1
            description 0-9
            @In [Optional]
        - choose -
            rawCode 0-2
            @numberingOrg [Optional]
                art 1-1
                 @numberingOrg [Optional]
                 @codeList [Optional]
                 @listName [Optional]
                @listVersion [Optional]
```

	color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
@n	umberingOrg [Optional] [Default= CL] art 1-1
	Code 0-2 umberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
acs	umberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional]

@listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @In [Optional]
garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @addd 0-19 @numberingOrg [Optional] @addType [Optional] @addType [Optional] @istze 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]
garmentCode 0-2 @numberingOrg [Optional]

@numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
@listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional]
- end choose - - end choose -
note 0-99 @numberingOrg [Optional] @codeList [Optional] @noteLabel [Optional]
billOfComponents 0-1 @um [Required]
@limitedByDisclosureIndicator [Optional] @exhaustiveInformation [Required]
@disclosureLevel [Required]
@storageAction [Required] productReferenceQty 0-1
@um [Required]
productComponent 0-unbounded @internallyPerformed [Required]
@internallyPerformed [Required] uniqueProductID 1-1
@schemeID [Required]
- choose -
@numberingOrg [Optional]
@codeList [Optional]
@numberingOrg [Optional] @codeList [Optional]
@numberingOrg [Optional]
- or -

	@numberingOrg [Optional]
i i i i i	@codeList [Optional]
i i i i i	@listName [Optional]
iiiiii	@listVersion [Optional]
iiiiii	color 0-1
iiiiii	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	added 0-9
	@numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded
	@In [Optional]
- or -	·Cada 0.2
	(Code 0-2
	numberingOrg [Optional] art 1-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	pattern 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
i i i i i	@listName [Optional]
i i i i i	@listVersion [Optional]
iiiiii	added 0-9
i i i i i	@numberingOrg [Optional]
iiiiii	
	@addType [Optional] description 0-unbounded
	@addType [Optional]
- or -	@addType [Optional] description 0-unbounded @In [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] glistVersion [Optional] pattern 0-1
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] glistVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] glistVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] glistVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] glistVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] alistVersion [Optional] added 0-9
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional]
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] alistVersion [Optional] added 0-9
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded
ac	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional]
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @distVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2 numberingOrg [Optional]
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @distVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2 numberingOrg [Optional] gPart 1-1
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @ded 0-9 @numberingOrg [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2 numberingOrg [Optional] gPart 1-1 mod 1-1
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @distVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2 numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional]
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @ded 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2 numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional]
acc @p	@addType [Optional] description 0-unbounded @In [Optional] sCode 0-2 numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @distVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @In [Optional] rmentPartCode 0-2 numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional]

	@listVersion [Optional]
-	fabric 0-1
!	
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
i	@listVersion [Optional]
-	
!!!	
	@numberingOrg [Optional]
	@codeList [Optional]
i i	@listName [Optional]
-	
!!!	@listVersion [Optional]
	@numberingOrg [Optional]
i	@addType [Optional]
!	
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
i	@listVersion [Optional]
!	
	description 0-unbounded
	- or -
1	garmentCode 0-2
!	
- 1	@numberingOrg [Optional]
	- choose -
	garmentCodeB 1-1
i	@numberingOrg [Optional]
-	
!!!	
	@numberingOrg [Optional]
	@codeList [Optional]
i	@listName [Optional]
-	
! !	@listVersion [Optional]
	@numberingOrg [Optional]
i	@codeList [Optional]
-	
! !	@listName [Optional]
	@listVersion [Optional]
i	@numberingOrg [Optional]
-	@codeList [Optional]
!	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
Ì	garmentVariant 0-9
i	variantType 1-1
	@numberingOrg [Optional]
i	@listVersion [Optional]
-	
!!!	variantCode 1-1
	@numberingOrg [Optional]
i i	@listName [Optional]
-	
! !	@listVersion [Optional]
	@numberingOrg [Optional]
i	@codeList [Optional]
i i	
I I	@listName [Optional]
!	@listVersion [Optional]
1 1	@numberingOrg [Optional]
i	@codeList [Optional]
!	
ļ ļ	@listName [Optional]
	@listVersion [Optional]
1 1	artGroup 0-1
i	@numberingOrg [Optional]
!	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]

```
added 0-9
              @numberingOrg [Optional]
              @addType [Optional]
             description 0-unbounded
             @In [Optional]
        | garmentCodeA 1-1
             art 1-1
              @numberingOrg [Optional]
              @codeList [Optional]
              @listName [Optional]
              @listVersion [Optional]
             description 0-unbounded
             @In [Optional]
  - end choose -
- end choose -
     refDoc 0-9
     @docType [Required]
         docID 1-2
          @numberingOrg [Optional]
         docDate 0-1
         @dateForm [Optional]
         season 0-1
          @numberingOrg [Optional]
          @codeList [Optional]
          @listName [Optional]
          @listVersion [Optional]
         itemID 0-1
         attachment 0-1
          @uid [Optional]
             fileName 0-1
              @numberingOrg [Optional]
             binaryObject 0-1
              @format [Optional]
              @mime [Optional]
              @encoding [Optional]
              @characterSet [Optional]
             externalReference 0-99
                 uri 1-1
                  @isURL [Optional] [Default= true]
                 mimeCode 0-1
                 formatCode 0-1
                 encodingCode 0-1
                 characterSetCode 0-1
             hashFootprint 0-1
              @schemeID [Optional]
              @hashMethod [Required]
             blockChainReference 0-9
                 uri 1-1
                  @isURL [Optional] [Default= true]
                transactionReceipt 1-9
     certificate 0-9
     @docStatusCode [Required]
     @docValidity [Required]
         docID 1-1
          @numberingOrg [Optional]
         certificateID 1-1
         @schemeID [Optional]
         certificationStandardName 1-1
          @standardOwner [Required]
         docDate 1-1
         @dateForm [Optional]
         title 0-unbounded
          @In [Optional]
         description 0-unbounded
          @In [Optional]
         validityStart 0-1
         @dateForm [Optional]
```

```
validityEnd 0-1
@dateForm [Optional]
validityExtensionDate 0-1
@dateForm [Optional]
sustainabilityCharacteristicText 0-99
@In [Optional]
issuerParty 1-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      zGeoCoord 0-1
  issuerAccreditationInfo 0-1
certifiedParty 1-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
certifiedEntity 0-unbounded
    entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
    description 0-9
    @In [Optional]
attachment 0-1
@uid [Optional]
    fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        @isURL [Optional] [Default= true]
       mimeCode 0-1
```

```
formatCode 0-1
            encodingCode 0-1
           characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            @isURL [Optional] [Default= true]
          | transactionReceipt 1-9
   note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
selfAssertion 0-99
@disclosureLevel [Optional]
@docStatusCode [Optional]
| sustainabilityCharacteristicText 0-99
    @In [Optional]
   assertionCategory 1-1
    description 1-99
    @In [Optional]
    issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           ZGeoCoord 0-1
        issuerAccreditationInfo 0-1
    selfAssertionEntity 0-unbounded
        entityID 1-3
        @schemeID [Required]
        entityTypeCode 1-1
        description 0-9
        @In [Optional]
   externalRefDoc 0-99
        docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
        title 0-unbounded
        @In [Optional]
        description 0-unbounded
        @In [Optional]
        validityStart 0-1
        @dateForm [Optional]
        validityEnd 0-1
        @dateForm [Optional]
        documentType 0-1
        issuerParty 0-1
            id 0-1
            @numberingOrg [Optional]
           legalName 0-1
```

```
dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
        zGeoCoord 0-1
    issuerAccreditationInfo 0-1
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
         @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
        characterSetCode 0-1
    hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
    blockChainReference 0-9
        uri 1-1
        @isURL [Optional] [Default= true]
      | transactionReceipt 1-9
note 0-99
@numberingOrg [Optional]
@codeList [Optional]
@noteLabel [Optional]
```

```
validityStart 0-1
            @dateForm [Optional]
            validityEnd 0-1
            @dateForm [Optional]
            validityExtensionDate 0-1
            @dateForm [Optional]
        objectTypeCode 0-1
        qty 0-2
        @um [Required]
        supplier 0-9
         @logo [Optional]
        @sender [Optional]
            id 1-1
            @numberingOrg [Optional]
            additionalIdentifier 0-9
            @numberingOrg [Optional]
            @idQualifier [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
               | zGeoCoord 0-1
productCompos 0-1
    percCompos 1-99
    .
@fibre [Required]
    @materialSource [Optional]
    @recyclingProcessMethod [Optional]
    @percSourcesRenewable [Optional]
    @validationMethod [Optional]
    @recyclingProcessEfficiency [Optional]
processStepsList 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Required]
@storageAction [Required]
    processStep 1-unbounded
    @progr [Required]
    @internallyPerformed [Optional]
        processStepID 1-1
        manufacturingOperationCode 1-1
        description 0-9
        @In [Optional]
        activityLocation 0-99
        @part [Optional] [Default= 100]
            location 0-1
            @LRI [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            @email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
          | city 0-1
```

```
subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
              | zGeoCoord 0-1
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
productOrigin 0-99
   made 1-1
    refDoc 0-9
    @docType [Required]
        docID 1-2
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
        season 0-1
        @numberingOrg [Optional]
        @codeList [Optional]
        @listName [Optional]
        @listVersion [Optional]
        itemID 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
             @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
                transactionReceipt 1-9
customsStat 0-1
@schemeID [Optional] [Default= TARIC]
certificate 0-unbounded
@docStatusCode [Required]
@docValidity [Required]
    docID 1-1
    @numberingOrg [Optional]
    certificateID 1-1
    @schemeID [Optional]
    certificationStandardName 1-1
    @standardOwner [Required]
    docDate 1-1
    @dateForm [Optional]
    title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
```

```
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
validityExtensionDate 0-1
@dateForm [Optional]
sustainabilityCharacteristicText 0-99
@In [Optional]
issuerParty 1-1
   id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
       xGeoCoord 1-1
        yGeoCoord 1-1
      zGeoCoord 0-1
   issuerAccreditationInfo 0-1
certifiedParty 1-1
   id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
        zGeoCoord 0-1
certifiedEntity 0-unbounded
   entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
    description 0-9
    @In [Optional]
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
@mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
      @isURL [Optional] [Default= true]
```

```
mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
            transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
selfAssertion 0-9
@disclosureLevel [Optional]
@docStatusCode [Optional]
    sustainabilityCharacteristicText 0-99
    @In [Optional]
    assertionCategory 1-1
    description 1-99
   @In [Optional] issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
       issuerAccreditationInfo 0-1
    selfAssertionEntity 0-unbounded
        entityID 1-3
        @schemeID [Required]
        entityTypeCode 1-1
        description 0-9
        @In [Optional]
   externalRefDoc 0-99
       docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
        title 0-unbounded
        @In [Optional]
        description 0-unbounded
        @In [Optional]
        validityStart 0-1
        @dateForm [Optional]
        validityEnd 0-1
        @dateForm [Optional]
        documentType 0-1
        issuerParty 0-1
            id 0-1
          | @numberingOrg [Optional]
```

```
legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
   subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
        zGeoCoord 0-1
   issuerAccreditationInfo 0-1
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
attachment 0-1
@uid [Optional]
    fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
       characterSetCode 0-1
    hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
    blockChainReference 0-9
        uri 1-1
        @isURL [Optional] [Default= true]
      transactionReceipt 1-9
note 0-99
@numberingOrg [Optional]
@codeList [Optional]
```

	noteLabel [Optional] Start 0-1 Form [Optional] End 0-1 Form [Optional] ExtensionDate 0-1 Form [Optional] Document 0-9 eLevel [Optional] sCode [Optional] ataset [Required]
)-1 beringOrg [Optional]
docDat	
	Form [Optional]
	eCyclePhase 0-6 ctIdentification 0-99
	iqueProductID 1-1
	schemeID [Required] iectTypeCode 1-1
de	scription 0-9
	In [Optional] -
	wCode 0-2
	numberingOrg [Optional]
	art 1-1 @numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional] @listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
	@codeList [Optional] @listName [Optional]
	@listVersion [Optional]
	added 0-9 @numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded
- or -	@In [Optional]
	rnCode 0-2
	numberingOrg [Optional] [Default= CL] art 1-1
	art i-i @numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional] @listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
	@codeList [Optional] @listName [Optional]
	@listVersion [Optional]
	added 0-9 @numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded
- or -	@In [Optional]
tex	Code 0-2
	numberingOrg [Optional] art 1-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional] @listVersion [Optional]
	pattern 0-1
	@numberingOrg [Optional]

	@codeList [Optional]
1 1 1 1	@listName [Optional]
1 1 1 1 1	@listVersion [Optional]
	color 0-1
iiiii	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
iiiii	@listVersion [Optional]
	added 0-9
	@numberingOrg [Optional]
	@addType [Optional]
i i i i i	description 0-unbounded
	@In [Optional]
- or -	
	acsCode 1-2
	@numberingOrg [Optional]
	art 1-1
	<pre> @numberingOrg [Optional]</pre>
i i i i i	@codeList [Optional]
- i - i - i - i - i	@listName [Optional]
	@listVersion [Optional]
	pattern 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
i i i i	@listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
i i i i i	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	l added 0-9
	@numberingOrg [Optional]
!!!!!	
	@addType [Optional]
	L description O uphounded
	i describtion o-unbounded
	description 0-unbounded
	@In [Optional]
- or -	@In [Optional]
	@In [Optional] garmentPartCode 0-2
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional]
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional]
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional]
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional]
- or or - or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional]
- or -	@In [Optional] garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
- or or - or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional]
- or or - or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] decodeList [Optional] mumberingOrg [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] destric 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] destination [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]
	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- or -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional]
	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional]
	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional]

- choose -		
1 1 1 1	garmentCodeB 1-1	
	@numberingOrg [Optional]	
	mod 1-1	
	@numberingOrg [Optional]	
	@codeList [Optional] @listName [Optional]	
	@listVersion [Optional]	
	fabric 0-1	
iiii	@numberingOrg [Optional]	
iiii	@codeList [Optional]	
	@listName [Optional]	
	@listVersion [Optional]	
	color 0-1	
	@numberingOrg [Optional] @codeList [Optional]	
	@codeList [Optional] @listName [Optional]	
	@listVersion [Optional]	
iiii	garmentVariant 0-9	
iiii	variantType 1-1	
i i i i	@numberingOrg [Optional]	
	@codeList [Optional]	
	@listName [Optional]	
	@listVersion [Optional]	
	variantCode 1-1 @numberingOrg [Optional]	
	@ramberingOrg [Optional]	
	@listName [Optional]	
i i i i	@listVersion [Optional]	
i i i i	drop 0-1	
	@numberingOrg [Optional]	
	@codeList [Optional]	
	@listName [Optional]	
	@listVersion [Optional] size 0-1	
	3126 0-1 @numberingOrg [Optional]	
	@codeList [Optional]	
iiii	@listName [Optional]	
i i i i	@listVersion [Optional]	
	artGroup 0-1	
	@numberingOrg [Optional]	
	@codeList [Optional] @listName [Optional]	
	@listVersion [Optional]	
	added 0-9	
iiii	@numberingOrg [Optional]	
iiii	@addType [Optional]	
	description 0-unbounded	
	@In [Optional]	
- <i>or</i> - 		
	garmencodeA 1-1	
	@numberingOrg [Optional]	
iiii	@codeList [Optional]	
iiii	@listName [Optional]	
	@listVersion [Optional]	
	description 0-unbounded	
	@In [Optional]	
	- end choose - nd choose -	
- er	note 0-99	
	@numberingOrg [Optional]	
i i i i	@codeList [Optional]	
iii	@noteLabel [Optional]	
	ear 0-1	
	le 0-unbounded	
	Oln [Optional]	
	escription 0-unbounded	

```
@In [Optional]
publishableAbstract 0-99
@In [Optional]
author 0-1
@email [Optional]
@phone [Optional]
@fax [Optional]
reviewerParty 0-9
   id 1-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
      xGeoCoord 1-1
        yGeoCoord 1-1
      ZGeoCoord 0-1
reviewDate 0-1
@dateForm [Optional]
issuerParty 0-1
   id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
   issuerAccreditationInfo 0-1
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
```

```
street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
                zGeoCoord 0-1
    functionalUnitDescription 0-99
    @In [Optional]
    systemBoundariesDescription 0-99
    @In [Optional]
    limitationsDescription 0-99
    @In [Optional]
    allocationsDescription 0-99
    @In [Optional]
    dataQualityDescription 0-99
    @In [Optional]
    attachment 0-1
    @uid [Optional]
        fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
        @mime [Optional]
        @encoding [Optional]
        @characterSet [Optional]
        externalReference 0-99
            uri 1-1
            @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
            transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
assessmentStudyDocument 0-9
@disclosureLevel [Optional]
@docStatusCode [Optional]
@isStudyDataset [Required]
    docID 0-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    ProductIdentification 0-99
        uniqueProductID 1-1
        @schemeID [Required]
        objectTypeCode 1-1
        description 0-9
      @In [Optional]
  - choose -
      | rawCode 0-2
        @numberingOrg [Optional]
            art 1-1
            @numberingOrg [Optional]
            @codeList [Optional]
```

- or -	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
	yarnCode 0-2
	@numberingOrg [Optional] [Default= CL]
iiiii	art 1-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional] @listVersion [Optional]
	color 0-1
i i i i	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional] @listVersion [Optional]
	added 0-9
iiiii	@numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded @In [Optional]
- or -	Simple paramaly
	texCode 0-2
	@numberingOrg [Optional] art 1-1
	@numberingOrg [Optional]
iiiii	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional] pattern 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional] color 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional] added 0-9
iiiii	@numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded @In [Optional]
- or -	@m [Optional]
	acsCode 1-2
	@numberingOrg [Optional] art 1-1
	@numberingOrg [Optional]
iiii	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional] pattern 0-1
	@numberingOrg [Optional]
iiii	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional] color 0-1
	Color 0-1 @numberingOrg [Optional]
	. 5 51 7 7

	@codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded
1	- 0r -
	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @codeList [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @listVersion [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @addType [Optional] @addType [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional]
	description 0-unbounded
	- 0/ -
-	garmentCode 0-2 @numberingOrg [Optional]
ļ	- choose -
1	garmentCodeB 1-1
i	@numberingOrg [Optional]
i	mod 1-1
j	@numberingOrg [Optional]
ļ	@codeList [Optional]
	@listName [Optional]
l I	
i	@numberingOrg [Optional]
j	@codeList [Optional]
i	@numberingOrg [Optional]
į	@codeList [Optional]
ļ	
-	
	@numberingOrg [Optional]
į	
	@listName [Optional]
l	
 	@codeList [Optional] @listName [Optional]

```
| @listVersion [Optional]
             drop 0-1
              @numberingOrg [Optional]
              @codeList [Optional]
              @listName [Optional]
              @listVersion [Optional]
             size 0-1
              @numberingOrg [Optional]
              @codeList [Optional]
              @listName [Optional]
              @listVersion [Optional]
             artGroup 0-1
              @numberingOrg [Optional]
              @codeList [Optional]
              @listName [Optional]
              @listVersion [Optional]
             added 0-9
              @numberingOrg [Optional]
              @addType [Optional]
             description 0-unbounded
              @In [Optional]
  - or
        | garmentCodeA 1-1
             art 1-1
              @numberingOrg [Optional]
              @codeList [Optional]
              @listName [Optional]
              @listVersion [Optional]
             description 0-unbounded
              @In [Optional]
   - end choose -
- end choose -
     note 0-99
     @numberingOrg [Optional]
     @codeList [Optional]
     @noteLabel [Optional]
 year 0-1
 title 0-unbounded
 @In [Optional]
 description 0-unbounded
 @In [Optional]
 publishableAbstract 0-99
 @In [Optional]
 author 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 reviewerParty 0-9
     id 1-1
     @numberingOrg [Optional]
     legalName 0-1
     dept 0-1
     subDept 0-1
     person 0-1
     @email [Optional]
     @phone [Optional]
     @fax [Optional]
     street 0-1
     city 0-1
     subCountry 0-1
     country 0-1
     postCode 0-1
     geoCoordinates 0-1
     @um [Optional] [Default= DEGD]
     @geoRefSystem [Optional]
         xGeoCoord 1-1
         yGeoCoord 1-1
         zGeoCoord 0-1
```

```
reviewDate 0-1
@dateForm [Optional]
issuerParty 0-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      zGeoCoord 0-1
   issuerAccreditationInfo 0-1
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
signatureInformation 0-1
    signatureTypeCode 1-1 signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
       characterSetCode 0-1
   hashFootprint 0-1
```

```
@schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
            transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
productSustainabilityCharacteristics 0-unbounded
    productReferenceQty 0-1
    @um [Required]
    billOfTreatments 0-1
    @limitedByDisclosureIndicator [Optional]
    @exhaustiveInformation [Required]
    @disclosureLevel [Required]
    @storageAction [Required]
        treatmentDescriptor 1-unbounded
        @internallyPerformed [Required]
            manufacturingOperationCode 1-1
            machineryName 1-1
            description 0-99
            @In [Optional]
            certificate 0-9
            @docStatusCode [Required]
             @docValidity [Required]
                docID 1-1
                @numberingOrg [Optional]
                certificateID 1-1
                @schemeID [Optional]
                certificationStandardName 1-1
                @standardOwner [Required]
                docDate 1-1
                @dateForm [Optional]
                title 0-unbounded
                @In [Optional]
                description 0-unbounded
                @In [Optional]
                validityStart 0-1
                @dateForm [Optional]
                validityEnd 0-1
                @dateForm [Optional]
                validityExtensionDate 0-1
                @dateForm [Optional]
                sustainabilityCharacteristicText 0-99
                @In [Optional]
                issuerParty 1-1
                    id 0-1
                     @numberingOrg [Optional]
                    legalName 0-1
                    dept 0-1
                    subDept 0-1
                    person 0-1
                     @email [Optional]
                     @phone [Optional]
                     @fax [Optional]
                    street 0-1
                    city 0-1
                    subCountry 0-1
                    country 0-1
                    postCode 0-1
                     geoCoordinates 0-1
                     @um [Optional] [Default= DEGD]
                     @geoRefSystem [Optional]
                        xGeoCoord 1-1
                        yGeoCoord 1-1
                        zGeoCoord 0-1
```

	issuerAccreditationInfo 0-1
	certifiedParty 1-1
iiiiii	id 0-1
1 1 1 1 1	@numberingOrg [Optional]
	legalName 0-1
1 1 1 1 1	dept 0-1
!!!!!!	subDept 0-1
!!!!!!	person 0-1
	@email [Optional]
	@phone [Optional]
	@fax [Optional]
i i i i i	street 0-1
	city 0-1
	subCountry 0-1
	country 0-1
!!!!!!	postCode 0-1
1 1 1 1 1 1	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
	xGeoCoord 1-1
	yGeoCoord 1-1
i i i i i	ZGeoCoord 0-1
1 1 1 1 1	certifiedEntity 0-unbounded
	entityID 1-3
	entityID 1-3
!!!!!!	@schemeID [Required]
	entityTypeCode 1-1
	description 0-9
	@In [Optional]
	attachment 0-1
	@uid [Optional]
i i i i i	fileName 0-1
1 1 1 1 1	@numberingOrg [Optional]
!!!!!!	binaryObject 0-1
	@format [Optional]
	@mime [Optional]
	@encoding [Optional]
	@characterSet [Optional]
1 1 1 1 1 1	externalReference 0-99
1 1 1 1 1	@isURL [Optional] [Default= true]
!!!!!!	mimeCode 0-1
	formatCode 0-1
	encodingCode 0-1
	characterSetCode 0-1
	hashFootprint 0-1
iiiiii	@schemeID [Optional]
	@hashMethod [Required]
1 1 1 1 1	blockChainReference 0-9
!!!!!!	@isURL [Optional] [Default= true]
	transactionReceipt 1-9
	note 0-99
	@numberingOrg [Optional]
iiiiii	@codeList [Optional]
i i i i i	@noteLabel [Optional]
	IfAssertion 0-99
	disclosureLevel [Optional]
@	docStatusCode [Optional]
i i i i I I	sustainabilityCharacteristicText 0-99
	@In [Optional]
	assertionCategory 1-1
	description 1-99
j	@In [Optional]
1 1 1 1 1	issuerParty 1-1
	@numberingOrg [Optional]
	l legalName 0-1
	dept 0-1

		phone [Optional]
city 0-1 subCountry 0-1 country 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 yGeoCoord 1-1 yGeoCoord 0-1 issuerAccreditationInfo 0-1 selfAssertionEntity 0-unbounded entityID 1-3 @schemeID [Required] entityTypeCode 1-1 description 0-9 @in [Optional] externalRefDoc 0-99 docID 1-1 @numberingOrg [Optional] docDate 0-1 @dateForm [Optional] title 0-unbounded @in [Optional] description 0-unbounded @in [Optional] validityStart 0-1 @dateForm [Optional] validityStart 0-1 @dateForm [Optional] description 0-unbounded @in [Optional] validityStart 0-1 @dateForm [Optional] documentType 0-1 issuerParty 0-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 genoal [Optional] with a subDept 0-1 person 0-1 @mail [Optional] @phone [Optional] @phone [Optional] @phone [Optional] @phone [Optional] genoal [Optional] genoal [Optional] geoCoord 1-1 yeoCoord 1-1 yeoCoor		🏻 [Optional]
		reet 0-1
		ty 0-1
		•
	SeltA	ssertionEntity U-unbounded
		ntityID 1-3
		ntityTypeCode 1-1
		escription 0-9
		DIn [Optional]
		nalRefDoc 0-99
	i i i i i i lda	ocID 1-1
		ocumentType 0-1
		ssuerParty 0-1
		id 0-1
		@numberingOrg [Optional]
		legalName 0-1
		l dept 0-1
		@geoRefSystem [Optional]
		xGeoCoord 1-1
		yGeoCoord 1-1
signatoryParty 0-unbounded 		
subDept 0-1		
		uept U-1
		person U-1

		1 1		
		1 1		
İ	i	ĺĺ	Ì	
i	i	i i	i	street 0-1
i	i	i i	i	
i	i	i i	i	subCountry 0-1
-	-		-	
!	!	!!	-	
!	ļ.	!!	ļ	
ļ	ļ	!!	ļ	geoCoordinates 0-1
				@um [Optional] [Default= DEGD]
				@geoRefSystem [Optional]
		1 1		
İ	Ì	i i	ĺ	yGeoCoord 1-1
i	i	i i	i	ZGeoCoord 0-1
i	i	i i	i	attachment 0-1
i	i	ii	- i	@uid [Optional]
ł	-	: :	-	Gald [Optional] fileName 0-1
- !	- !	!!	!	
ļ	!	!!	!	@numberingOrg [Optional]
ļ	ļ	!!	ļ	binaryObject 0-1
				@format [Optional]
		1 1		@encoding [Optional]
i	i	i i	į	@characterSet [Optional]
i	i	i i	i	externalReference 0-99
i.	- 1	: :	- 1	
-	-	!!	!	
!	!	!!	!	
!	!	!!	!	
ļ	ļ	!!	ļ.	
				encodingCode 0-1
				characterSetCode 0-1
		1 1		hashFootprint 0-1
İ	į	i i	İ	@schemeID [Optional]
i	i	i i	i	@hashMethod [Required]
i	i	i i	'n	blockChainReference 0-9
-	-	! !	-	
- !	- !	!!	!	l l l l ⁻
ļ.	!	!!	!	@isURL [Optional] [Default= true]
ļ	ļ		ļ	transactionReceipt 1-9
				note 0-99
				@numberingOrg [Optional]
		1 1		@codeList [Optional]
Ì	i	i i	ĺ	@noteLabel [Optional]
i	i	i i	i	validityStart 0-1
i	i	i i	i	@dateForm [Optional]
i	i	i i	i	validityEnd 0-1
I I	1	ı I		validityEfid 0-1 @dateForm [Optional]
-	-	!!	!	
ļ	ļ		ļ	validityExtensionDate 0-1
į.	ļ	i i	Ļ	@dateForm [Optional]
ļ	ļ	į į	ļ	billOfComponents 0-1
ļ	Į.	ļ l	ļ	@um [Required]
				@limitedByDisclosureIndicator [Optional]
			-	@exhaustiveInformation [Required]
	1	l İ	- 1	@disclosureLevel [Required]
i	i	į į	i	@storageAction [Required]
i	i	i i	i	productReferenceQty 0-1
l l	i	: :	-	@um [Required]
-	-		l I	
!	- !	ļ ļ	!	productComponent 0-unbounded
ļ.	!	!!	!	@internallyPerformed [Required]
				uniqueProductID 1-1
	I			@schemeID [Required]
				- choose -
				rawCode 0-2
i	i	į į	ĺ	
i	i	i i	i	
i	i		i	
l I	-	ı 	ļ I	
1	-		ļ	@codeList [Optional]
ļ	ļ	ļ ļ	ļ	@listName [Optional]
!	į.	ļ ļ	ļ	@listVersion [Optional]
	I		-	

- Of -	@numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
	yarnCode 0-2 @numberingOrg [Optional] [Default= CL] art 1-1
	@numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1
	@numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9
- Of -	@numberingOrg [Optional] @addType [Optional] description 0-unbounded @In [Optional]
-	texCode 0-2
	@numberingOrg [Optional]
	art 1-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	pattern 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional] color 0-1
	Color 0-1 @numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	added 0-9
	@numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded
	@In [Optional]
- or -	acsCode 0-2
	@numberingOrg [Optional]
	art 1-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	pattern 0-1 @numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
i i i i i i	@listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
1 1 1 1 1 1	@listVersion [Optional]

	- or -
	description 0-unbounded
	- or -

				 	 	 	@codeList [Optional] @listName [Optional] @listVersion [Optional] size 0-1 @numberingOrg [Optional]
į	į	į					@codeList [Optional]
	-					 	@listName [Optional] @listVersion [Optional]
į	į	į	į	į	ļ	i i	artGroup 0-1
						 	@numberingOrg [Optional] @codeList [Optional]
i	i	i	i	i			@listName [Optional]
		i				 	added 0-9 @numberingOrg [Optional]
ļ						 	description o-dribounded @In [Optional]
1	1		1			or -	garmentCodeA 1-1
ľ	-	ľ	ľ	¦		 	garmentoddeA 1-1 art 1-1
į	İ	İ	İ	ĺ			@numberingOrg [Optional]
	-	-				 	@codeList [Optional] @listName [Optional]
į	į	į	į	ĺ	İ	İ	@listVersion [Optional]
						 	description 0-unbounded @In [Optional]
•	•	•	•	•			choose -
1	ı	ı	1	ī	- er	ia cn 	oose - refDoc 0-9
į	į	į	į	į	İ	i i	@docType [Required]
						 	docID 1-2 @numberingOrg [Optional]
į	į	į	į	ļ			docDate 0-1
						 	@dateForm [Optional] season 0-1
i	i	i	i	i			@numberingOrg [Optional]
						 	@codeList [Optional] @listName [Optional]
							@listVersion [Optional]
							itemID 0-1 attachment 0-1
ľ	ľ	ľ	ľ			 	attachment 0-1 @uid [Optional]
		-					fileName 0-1
l I						 	
į	į	į	į	į	į	į į	@format [Optional]
	-					 	@mime [Optional] @encoding [Optional]
į	į	į	į	į	į	į į	@characterSet [Optional]
-	-	-				 	
i	i	i	i				@isURL [Optional] [Default= true]
		-					
							encodingCode 0-1
i	i	i				! ! 	Mashir ootphilit o-1 @schemeID [Optional]
							@hashMethod [Required]
ł	ł	1	-			I 	
į	į	į	į	į	į	į į	@isURL [Optional] [Default= true]
 	l	 	 	l I	1 1	 	transactionReceipt 1-9 certificate 0-9
į	į	į	į	į	į	į į	. @docStatusCode [Required]
			1	 			@docValidity [Required] docID 1-1
1	ı	1	1	1	ı		

1 1					
1 1				@	numberingOrg [Optional]
					ertificateID 1-1
i i	ĺĺ	i i	i i	į @	eschemeID [Optional]
i i	ii	ii	i i		ertificationStandardName 1-1
-			- 1 1		estandardOwner [Required]
				-	
!!		!!			ocDate 1-1
					dateForm [Optional]
					le 0-unbounded
				@	Din [Optional]
		1 1	1 1	l de	escription 0-unbounded
i i	ii	i i	i i		Din [Optional]
-	-	- 1 1	1 1		alidityStart 0-1
!!	!!	!!	!!		@dateForm [Optional]
					alidityEnd 0-1
					dateForm [Optional]
		1 1		Va	alidityExtensionDate 0-1
i i	i i	i i	i i		@dateForm [Optional]
i i	ii	i i	ii		ustainabilityCharacteristicText 0-99
ii	- 1	1 1	1 1		Din [Optional]
	ļ		1 1	į is	ssuerParty 1-1
ļ l		ļl	ļl	ļ	id 0-1
					@numberingOrg [Optional]
į į		j	j		legalName 0-1
j i	i i	i i	i i	i	dept 0-1
; ;				i	subDept 0-1
	-			I I	person 0-1
				-	
!!	!!	!!	!!	!	@email [Optional]
					@phone [Optional]
					@fax [Optional]
		1 1	1 1	- 1	street 0-1
i i	ii	i i	i i	i	city 0-1
i i	ii	ii	ii	i	subCountry 0-1
-	-		-	-	country 0-1
		!!		-	
			-	<u> </u>	postCode 0-1
!!	!!!		_ ! !	Ţ	geoCoordinates 0-1
					@um [Optional] [Default= DEGD]
				- 1	@geoRefSystem [Optional]
		1 1	1 1	I	egoor to oyotom [optional]
- ; ;		ii			
1 1					xGeoCoord 1-1
					xGeoCoord 1-1 yGeoCoord 1-1
					xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1
					xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1
				 c	xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1
 				 c	XGeoCoord 1-1 YGeoCoord 1-1 ZGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1
				 c	XGeoCoord 1-1 YGeoCoord 1-1 ZGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional]
				 c	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1
				 c	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1
		 		 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1
				 	XGeoCoord 1-1 YGeoCoord 1-1 ZGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional]
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional]
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional]
				 c	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1
				 c	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1
				 c	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1
				 c	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 @eoCoordinates 0-1 @um [Optional] [Default= DEGD]
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 @eoCoordinates 0-1 @geoRefSystem [Optional]
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @geoRefSystem [Optional] xGeoCoord 1-1
				 	XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @geoRefSystem [Optional] XGeoCoord 1-1 yGeoCoord 1-1
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1 ertifiedEntity 0-unbounded
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1 ertifiedEntity 0-unbounded entityID 1-3
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 ertifiedEntity 0-unbounded entityID 1-3 @schemeID [Required]
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1 ertifiedEntity 0-unbounded entityID 1-3 @schemeID [Required] entityTypeCode 1-1
					XGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 1-1 zGeoCoord 0-1 issuerAccreditationInfo 0-1 ertifiedParty 1-1 id 0-1 @numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 ertifiedEntity 0-unbounded entityID 1-3 @schemeID [Required]

		1	- 1		1 1	attachment 0-1
					1 1	@uid [Optional]
Ĺ	ĺ	Ĺ	i	i i	i i	fileName 0-1
i	i	i	i	i i	i i	@numberingOrg [Optional]
i	i	i	i	i i	i i	binaryObject 0-1
i	i	i	i	i i	i i	@format [Optional]
i	i	i	i	i i	ii	@mime [Optional]
i	i	i	i	ii	ii	@encoding [Optional]
ł	ł	i	i		i i	@characterSet [Optional]
i	i i	i	i i	' '	-	externalReference 0-99
-	-	- 1	-	! !	1 1	uri 1-1
-	-	-	ł			@isURL [Optional] [Default= true]
-	-	-	-			
!	-	- !	!	!!	!!	mimeCode 0-1
!	-	!	!	!!	!!	formatCode 0-1
!	!	!	!	!!	!!	encodingCode 0-1
ļ	!	ļ	ļ	!!	!!	characterSetCode 0-1
ļ	ļ	ļ	ļ	!!	!!!	hashFootprint 0-1
ļ		ļ	ļ			@schemeID [Optional]
						@hashMethod [Required]
-		-			1 1	blockChainReference 0-9
					1 1	uri 1-1
Ĺ	ĺ	Ĺ	İ	i i	i i	@isURL [Optional] [Default= true]
İ	İ	İ	i	i i	i i	transactionReceipt 1-9
i	i	i	i	i i	i i	note 0-99
i	i	i	i	i i	ii	@numberingOrg [Optional]
i	i	i	i	i i	1 1	@codeList [Optional]
-	-	ł	ł	!!		@noteLabel [Optional]
i i	i i	i.	-	' '		elfAssertion 0-99
!	-	- !	-	!!		
-	-	-	-	!!		disclosureLevel [Optional]
!	!	!	!	!!	@	docStatusCode [Optional]
!	!	!	!	!!	!!	sustainabilityCharacteristicText 0-99
ļ		ļ	ļ			@In [Optional]
ļ		ļ	ļ			assertionCategory 1-1
						description 1-99
-		-				@In [Optional]
		-			1 1	issuerParty 1-1
					1 1	id 0-1
					1 1	@numberingOrg [Optional]
İ	İ	İ	i	i i	i i	legalName 0-1
İ	İ	İ	i	i i	i i	dept 0-1
i	i	i	i	i i	i i	subDept 0-1
i	i	i	i	i i	ii	person 0-1
i	i	i	i	i i	ii	@email [Optional]
i	i	i	i	i i	ii	@phone [Optional]
- ¦	-	i i	l			@fax [Optional]
-	-	-	-			street 0-1
-		-	ŀ			· ·
-	-	-	-	!!		city 0-1
ļ	-	ļ	ļ			subCountry 0-1
ļ	-		- [!!		country 0-1
į.	ļ	ļ	- [i i	ĻĻ	postCode 0-1
ļ	ļ	ļ	ļ	ļ ļ	İ	geoCoordinates 0-1
						@um [Optional] [Default= DEGD]
						@geoRefSystem [Optional]
-		-				xGeoCoord 1-1
						yGeoCoord 1-1
						zGeoCoord 0-1
- 1						issuerAccreditationInfo 0-1
ĺ	Ì	Ì	ĺ	l Ì	l İ	selfAssertionEntity 0-unbounded
į	i	i	ĺ	į į	i i	entityID 1-3
i	i	i	i	j i	i i	@schemeID [Required]
i	i	i	i	i i	j ;	entityTypeCode 1-1
i	i	i	i	i i		description 0-9
	-	I	-			@In [Optional]
 	I	I	 			externalRefDoc 0-99
 	1	ŀ	I	!!		docID 1-1
ļ	-		-			
ļ	-	ļ	ļ			@numberingOrg [Optional]
ļ	-		-			docDate 0-1
I	I	I	1	ı l	1 1	@dateForm [Optional]

										e 0-unbounded
									@/	In [Optional]
		1			1	1	1	1	de	scription 0-unbounded
İ	İ	İ	İ	İ	İ	İ	İ	İ		In [Optional]
i	i	i	i	i	i	i	i	i		lidityStart 0-1
i	i	i	i	i	i	i	i	i		dateForm [Optional]
-	-	1	-	-	-	-	-	-		lidityEnd 0-1
-	-	1	-	-	!	!	!	!		
!	!	!	!	!	!	!	!	!		dateForm [Optional]
Ţ	Ţ	Ţ	Ļ	Ļ	Ļ	Ļ	Ļ	l.		cumentType 0-1
-		1				1	1		is	suerParty 0-1
										id 0-1
	- 1									@numberingOrg [Optional]
i	i	i	i	i	İ	İ	İ	İ	i i	legalName 0-1
i	i	i	i	i	i	i	i	i	i	dept 0-1
i i	ł	ł	ł	ł	ł	ł	ł	¦ .	i	subDept 0-1
-	-	1	-	-	-	1	-	!		
- !	- !	!	-	!	!	!	!	!		person 0-1
!	!	!	!	!	!	!	!	!	!	@email [Optional]
ļ	ļ	ļ	ļ	ļ	ļ	ļ	ļ	ļ	!	@phone [Optional]
										@fax [Optional]
	- 1	1								street 0-1
İ	İ	İ	İ	İ	İ	İ	İ	İ	i i	city 0-1
i	i	i	i	i	i	i	i	i	i	subCountry 0-1
i i	ł	ł	ł	ł	ł	ł	ł	¦ .	i	country 0-1
-	-	1	-	-	-	1	-	!		
-	!	!	- !	1	ļ	Ļ	!	1	<u> </u>	postCode 0-1
ļ	ļ	ļ	ļ	ļ	ļ	ļ	ļ	Ţ	<u>.</u>	geoCoordinates 0-1
										@um [Optional] [Default= DEGD]
	-									@geoRefSystem [Optional]
	- 1									xGeoCoord 1-1
i	i	i	i	i	İ	İ	İ	İ	i i	yGeoCoord 1-1
i	i	i	i	i	i	i	i	i	i	zGeoCoord 0-1
- ¦	ł	1	ł	ł	1	ł	ł	1		issuerAccreditationInfo 0-1
-	-	1	-	1	1	1	1	1	l Loi	
ļ	!	!	!	!	!	!	!	!	21	gnatureInformation 0-1
Į.	Į.	Ţ	Ļ	Ļ	Ļ	Ļ	Ļ	l.	<u>.</u>	signatureTypeCode 1-1
	ı	1				1	1		1	signatoryParty 0-unbounded
										id 0-1
	- 1									@numberingOrg [Optional]
İ	İ	İ	i	İ	İ	İ	İ	İ	i i	legalName 0-1
i	i	i	i	i	i	i	i	i	i	dept 0-1
- ¦	ł	1	ł	ł	1	ł	ł	1		subDept 0-1
-	-	+	-	-	-	!	!	!		
-	!	!	-	!	!	!	!			person 0-1
ļ	ļ	!	ļ	!	ļ	!	!	!	!	@email [Optional]
										@phone [Optional]
										@fax [Optional]
	- 1									street 0-1
İ	İ	İ	i	İ	İ	İ	İ	İ	i i	city 0-1
i	i	i	i	i	i	i	i	i	i	subCountry 0-1
i i	- i	i i	ł	i	i	i	i	¦ .	!	country 0-1
-	-	1	-	-	-	-	-	-		
ļ	-[- 1	1	1	1	1	1	I	postCode 0-1
ļ	ļ.	ļ	ļ	ļ	ļ	ļ	ļ	Ţ	!	geoCoordinates 0-1
ļ	-	ļ		ļ	ļ			ļ		@um [Optional] [Default= DEGD]
										@geoRefSystem [Optional]
										xGeoCoord 1-1
Ĺ	İ	İ	İ	İ	İ	ĺ	ĺ	İ	İ	yGeoCoord 1-1
i	i	i	i	i	i	i	i	i	i	zGeoCoord 0-1
i	i	i i	i	i	'n	'n	'n	'n	่ at	tachment 0-1
-	- 1	1	-	1	1	!	1	1		uid [Optional]
-	- !	!	-	!	!	!	!	!	@	
!	!	!	!	!	!	!	!	!	!	fileName 0-1
ļ	ļ	ļ	ļ	ļ	ļ			ļ		@numberingOrg [Optional]
	1									binaryObject 0-1
- 1						1	1	1		@format [Optional]
İ	ĺ	İ	ĺ	İ	İ	İ	İ	İ	1	@mime [Optional]
i	i	i	i	i	i	i	i	i	i	@encoding [Optional]
- 1	-	1	-	-		1	-	1		@characterSet [Optional]
i I	[]	1	l I	I I	l l	1	1	1	I I	
ļ	ļ	ļ	ļ	1	Ţ	ļ	ļ	1	Ι.	externalReference 0-99
ļ	!	1	!	!	ļ	ļ	ļ	!	!	uri 1-1
	1									@isURL [Optional] [Default= true]
										mimeCode 0-1
				1		1	1	1		formatCode 0-1
•	•	•	•	-	-	-	-	•		

```
encodingCode 0-1
                        characterSetCode 0-1
                    hashFootprint 0-1
                     @schemeID [Optional]
                     @hashMethod [Required]
                    blockChainReference 0-9
                        uri 1-1
                         @isURL [Optional] [Default= true]
                      | transactionReceipt 1-9
                note 0-99
                @numberingOrg [Optional]
                @codeList [Optional]
                @noteLabel [Optional]
            validityStart 0-1
            @dateForm [Optional]
            validityEnd 0-1
            @dateForm [Optional]
            validityExtensionDate 0-1
            @dateForm [Optional]
       objectTypeCode 0-1
        qty 0-2
        @um [Required]
        supplier 0-9
        @logo [Optional]
        @sender [Optional]
            id 1-1
            @numberingOrg [Optional]
            additionalIdentifier 0-9
            @numberingOrg [Optional]
            @idQualifier [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
                zGeoCoord 0-1
billOfChemical 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
   year 0-1
   facilityLocation 0-1
       location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
          | xGeoCoord 1-1
```

```
yGeoCoord 1-1
      zGeoCoord 0-1
dyesDescriptor 0-unbounded
   dyesCategory 1-1
   description 0-99
    @In [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
chemicalItem 0-unbounded
   CASCode 1-1
   description 1-9
    @In [Optional]
    SDSDoc 0-1
       CASCode 1-1
        attachment 1-1
        @uid [Optional]
           fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
               characterSetCode 0-1
           hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
               transactionReceipt 1-9
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
   docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
   description 0-unbounded
    @In [Optional]
   validityStart 0-1
    @dateForm [Optional]
   validityEnd 0-1
    @dateForm [Optional]
   documentType 0-1
    issuerParty 0-1
        @numberingOrg [Optional]
       legalName 0-1
       dept 0-1
       subDept 0-1
       person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
       street 0-1
```

```
city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
               zGeoCoord 0-1
           issuerAccreditationInfo 0-1
        signatureInformation 0-1
           signatureTypeCode 1-1
            signatoryParty 0-unbounded
               id 0-1
                @numberingOrg [Optional]
                legalName 0-1
                dept 0-1
               subDept 0-1
               person 0-1
                @email [Optional]
                @phone [Optional]
                @fax [Optional]
                street 0-1
                city 0-1
               subCountry 0-1
               country 0-1
                postCode 0-1
                geoCoordinates 0-1
                @um [Optional] [Default= DEGD]
                @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
               uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
               formatCode 0-1
                encodingCode 0-1
               characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
               transactionReceipt 1-9
       note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfUsedWater 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
```

-		@disclosureLevel [Optional]
		@storageAction [Required]
		productReferenceQty 0-1 @um [Required]
!		@diff[Kequired] year 0-1
i		facilityLocation 0-1
1	:	
1		
		street 0-1
i		
i		
i	i i i	country 0-1
i	i i i	
i	i i i	geoCoordinates 0-1
i	i i i	i i i @um [Optional] [Default= DEGD]
İ	i i i	@geoRefSystem [Optional]
1		
1	ļ I I	usedWaterDescriptor 0-99
		@indirectIncluded [Required]
ļ		usedWaterType 1-1
!	!!!	
!	!!!!	
	!!!	declaredQty 0-9
	!!!	@um [Required]
!		@validationMethod [Optional]
		@referenceYear [Optional] productReferenceQty 0-1
		productive effective 0-1
1		
1		@numberingOrg [Optional]
1		@codeList [Optional]
i		@noteLabel [Optional]
i	i i i	externalRefDoc 0-99
i	i i i	
i	i i i	@numberingOrg [Optional]
İ	i i i	docDate 0-1
İ	i i i	i i i @dateForm [Optional]
		title 0-unbounded
		description 0-unbounded
		@In [Optional]
		validityStart 0-1
ļ	!!!!	@dateForm [Optional]
		@dateForm [Optional]
 		documentType 0-1
<u> </u>		
		@numberingOrg [Optional]
	, 	
l I	, , , , , , , , , , , , , , , , , , ,	
i .		
i	i i i	@email [Optional]
i	i i i	@phone [Optional]
i	j i i	@fax [Optional]
İ	i i i	street 0-1
	ı i i	
	ı İ İ	subCountry 0-1
	Ιİİ	
1	ļ I I	geoCoordinates 0-1
ļ		@um [Optional] [Default= DEGD]
ļ		@geoRefSystem [Optional]
ļ		

	issuerAccreditationInfo 0-1
-	signatureInformation 0-1
	signatureTypeCode 1-1
-	signatoryParty 0-unbounded
	legalName 0-1
İ	dept 0-1
İ	
i	person 0-1
i	
i	
i	
i	
i	
-	
-	
-	
-	
ļ	
ļ	@um [Optional] [Default= DEGD]
ļ	@geoRefSystem [Optional]
-	
İ	@numberingOrg [Optional]
i	binaryObject 0-1
i	
i	
i	@encoding [Optional]
ł	@characterSet [Optional]
ł	
- !	
-	
-	
-	
- [
ļ	
ļ	characterSetCode 0-1
ļ	
	@hashMethod [Required]
-	blockChainReference 0-9
	transactionReceipt 1-9
İ	note 0-99
i	@numberingOrg [Optional]
i	@codeList [Optional]
i	@noteLabel [Optional]
i	
ł	
ł	@codeList [Optional]
-	
- [@noteLabel [Optional]
ļ	billOfEnergy 0-1
ļ	@limitedByDisclosureIndicator [Optional]
ļ	@exhaustiveInformation [Required]
ļ	@disclosureLevel [Optional]
	@storageAction [Required]
	productReferenceQty 0-1
Ì	facilityLocation 0-1
i	location 1-1
i	
i	

- 1			
- 1			city 0-1
i	i i	i i	subCountry 0-1
-	-	-	
ļ.		!!!	country 0-1
			postCode 0-1
i	i i	i i	geoCoordinates 0-1
-	-	- 1 - 1	
ļ			@um [Optional] [Default= DEGD]
			@geoRefSystem [Optional]
i	ii	i i	xGeoCoord 1-1
-	-	1 1	
- 1			
i	i i	i i	energySupplyDescriptor 1-99
- !	- ! - !	- ! !	
- 1			@percSourcesRenewable [Optional]
			@internalEnergyProduction [Required]
'	' '	' '	- choose -
			energy 1-1
- 1	1 1	1 1	@um [Required]
- 1	-		
- !	!!!	!!!	@validationMethod [Optional]
			@referenceYear [Optional]
			- or -
- 1	1 1	1 1	
- 1			timeDuration 1-1
			activePower 1-1
i	i i	i i	@um [Required]
- !	!!	!!!	
			@validationMethod [Optional]
		1 1	@referenceYear [Optional]
1	1 1		
			- end choose -
			description 0-99
Ĺ	i i	i i	@In [Optional]
-	-	-	
- 1			energySourceType 0-1
- 1			typeOfEnergyVector 1-1
i i	- 1 - 1	- i - i	note 0-99
!	!!	!!!	
			@numberingOrg [Optional]
Ĺ	i i	i i	@codeList [Optional]
- !	-	1 1	
-			@noteLabel [Optional]
			energyConsumptionDescriptor 1-99
i	i i	i i	@isElectric [Required]
- :	- 1 - 1	- ; ;	
İ	i i	i i	@indirectIncluded [Required]
i	i i	i i	
i	j j	ii	@indirectIncluded [Required] - choose -
i !	i i ! !	i i !!	@indirectIncluded [Required] - choose - activePower 1-1
 	i i 	 	@indirectIncluded [Required] - choose - activePower 1-1 @um [Required]
 	i i		@indirectIncluded [Required] - choose - activePower 1-1 @um [Required]
	i i		@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional]
 			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional]
		 	@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1
 			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] - end choose -
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @referenceYear [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] end choose - productReferenceQty 0-1
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] - end choose - productReferenceQty 0-1 @um [Required]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] end choose - productReferenceQty 0-1
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] - end choose - productReferenceQty 0-1 @um [Required] description 1-1
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] end choose - productReferenceQty 0-1 @um [Required] description 1-1 @ln [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] ereferenceYear [Optional] - end choose - productReferenceQty 0-1 @um [Required] description 1-1 @ln [Optional] note 0-99
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] end choose - productReferenceQty 0-1 @um [Required] description 1-1 @ln [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] ereferenceYear [Optional] - end choose - productReferenceQty 0-1 @um [Required] description 1-1 @ln [Optional] note 0-99 @numberingOrg [Optional]
			@indirectIncluded [Required] - choose - activePower 1-1 @um [Required] @validationMethod [Optional] timeDuration 1-1 - or - energy 1-1 @um [Required] @validationMethod [Optional] @validationMethod [Optional] ereferenceYear [Optional] - end choose - productReferenceQty 0-1 @um [Required] description 1-1 @ln [Optional] note 0-99 @numberingOrg [Optional]
			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
i			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
<u> </u>			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
<u> </u>			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
i			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
i			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -
			@indirectIncluded [Required] - choose -

	@dateForm [Optional]
	validityEnd 0-1
	@dateForm [Optional]
	documentType 0-1
i i i i i i i	issuerParty 0-1
	id 0-1
	@numberingOrg [Optional]
i i i i i i	l legalName 0-1
	dept 0-1
	subDept 0-1
	person 0-1
	@email [Optional]
	@phone [Optional]
i i i i i i	@fax [Optional]
	street 0-1
	city 0-1
	subCountry 0-1
!!!!!!!	country 0-1
	postCode 0-1
	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
	xGeoCoord 1-1
	yGeoCoord 1-1
!!!!!!!	
	zGeoCoord 0-1
	issuerAccreditationInfo 0-1
	signatureInformation 0-1
	signatureTypeCode 1-1
1 1 1 1 1 1 1	signatoryParty 0-unbounded
	id 0-1
	@numberingOrg [Optional]
	legalName 0-1
i i i i i i	dept 0-1
	subDept 0-1
	@email [Optional]
!!!!!!!	@phone [Optional]
	@fax [Optional]
	street 0-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional]
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional]
	street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional]
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional]
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional]
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @mime [Optional] @encoding [Optional]
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] @characterSet [Optional]
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] @characterSet [Optional] externalReference 0-99
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] @characterSet [Optional] externalReference 0-99 uri 1-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] @characterSet [Optional] externalReference 0-99 uri 1-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] externalReference 0-99 uri 1-1 @isURL [Optional] [Default= true]
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 geoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] externalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] externalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] externalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] externalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1 encodingCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] westernalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1 encodingCode 0-1 characterSetCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 geoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] westernalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1 encodingCode 0-1 characterSetCode 0-1 characterSetCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 geoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] westernalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1 encodingCode 0-1 characterSetCode 0-1 characterSetCode 0-1
	street 0-1 city 0-1 subCountry 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @um [Optional] [Default= DEGD] @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1 @numberingOrg [Optional] binaryObject 0-1 @format [Optional] @mime [Optional] @encoding [Optional] @encoding [Optional] westernalReference 0-99 uri 1-1 @isURL [Optional] [Default= true] mimeCode 0-1 encodingCode 0-1 characterSetCode 0-1

blockChainReference 0-9	
@codeList [Optional]	
@noteLabel [Optional]	
note 0-9	
@numberingOrg [Optional]	
@codeList [Optional]	
@noteLabel [Optional]	
@limitedByDisclosureIndicator [Optional]	
@exhaustiveInformation [Required] @disclosureLevel [Optional]	
@disclosureLever[Optional] @storageAction [Required]	
productReferenceQty 0-1	
facilityLocation 0-1	
street 0-1	
@geoRefSystem [Optional]	
xGeoCoord 1-1	
yGeoCoord 1-1	
@indirectIncluded [Required]	
@validationMethod [Optional]	
@referenceYear [Optional]	
productReferenceQty 0-1	
routeLength 0-1	
@um [Required]	
@part [Optional] @recyclingProcessEfficiency [Optional]	
@numberingOrg [Optional]	
@codeList [Optional]	
@noteLabel [Optional]	
@numberingOrg [Optional]	
title 0-unbounded	
validityStart 0-1	
@dateForm [Optional]	
validityEnd 0-1	

- [
i	documentType 0-1	
i		
!		
ļ		
	@numberingOrg [Optional]	
i	dept 0-1	
ł		
!		
-		
-		
Ĺ	@phone [Optional]	
H		
- !		
-		
-		
- [
i		
-		
!		
١	geoCoordinates 0-1	
-	@um [Optional] [Default= DEGD]	
Ĺ	@geoRefSystem [Optional]	
i		
ļ		
ļ		
Ī	issuerAccreditationInfo 0-1	
i		
1		
- [signatureTypeCode 1-1	
١	signatoryParty 0-unbounded	
-		
i	@numberingOrg [Optional]	
d		
-!		
-		
-		
Ì	person 0-1	
i	@email [Optional]	
-		
!		
-		
- [
i	city 0-1	
-		
!		
i		
i		
- !		
ı	@geoRefSystem [Optional]	
-		
ĺ	i i i i i i j yGeoCoord 1-1	
i		
ļ		
Ţ		
i	@numberingOrg [Optional]	
- [
!		
- 1		
Ĺ	@encoding [Optional]	
l	@characterSet [Optional]	
- [
ļ		
- [
i	mimeCode 0-1	
-		
!		
1		
İ	hashFootprint 0-1	
i	@schemeID [Optional]	
-		
į	@hashMethod [Required]	
-	blockChainReference 0-9	

	@isURL [Optional] [Default= true]
	transactionReceipt 1-9
	note 0-99
	@numberingOrg [Optional]
	@codeList [Optional]
	@noteLabel [Optional]
	ote 0-9
	@numberingOrg [Optional]
	DcodeList [Optional]
	⊉noteLabel [Optional] WasteWater 0-1
1 1 1 1 1 1 2	itedByDisclosureIndicator [Optional]
	naustiveInformation [Required]
	closureLevel [Optional]
	rageAction [Required]
	roductReferenceQty 0-1
	@um [Required]
i	ear 0-1
	acilityLocation 0-1
	location 1-1
	@LRI [Optional]
	street 0-1
1 1 1 1 1 1	city 0-1
!!!!!!!	subCountry 0-1
	country 0-1
	postCode 0-1 geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
	xGeoCoord 1-1
	yGeoCoord 1-1
i i i i i i i	zGeoCoord 0-1
i i i i i i i v	vasteWaterDescriptor 1-99
	Dhazardous [Required]
	DindirectIncluded [Required]
	description 1-99
	@In [Optional]
!!!!!!!	declaredQty 0-1
	@um [Required] @validationMethod [Optional]
	@referenceYear [Optional]
	productReferenceQty 0-1
	@um [Required]
	wasteWaterFinalTreatmentType 0-9
	@part [Optional]
i i i i i i i	wasteWaterContaminantType 0-99
	note 0-9
	@numberingOrg [Optional]
	@codeList [Optional]
	@noteLabel [Optional]
6	externalRefDoc 0-99
1 1 1 1 1 1	docID 1-1
! ! ! ! ! ! !	@numberingOrg [Optional]
	docDate 0-1
	@dateForm [Optional] title 0-unbounded
	@In [Optional]
	description 0-unbounded
	@In [Optional]
	validityStart 0-1
	@dateForm [Optional]
	validityEnd 0-1
1 1 1 1 1 1 1	@dateForm [Optional]
	documentType 0-1
i i i i i i i i	issuerParty 0-1
	id 0-1
! ! ! ! ! ! !	@numberingOrg [Optional]
	legalName 0-1

						dept 0-1
İ	İ	ĺ	İİ	İ	İ	subDept 0-1
i	i	i	i i	i	i	person 0-1
ł	-	¦	: :	-	-	@email [Optional]
!	!	!	!!	- !	- !	
ļ	- [ļ		ļ	ļ	@phone [Optional]
						@fax [Optional]
						street 0-1
i	i	i	i i	i	i	city 0-1
ł	-	ŀ	: :	-	-	subCountry 0-1
!	!	!	!!	- !	- !	
ļ	ļ	ļ.	!!	!	ļ	country 0-1
						postCode 0-1
		1	1 1			geoCoordinates 0-1
İ	i	ĺ	i i	Ĺ	Ĺ	@um [Optional] [Default= DEGD]
i	i	i	i i	i	i	@geoRefSystem [Optional]
!	-	!	! !	-	-	
!	!	!	!!	!	!	xGeoCoord 1-1
-						yGeoCoord 1-1
						zGeoCoord 0-1
						issuerAccreditationInfo 0-1
i	i	i	i i	- i	i	signatureInformation 0-1
1	i	i	: !	 	'	signatureTypeCode 1-1
!	!	!		- 1	- 1	Signature Type Code 1-1
ļ	Ţ	ļ		Ţ	Į.	signatoryParty 0-unbounded
						@numberingOrg [Optional]
i	i	İ	i i	i	i	legalName 0-1
i	i	i	: :	i	- 1	dept 0-1
-	-	!	!!	-	-	
!	!	!	!!	- !	!	subDept 0-1
						@email [Optional]
-	1	1	1 1	- 1		@phone [Optional]
i	i	i	i i	i	i	@fax [Optional]
ł	-	ŀ	; ;	-	-	street 0-1
!	!	!	!!	- !	- !	
ļ	- !	ļ		ļ	ļ	city 0-1
						subCountry 0-1
						country 0-1
i	i	İ	i i	i	i	postCode 0-1
i	i	i	i i	i.	i	geoCoordinates 0-1
!	- 1	!	!!	- 1	- !	
!	!	!	!!	!	!	@um [Optional] [Default= DEGD]
-						@geoRefSystem [Optional]
						yGeoCoord 1-1
i	i	i	i i	i	i	i i zGeoCoord 0-1
i	i	i .	¦ ¦	'n	'n	attachment 0-1
!	- !	!	!!	- !	- !	•
ļ.	!	!	!!	!	!	@uid [Optional]
						fileName 0-1
						@numberingOrg [Optional]
İ	İ	ĺ	İİ	İ	İ	binaryObject 0-1
i	i	i	į į	i	i	@format [Optional]
1	1	i		1		@mime [Optional]
!	!	!	!!	- !	- !	
ļ	!	ļ	i i	ļ	ļ	@encoding [Optional]
						@characterSet [Optional]
						externalReference 0-99
İ	i	ĺ	i i	Ĺ	Ĺ	i uri 1-1
i	i	i	i i	i	i	@isURL [Optional] [Default= true]
-	-	!	: :	-	-	mimeCode 0-1
!	!	!	!!	!	!	
ļ	ļ	ļ		ļ	ļ	formatCode 0-1
				1		encodingCode 0-1
	1					characterSetCode 0-1
j	i	i	į į	i	i	hashFootprint 0-1
;	i	i				@schemeID [Optional]
1	I	I I	! ! !	1	ļ	
ļ	į.	ļ.	i i	Į.	ı.	@hashMethod [Required]
1	ı	l	ı l			blockChainReference 0-9
j	1		ı i	j	İ	@isURL [Optional] [Default= true]
i	i	i	i i	i	i	transactionReceipt 1-9
1	-	I I	; ;	1	I	
-	!	!	!!	ļ	-	note 0-99
ļ	!	!	ļ ļ	ļ	ļ	@numberingOrg [Optional]
1						@codeList [Optional]
			l İ	j		@noteLabel [Optional]
•	•	•		•	•	• • •

	note 0-9
i	@numberingOrg [Optional]
	@codeList [Optional]
	@noteLabel [Optional]
	OfDirectEmissions 0-1
1 1 1 1 1	nitedByDisclosureIndicator [Optional]
	khaustiveInformation [Required]
	sclosureLevel [Optional]
	orageAction [Required]
	productReferenceQty 0-1
	@um [Required]
	year 0-1
1 1 1 1 1 1	facilityLocation 0-1
	location 1-1
	@LRI [Optional]
	street 0-1
	city 0-1
	subCountry 0-1
	country 0-1
iiiiiii	postCode 0-1
	geoCoordinates 0-1
1 1 1 1 1 1	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
	xGeoCoord 1-1
	yGeoCoord 1-1
	yGeoCoord 1-1
	directEmissionDescriptor 1-99
1 1 1 1 1 1	
	@releasedOn [Required]
!!!!!!!	@indirectIncluded [Required]
!!!!!!!	directEmissionType 1-1
!!!!!!!	description 0-99
	@In [Optional]
	declaredQty 0-1
	@um [Required]
	@validationMethod [Optional]
	@referenceYear [Optional]
	productReferenceQty 0-1
	@um [Required]
	note 0-9
	@numberingOrg [Optional]
	@codeList [Optional]
	@noteLabel [Optional]
1 1 1 1 1 1	externalRefDoc 0-99
iiiiiii	docID 1-1
iiiiiii	@numberingOrg [Optional]
	docDate 0-1
	@dateForm [Optional]
	title 0-unbounded
	@In [Optional]
	description 0-unbounded
	@In [Optional]
	validityStart 0-1
	@dateForm [Optional]
	validityEnd 0-1
	@dateForm [Optional]
	documentType 0-1
!!!!!!!	issuerParty 0-1
1 1 1 1 1 1	id 0-1
1 1 1 1 1 1	@numberingOrg [Optional]
1 1 1 1 1 1	legalName 0-1
	dept 0-1
i i i i i i i	subDept 0-1
	person 0-1
	@email [Optional]
	@phone [Optional]
	@fax [Optional]
	street 0-1
	city 0-1

```
subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
              ZGeoCoord 0-1
            issuerAccreditationInfo 0-1
        signatureInformation 0-1
            signatureTypeCode 1-1
            signatoryParty 0-unbounded
                id 0-1
                @numberingOrg [Optional]
                legalName 0-1
                dept 0-1
                subDept 0-1
                person 0-1
                @email [Optional]
                @phone [Optional]
                @fax [Optional]
                street 0-1
                city 0-1
                subCountry 0-1
                country 0-1
                postCode 0-1
                geoCoordinates 0-1
                @um [Optional] [Default= DEGD]
                @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
                transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
note 0-9
@numberingOrg [Optional]
@codeList [Optional]
@noteLabel [Optional]
```

```
billOfMaterials 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
    productReferenceQty 0-1
    @um [Required]
   year 0-1
    facilityLocation 0-1
       location 1-1
        @LRI [Optional]
       street 0-1
       city 0-1
       subCountry 0-1
       country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
    materialDescriptor 1-unbounded
       prodServName 1-1
        description 0-99
        @In [Optional]
       declaredQty 0-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
        productReferenceQty 0-1
        @um [Required]
       inputMaterialCategory 1-1
        transportImpactPrimaryData 0-99
        @part [Optional] [Default= 100]
            description 0-99
            @In [Optional]
            transMode 1-1
            transMeans 1-1
            @propulsionSystemCode [Optional]
            routeLength 1-1
            @um [Required]
            transportMeansUtilisationPercentage 0-1
            emptyReturnForTruck 0-1
            note 0-9
            @numberingOrg [Optional]
            @codeList [Optional]
            @noteLabel [Optional]
        packagingImpactPrimaryData 0-99
            packageText 1-1
            weight 1-1
            @um [Required]
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    externalRefDoc 0-99
       docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
       title 0-unbounded
        @In [Optional]
       description 0-unbounded
        @In [Optional]
        validityStart 0-1
        @dateForm [Optional]
       validityEnd 0-1
```

```
@dateForm [Optional]
documentType 0-1
issuerParty 0-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      ZGeoCoord 0-1
    issuerAccreditationInfo 0-1
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
attachment 0-1
@uid [Optional]
    fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
       characterSetCode 0-1
    hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
    blockChainReference 0-9
      | uri 1-1
```

```
@isURL [Optional] [Default= true]
              | transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfChemical 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
    productReferenceQty 0-1
    @um [Required]
    year 0-1
    facilityLocation 0-1
        location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
    dyesDescriptor 0-unbounded
        dyesCategory 1-1
        description 0-99
        @In [Optional]
        note 0-9
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    chemicalItem 0-unbounded
        CASCode 1-1
        description 1-9
        @In [Optional]
        SDSDoc 0-1
            CASCode 1-1
            attachment 1-1
            @uid [Optional]
                fileName 0-1
                @numberingOrg [Optional]
                binaryObject 0-1
                @format [Optional]
                @mime [Optional]
                @encoding [Optional]
                @characterSet [Optional]
                externalReference 0-99
                    uri 1-1
                     @isURL [Optional] [Default= true]
                    mimeCode 0-1
                    formatCode 0-1
                    encodingCode 0-1
                    characterSetCode 0-1
                hashFootprint 0-1
                @schemeID [Optional]
                @hashMethod [Required]
                blockChainReference 0-9
                    uri 1-1
                    @isURL [Optional] [Default= true]
```

```
| transactionReceipt 1-9
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
       issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1 signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
              zGeoCoord 0-1
    attachment 0-1
    @uid [Optional]
        fileName 0-1
        @numberingOrg [Optional]
```

```
binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
              | transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfUsedWater 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
    productReferenceQty 0-1
    @um [Required]
    year 0-1
    facilityLocation 0-1
        location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
    usedWaterDescriptor 0-99
    @indirectIncluded [Required]
        usedWaterType 1-1
        description 0-99
        @In [Optional]
        declaredQty 0-9
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
        productReferenceQty 0-1
        @um [Required]
        note 0-9
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    externalRefDoc 0-99
        docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
```

```
@dateForm [Optional]
title 0-unbounded
@In [Optional]
description 0-unbounded
@In [Optional]
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
documentType 0-1
issuerParty 0-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
    issuerAccreditationInfo 0-1
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
attachment 0-1
@uid [Optional]
    fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        @isURL [Optional] [Default= true]
       mimeCode 0-1
```

```
formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                @isURL [Optional] [Default= true]
               transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfEnergy 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
    productReferenceQty 0-1
    .
@um [Required]
    year 0-1
    facilityLocation 0-1
        location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          ZGeoCoord 0-1
    energySupplyDescriptor 1-99
    @percSourcesRenewable [Optional]
    @internalEnergyProduction [Required]
 - choose -
        energy 1-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
 - or -
        timeDuration 1-1
        activePower 1-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
 - end choose -
        description 0-99
        @In [Optional]
        energySourceType 0-1
        typeOfEnergyVector 1-1
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    energyConsumptionDescriptor 1-99
    @isElectric [Required]
    @indirectIncluded [Required]
 - choose -
     | activePower 1-1
```

```
@um [Required]
       @validationMethod [Optional]
      @referenceYear [Optional]
    | timeDuration 1-1
      energy 1-1
       @um [Required]
       @validationMethod [Optional]
      @referenceYear [Optional]
- end choose -
      productReferenceQty 0-1
      @um [Required]
      description 1-1
       @In [Optional]
      note 0-99
      @numberingOrg [Optional]
       @codeList [Optional]
      @noteLabel [Optional]
  auxSystemsConsumptionPerc 0-2
   @isElectric [Optional]
  externalRefDoc 0-99
      docID 1-1
      @numberingOrg [Optional]
      docDate 0-1
      @dateForm [Optional]
      title 0-unbounded
       @In [Optional]
      description 0-unbounded
      @In [Optional]
      validityStart 0-1
      @dateForm [Optional]
      validityEnd 0-1
      @dateForm [Optional]
      documentType 0-1
      issuerParty 0-1
          id 0-1
           @numberingOrg [Optional]
          legalName 0-1
          dept 0-1
          subDept 0-1
          person 0-1
           @email [Optional]
           @phone [Optional]
           @fax [Optional]
          street 0-1
          city 0-1
          subCountry 0-1
          country 0-1
          postCode 0-1
           geoCoordinates 0-1
           @um [Optional] [Default= DEGD]
           @geoRefSystem [Optional]
              xGeoCoord 1-1
              yGeoCoord 1-1
             ZGeoCoord 0-1
          issuerAccreditationInfo 0-1
      signatureInformation 0-1
          signatureTypeCode 1-1
           signatoryParty 0-unbounded
               @numberingOrg [Optional]
              legalName 0-1
              dept 0-1
              subDept 0-1
              person 0-1
               .
@email [Optional]
               @phone [Optional]
               @fax [Optional]
```

```
street 0-1
                city 0-1
                subCountry 0-1
                country 0-1
                postCode 0-1
                geoCoordinates 0-1
                 @um [Optional] [Default= DEGD]
                 @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
@mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
              | transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfWaste 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
    year 0-1
    facilityLocation 0-1
        location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
    wasteDescriptor 0-99
    @indirectIncluded [Required]
        EWCWasteCode 1-1
       wasteTypeCode 0-9
```

```
@schemeID [Required]
    description 0-99
    @In [Optional]
    declaredQty 0-1
    @um [Required]
    @validationMethod [Optional]
    @referenceYear [Optional]
   productReferenceQty 0-1
    @um [Required]
   routeLength 0-1
    @um [Required]
    wasteFinalTreatmentType 0-9
    @part [Optional]
    @recyclingProcessEfficiency [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
   docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
   description 0-unbounded
    @In [Optional]
   validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
   documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
      issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
          | city 0-1
```

```
subCountry 0-1
                country 0-1
                postCode 0-1
                geoCoordinates 0-1
                @um [Optional] [Default= DEGD]
                @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
              | transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfWasteWater 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
    year 0-1
    facilityLocation 0-1
        location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
    wasteWaterDescriptor 1-99
    @hazardous [Required]
    @indirectIncluded [Required]
        description 1-99
        @In [Optional]
        declaredQty 0-1
```

```
@um [Required]
    @validationMethod [Optional]
    @referenceYear [Optional]
    productReferenceQty 0-1
    .
@um [Required]
   wasteWaterFinalTreatmentType 0-9
    @part [Optional]
   wasteWaterContaminantType 0-99
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
@noteLabel [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
   description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
   documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
        issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
             @phone [Optional]
             @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
```

```
xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
               characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
              | transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfDirectEmissions 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
    year 0-1
    facilityLocation 0-1
        location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
    directEmissionDescriptor 1-99
    @releasedOn [Required]
    @indirectIncluded [Required]
        directEmissionType 1-1
        description 0-99
        @In [Optional]
        declaredQty 0-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
        productReferenceQty 0-1
        @um [Required]
```

```
note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
   validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
       id 0-1
        @numberingOrg [Optional]
       legalName 0-1
       dept 0-1
       subDept 0-1
       person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
       street 0-1
       city 0-1
       subCountry 0-1
       country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          zGeoCoord 0-1
      issuerAccreditationInfo 0-1
    signatureInformation 0-1
       signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            @email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
               xGeoCoord 1-1
                yGeoCoord 1-1
               zGeoCoord 0-1
    attachment 0-1
    @uid [Optional]
       fileName 0-1
        @numberingOrg [Optional]
       binaryObject 0-1
```

```
@format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
               transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
internalWastewaterTreatmentPlant 0-9
    activityLocation 0-1
    @part [Optional] [Default= 100]
        location 0-1
        @LRI [Optional]
        legalName 0-1
       dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
    description 0-9
    @In [Optional]
    productReferenceQty 0-1
    @um [Required]
    wasteWaterPlantInputList 0-1
        wasteWaterPlantInputDescriptor 0-99
        @sharePerc [Optional]
            wasteWaterProvenance 0-1
            materialDescriptor 0-99
                prodServName 1-1
                description 0-99
                @In [Optional]
                declaredQty 0-1
                @um [Required]
                @validationMethod [Optional]
                @referenceYear [Optional]
                productReferenceQty 0-1
                @um [Required]
                inputMaterialCategory 1-1
```

transportImpactPrimaryData 0-99	
transMeans 1-1	
@propulsionSystemCode [Optional]	
	1
	J
@codeList [Optional]	
packagingImpactPrimaryData 0-99	
@numberingOrg [Optional]	
@codeList [Optional]	
@noteLabel [Optional]	
wasteWaterPlantOutputList 0-1	
wasteDescriptor 1-99	
@indirectIncluded [Required]	
EWCWasteCode 1-1	
wasteTypeCode 0-9	
@schemeID [Required]	
declaredQty 0-1	
@validationMethod [Optional]	
@referenceYear [Optional]	
productReferenceQty 0-1	
wasteFinalTreatmentType 0-9	
@recyclingProcessEfficiency [Optional]	
@numberingOrg [Optional]	
@codeList [Optional] @noteLabel [Optional]	
@releasedOn [Required]	
@indirectIncluded [Required]	
directEmissionType 1-1	
description 0-99	
declaredQty 0-1	
@validationMethod [Optional]	
@referenceYear [Optional]	
productReferenceQty 0-1	
@numberingOrg [Optional]	
@codeList [Optional]	
@noteLabel [Optional]	
note 0-9	
@numberingOrg [Optional]	
@codeList [Optional]	
@noteLabel [Optional]	
productUsageCharacteristics 0-1	
usageDirectives 0-1	

```
washingType 0-1
maximumWashingTemperature 0-1
@um [Optional]
maximumIroningTemperature 0-1
allowedTumbleDrying 0-1
externalRefDoc 0-99
    docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
      issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
signatoryParty 0-unbounded
            id 0-1
             @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
             @phone [Optional]
             @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
               ZGeoCoord 0-1
    attachment 0-1
    @uid [Optional]
        fileName 0-1
      @numberingOrg [Optional]
```

```
binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
              transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
expectedUsagePerformance 0-1
   averageWashingNumber 0-9
    @um [Required]
    @validationMethod [Optional]
    @referenceYear [Optional]
   averageProductLifetime 0-9
    @um [Required]
    @validationMethod [Optional]
    @referenceYear [Optional]
    averageReferenceProductLifeTime 0-9
    @um [Required]
    @validationMethod [Optional]
    @referenceYear [Optional]
    externalRefDoc 0-99
        docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
        title 0-unbounded
        @In [Optional]
        description 0-unbounded
        @In [Optional]
        validityStart 0-1
        @dateForm [Optional]
        validityEnd 0-1
        @dateForm [Optional]
        documentType 0-1
        issuerParty 0-1
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            @email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
           country 0-1
```

```
postCode 0-1
                geoCoordinates 0-1
                 @um [Optional] [Default= DEGD]
                 @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
               issuerAccreditationInfo 0-1
            signatureInformation 0-1
                signatureTypeCode 1-1
                signatoryParty 0-unbounded
                     @numberingOrg [Optional]
                    legalName 0-1
                    dept 0-1
                    subDept 0-1
                    person 0-1
                     @email [Optional]
                     @phone [Optional]
                     @fax [Optional]
                    street 0-1
                    city 0-1
                    subCountry 0-1
                    country 0-1
                    postCode 0-1
                    geoCoordinates 0-1
                     @um [Optional] [Default= DEGD]
                     @geoRefSystem [Optional]
                        xGeoCoord 1-1
                        yGeoCoord 1-1
                        zGeoCoord 0-1
            attachment 0-1
            @uid [Optional]
                fileName 0-1
                @numberingOrg [Optional]
                binaryObject 0-1
                @format [Optional]
@mime [Optional]
                 @encoding [Optional]
                 @characterSet [Optional]
                externalReference 0-99
                    uri 1-1
                     @isURL [Optional] [Default= true]
                    mimeCode 0-1
                    formatCode 0-1
                    encodingCode 0-1
                  | characterSetCode 0-1
                hashFootprint 0-1
                @schemeID [Optional]
                 @hashMethod [Required]
                blockChainReference 0-9
                    uri 1-1
                    @isURL [Optional] [Default= true]
                  transactionReceipt 1-9
            note 0-99
            @numberingOrg [Optional]
            @codeList [Optional]
            @noteLabel [Optional]
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
endOfLifePerformance 0-1
  | collectedFractionMassPercentage 0-9
```

```
@um [Required]
@validationMethod [Optional]
@referenceYear [Optional]
fractionMassToCompostingPerc 0-9
@um [Required]
@validationMethod [Optional]
@referenceYear [Optional]
@energyRecoveryEfficiency [Optional]
fractionMassToRecyclingPerc 0-9
@um [Required]
@recyclingProcessMethod [Optional]
@validationMethod [Optional]
@referenceYear [Optional]
@recyclingProcessEfficiency [Optional]
fractionMassToReusePerc 0-9
@um [Required]
@validationMethod [Optional]
@referenceYear [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
   description 0-unbounded
    @In [Optional]
   validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
   documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
      issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
          | city 0-1
```

```
subCountry 0-1
                        country 0-1
                        postCode 0-1
                        geoCoordinates 0-1
                        @um [Optional] [Default= DEGD]
                        @geoRefSystem [Optional]
                            xGeoCoord 1-1
                            yGeoCoord 1-1
                            zGeoCoord 0-1
                attachment 0-1
                @uid [Optional]
                    fileName 0-1
                    @numberingOrg [Optional]
                    binaryObject 0-1
                    @format [Optional]
                    @mime [Optional]
                    @encoding [Optional]
                    @characterSet [Optional]
                    externalReference 0-99
                        uri 1-1
                        @isURL [Optional] [Default= true]
                        mimeCode 0-1
                        formatCode 0-1
                        encodingCode 0-1
                       characterSetCode 0-1
                    hashFootprint 0-1
                    @schemeID [Optional]
                    @hashMethod [Required]
                    blockChainReference 0-9
                        uri 1-1
                        @isURL [Optional] [Default= true]
                      transactionReceipt 1-9
                note 0-99
                @numberingOrg [Optional]
                @codeList [Optional]
                @noteLabel [Optional]
            note 0-9
            @numberingOrg [Optional]
            @codeList [Optional]
            @noteLabel [Optional]
organisationDescriptor 0-1
   id 1-1
    @numberingOrg [Optional]
   legalName 1-1
   organisationAddress 1-1
       street 0-1
        city 0-1
       subCountry 0-1
       country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
           xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
   person 1-99
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
   activityStatisticalCode 0-1
    @schemeID [Optional] [Default= NACE]
    certificate 0-99
    @docStatusCode [Required]
    @docValidity [Required]
       docID 1-1
        @numberingOrg [Optional]
       certificateID 1-1
```

```
@schemeID [Optional]
certificationStandardName 1-1
@standardOwner [Required]
docDate 1-1
@dateForm [Optional]
title 0-unbounded
@In [Optional]
description 0-unbounded
@In [Optional]
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
validityExtensionDate 0-1
@dateForm [Optional]
sustainabilityCharacteristicText 0-99
@In [Optional]
issuerParty 1-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
   issuerAccreditationInfo 0-1
certifiedParty 1-1
   id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
   subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        vGeoCoord 1-1
      | zGeoCoord 0-1
certifiedEntity 0-unbounded
   entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
    description 0-9
    @In [Optional]
attachment 0-1
@uid [Optional]
```

```
fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
@mime [Optional]
        @encoding [Optional]
        @characterSet [Optional]
        externalReference 0-99
            uri 1-1
            @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
             @isURL [Optional] [Default= true]
            transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
selfAssertion 0-99
@disclosureLevel [Optional]
@docStatusCode [Optional]
    sustainabilityCharacteristicText 0-99
    @In [Optional]
    assertionCategory 1-1
    description 1-99
    @In [Optional]
    issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
        issuerAccreditationInfo 0-1
    selfAssertionEntity 0-unbounded
        entityID 1-3
        @schemeID [Required]
        entityTypeCode 1-1
        description 0-9
        @In [Optional]
    externalRefDoc 0-99
        docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
        title 0-unbounded
        @In [Optional]
```

```
description 0-unbounded
@In [Optional]
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
documentType 0-1
issuerParty 0-1
   id 0-1
    @numberingOrg [Optional]
   legalName 0-1
   dept 0-1
   subDept 0-1
   person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
   street 0-1
   city 0-1
   subCountry 0-1
   country 0-1
   postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
       xGeoCoord 1-1
       yGeoCoord 1-1
      ZGeoCoord 0-1
   issuerAccreditationInfo 0-1
signatureInformation 0-1
   signatureTypeCode 1-1
    signatoryParty 0-unbounded
       id 0-1
        @numberingOrg [Optional]
       legalName 0-1
       dept 0-1
       subDept 0-1
       person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
       street 0-1
       city 0-1
       subCountry 0-1
       country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
   binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
       uri 1-1
        @isURL [Optional] [Default= true]
       mimeCode 0-1
       formatCode 0-1
       encodingCode 0-1
       characterSetCode 0-1
```

```
hashFootprint 0-1
             @schemeID [Optional]
             @hashMethod [Required]
             blockChainReference 0-9
                uri 1-1
                 @isURL [Optional] [Default= true]
                transactionReceipt 1-9
        note 0-99
         @numberingOrg [Optional]
         @codeList [Optional]
         @noteLabel [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    validityExtensionDate 0-1
| @dateForm [Optional]
socialAndEthicalSpecificInformation 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Required]
@storageAction [Required]
    certificate 0-99
    @docStatusCode [Required]
    @docValidity [Required]
        docID 1-1
         @numberingOrg [Optional]
        certificateID 1-1
        @schemeID [Optional]
        certificationStandardName 1-1
         @standardOwner [Required]
        docDate 1-1
         @dateForm [Optional]
        title 0-unbounded
         @In [Optional]
        description 0-unbounded
         @In [Optional]
        validityStart 0-1
         @dateForm [Optional]
        validityEnd 0-1
         @dateForm [Optional]
        validityExtensionDate 0-1
         @dateForm [Optional]
        sustainabilityCharacteristicText 0-99
         @In [Optional]
        issuerParty 1-1
            id 0-1
             @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
             @email [Optional]
             @phone [Optional]
             @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
               | zGeoCoord 0-1
            issuerAccreditationInfo 0-1
        certifiedParty 1-1
```

```
id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
    certifiedEntity 0-unbounded
        entityID 1-3
        @schemeID [Required]
        entityTypeCode 1-1
        description 0-9
        @In [Optional]
    attachment 0-1
    @uid [Optional]
        fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
        @mime [Optional]
        @encoding [Optional]
        @characterSet [Optional]
        externalReference 0-99
            uri 1-1
            @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
            transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
selfAssertion 0-99
@disclosureLevel [Optional]
@docStatusCode [Optional]
| sustainabilityCharacteristicText 0-99
    @In [Optional]
    assertionCategory 1-1
    description 1-99
    @In [Optional]
    issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
```

```
@email [Optional]
    @phone [Optional]
    @fax [Optional]
   street 0-1
   city 0-1
   subCountry 0-1
   country 0-1
   postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
   issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
   entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
   description 0-9
    @In [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
   validityStart 0-1
    @dateForm [Optional]
   validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
        issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
```

```
@fax [Optional]
                street 0-1
                city 0-1
                subCountry 0-1
                country 0-1
                postCode 0-1
                geoCoordinates 0-1
                 @um [Optional] [Default= DEGD]
                 @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
            fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
@mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
              characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
              | transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    validityExtensionDate 0-1
    @dateForm [Optional]
assessmentStudyDocument 0-9
@disclosureLevel [Optional]
@docStatusCode [Optional]
@isStudyDataset [Required]
    docID 0-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    ProductIdentification 0-99
        uniqueProductID 1-1
        @schemeID [Required]
        objectTypeCode 1-1
        description 0-9
        @In [Optional]
 - choose -
      | rawCode 0-2
        @numberingOrg [Optional]
            art 1-1
            @numberingOrg [Optional]
            @codeList [Optional]
            @listName [Optional]
            @listVersion [Optional]
            color 0-1
```

-]

- or -	added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @In [Optional]
	@numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @codeList [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional]
	garmentCode 0-2 @numberingOrg [Optional]
	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] alistVersion [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] alistVersion [Optional] color 0-1 @numberingOrg [Optional] alistName [Optional] alistName [Optional] alistVersion [Optional] alistVersion [Optional] alistVersion [Optional] alistVersion [Optional] alistVersion [Optional] alistName [Optional] alistName [Optional] alistName [Optional] alistVersion [Optional] alistVersion [Optional] alistVersion [Optional] alistName [Optional] alistName [Optional] alistName [Optional] alistName [Optional] alistName [Optional] alistVersion [Optional] alistVersion [Optional] alistVersion [Optional] alistVersion [Optional]

```
@codeList [Optional]
               @listName [Optional]
               @listVersion [Optional]
               size 0-1
               @numberingOrg [Optional]
               @codeList [Optional]
               @listName [Optional]
               @listVersion [Optional]
               artGroup 0-1
               @numberingOrg [Optional]
               @codeList [Optional]
@listName [Optional]
               @listVersion [Optional]
               added 0-9
               @numberingOrg [Optional]
               @addType [Optional]
               description 0-unbounded
               @In [Optional]
         | garmentCodeA 1-1
               art 1-1
               @numberingOrg [Optional]
               @codeList [Optional]
               @listName [Optional]
               @listVersion [Optional]
               description 0-unbounded
               @In [Optional]
  - end choose -
- end choose -
      note 0-99
       @numberingOrg [Optional]
       @codeList [Optional]
       @noteLabel [Optional]
  year 0-1
  title 0-unbounded
   @In [Optional]
  description 0-unbounded
   @In [Optional]
  publishableAbstract 0-99
   @In [Optional]
  author 0-1
   @email [Optional]
   @phone [Optional]
   @fax [Optional]
  reviewerParty 0-9
      id 1-1
       @numberingOrg [Optional]
      legalName 0-1
      dept 0-1
      subDept 0-1
      person 0-1
       @email [Optional]
       @phone [Optional]
       @fax [Optional]
      street 0-1
      city 0-1
      subCountry 0-1
      country 0-1
      postCode 0-1
      geoCoordinates 0-1
       @um [Optional] [Default= DEGD]
       @geoRefSystem [Optional]
           xGeoCoord 1-1
           yGeoCoord 1-1
         zGeoCoord 0-1
  reviewDate 0-1
   @dateForm [Optional]
  issuerParty 0-1
```

```
id 0-1
    @numberingOrg [Optional]
   legalName 0-1
   dept 0-1
   subDept 0-1
   person 0-1
    .
@email [Optional]
    @phone [Optional]
    @fax [Optional]
   street 0-1
   city 0-1
   subCountry 0-1
   country 0-1
   postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
       xGeoCoord 1-1
       yGeoCoord 1-1
       zGeoCoord 0-1
   issuerAccreditationInfo 0-1
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
signatureInformation 0-1
   signatureTypeCode 1-1
    signatoryParty 0-unbounded
       id 0-1
        @numberingOrg [Optional]
       legalName 0-1
       dept 0-1
       subDept 0-1
       person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
       street 0-1
       city 0-1
       subCountry 0-1
       country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
   binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
       uri 1-1
        @isURL [Optional] [Default= true]
       mimeCode 0-1
       formatCode 0-1
       encodingCode 0-1
       characterSetCode 0-1
   hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
    blockChainReference 0-9
```

	uri 1-1 @isURL [Optional] [Default= true]
	transactionReceipt 1-9
	·
	beringOrg [Optional]
	List [Optional]
	Label [Optional]
socialAcco	ountabilityEvidence 1-unbounded
	countabilityMethod [Optional]
	ccountabilityEvidenceCategory 1-1
	tion 0-99
	ptional]
	ceValue 0-1
	Optional] sertion 0-99
	osureLevel [Optional]
	StatusCode [Optional]
	stainabilityCharacteristicText 0-99
	n [Optional]
	sertionCategory 1-1
	scription 1-99
	n [Optional]
	suerParty 1-1
! ! ! ! ! ! !	id 0-1
! ! ! ! ! ! !	@numberingOrg [Optional]
	legalName 0-1
	dept 0-1 subDept 0-1
	person 0-1
1 1 1 1 1 1	@email [Optional]
1 1 1 1 1 1	@phone [Optional]
i i i i i i	@fax [Optional]
i i i i i i	street 0-1
	city 0-1
	subCountry 0-1
! ! ! ! ! ! !	country 0-1
!!!!!!!	postCode 0-1
! ! ! ! ! ! .	geoCoordinates 0-1
	@um [Optional] [Default= DEGD] @geoRefSystem [Optional]
	xGeoCoord 1-1
1 1 1 1 1 1	yGeoCoord 1-1
1 1 1 1 1 1	zGeoCoord 0-1
i i i i i i	issuerAccreditationInfo 0-1
	IfAssertionEntity 0-unbounded
	entityID 1-3
	@schemeID [Required]
! ! ! ! ! ! !	entityTypeCode 1-1
! ! ! ! ! ! !	description 0-9
	@In [Optional]
	ternalRefDoc 0-99 docID 1-1
	@numberingOrg [Optional]
	docDate 0-1
1 1 1 1 1 1	@dateForm [Optional]
1 1 1 1 1 1	title 0-unbounded
j j j j j j j	@In [Optional]
	description 0-unbounded
	@In [Optional]
	validityStart 0-1
	@dateForm [Optional]
	validityEnd 0-1
	@dateForm [Optional]
	documentType 0-1
	issuerParty 0-1 id 0-1
	Id 0-1 @numberingOrg [Optional]
	legalName 0-1
	1 10941111111111111111111111111111111111

```
dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
       xGeoCoord 1-1
        yGeoCoord 1-1
       zGeoCoord 0-1
    issuerAccreditationInfo 0-1
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
         @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
        characterSetCode 0-1
    hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
    blockChainReference 0-9
        uri 1-1
        @isURL [Optional] [Default= true]
      transactionReceipt 1-9
note 0-99
@numberingOrg [Optional]
@codeList [Optional]
@noteLabel [Optional]
```

```
validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    validityExtensionDate 0-1
    @dateForm [Optional]
externalRefDoc 0-99
   docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
   description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
       id 0-1
        @numberingOrg [Optional]
       legalName 0-1
       dept 0-1
       subDept 0-1
       person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
       street 0-1
       city 0-1
       subCountry 0-1
       country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
           xGeoCoord 1-1
            yGeoCoord 1-1
          ZGeoCoord 0-1
       issuerAccreditationInfo 0-1
    signatureInformation 0-1
       signatureTypeCode 1-1
        signatoryParty 0-unbounded
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            @email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
               xGeoCoord 1-1
                yGeoCoord 1-1
              ZGeoCoord 0-1
    attachment 0-1
    @uid [Optional]
      | fileName 0-1
```

```
@numberingOrg [Optional]
                binaryObject 0-1
                 @format [Optional]
                 @mime [Optional]
                 @encoding [Optional]
                 @characterSet [Optional]
                externalReference 0-99
                     @isURL [Optional] [Default= true]
                    mimeCode 0-1
                    formatCode 0-1
                    encodingCode 0-1
                    characterSetCode 0-1
                hashFootprint 0-1
                 @schemeID [Optional]
                 @hashMethod [Required]
                blockChainReference 0-9
                    uri 1-1
                     @isURL [Optional] [Default= true]
                   | transactionReceipt 1-9
            note 0-99
            @numberingOrg [Optional]
            @codeList [Optional]
            @noteLabel [Optional]
    note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
listOfFacilities 0-1
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Required]
@storageAction [Required]
    facilityDescriptor 0-unbounded
        facilityLocation 1-1
            location 1-1
            @LRI [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
               zGeoCoord 0-1
        description 0-2
        @In [Optional]
        processStepsList 0-1
        @limitedByDisclosureIndicator [Optional]
        @exhaustiveInformation [Required]
        @disclosureLevel [Required]
        @storageAction [Required]
            processStep 1-unbounded
             @progr [Required]
            @internallyPerformed [Optional]
                processStepID 1-1
                manufacturingOperationCode 1-1
                description 0-9
                 @In [Optional]
                activityLocation 0-99
                 @part [Optional] [Default= 100]
                   | location 0-1
                     @LRI [Optional]
                    legalName 0-1
                   | dept 0-1
```

```
subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
            postCode 0-1
            geoCoordinates 0-1
            @um [Optional] [Default= DEGD]
            @geoRefSystem [Optional]
                xGeoCoord 1-1
                yGeoCoord 1-1
              | zGeoCoord 0-1
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
certificate 0-99
@docStatusCode [Required]
@docValidity [Required]
   docID 1-1
    @numberingOrg [Optional]
   certificateID 1-1
    @schemeID [Optional]
   certificationStandardName 1-1
    @standardOwner [Required]
    docDate 1-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
   validityEnd 0-1
    @dateForm [Optional]
   validityExtensionDate 0-1
    @dateForm [Optional]
    sustainabilityCharacteristicText 0-99
    @In [Optional]
    issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          ZGeoCoord 0-1
      issuerAccreditationInfo 0-1
    certifiedParty 1-1
        id 0-1
        @numberingOrg [Optional]
```

```
legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
    certifiedEntity 0-unbounded
        entityID 1-3
        @schemeID [Required]
        entityTypeCode 1-1
        description 0-9
        @In [Optional]
   attachment 0-1
    @uid [Optional]
        fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
@mime [Optional]
        @encoding [Optional]
        @characterSet [Optional]
        externalReference 0-99
            uri 1-1
            @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
           | characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
          | transactionReceipt 1-9
   note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
selfAssertion 0-99
@disclosureLevel [Optional]
@docStatusCode [Optional]
    sustainabilityCharacteristicText 0-99
    @In [Optional]
   assertionCategory 1-1
   description 1-99
    @In [Optional]
    issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
```

```
@fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
   issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
    entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
    description 0-9
    @In [Optional]
externalRefDoc 0-99
    docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        .
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          zGeoCoord 0-1
       issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
             @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
             @phone [Optional]
             @fax [Optional]
            street 0-1
```

```
city 0-1
                subCountry 0-1
                country 0-1
                postCode 0-1
                geoCoordinates 0-1
                 @um [Optional] [Default= DEGD]
                 @geoRefSystem [Optional]
                    xGeoCoord 1-1
                    yGeoCoord 1-1
                    zGeoCoord 0-1
        attachment 0-1
        @uid [Optional]
           fileName 0-1
            @numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
                transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    validityExtensionDate 0-1
    @dateForm [Optional]
assessmentStudyDocument 0-9
@disclosureLevel [Optional]
@docStatusCode [Optional]
@isStudyDataset [Required]
   docID 0-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    ProductIdentification 0-99
        uniqueProductID 1-1
        @schemeID [Required]
        objectTypeCode 1-1
        description 0-9
        @In [Optional]
 choose -
        rawCode 0-2
        @numberingOrg [Optional]
            art 1-1
            @numberingOrg [Optional]
            @codeList [Optional]
            @listName [Optional]
            @listVersion [Optional]
            color 0-1
            @numberingOrg [Optional]
            @codeList [Optional]
```

	@listName [Optional]
i i i i i	@listVersion [Optional]
	added 0-9
	@numberingOrg [Optional]
	@addType [Optional]
	description 0-unbounded
	@In [Optional]
- or	-
	yarnCode 0-2
	@numberingOrg [Optional] [Default= CL]
	art 1-1
	@numberingOrg [Optional]
	@namberingorg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
iiiiii	@codeList [Optional]
i i i i i	@listName [Optional]
	@listVersion [Optional]
	added 0-9
	@numberingOrg [Optional]
iiIIII	@addType [Optional]
	description 0-unbounded
	@In [Optional]
- or	' -
	texCode 0-2
	@numberingOrg [Optional]
iiiiii	art 1-1
i i i i i	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	pattern 0-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listName [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] acsCode 1-2 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] acsCode 1-2 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] = acsCode 1-2 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @codeList [Optional] @listName [Optional] @listVersion [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] pattern 0-1
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional] @codeList [Optional] @codeList [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]
	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @codeList [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listName [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]
- or	@listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] description 0-unbounded @ln [Optional] art 1-1 @numberingOrg [Optional] art 1-1 @numberingOrg [Optional] @listName [Optional] @listVersion [Optional] pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] @listName [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional]

	0 1 1 2
	@addType [Optional]
	description 0-unbounded
- or -	@In [Optional]
	rmentPartCode 0-2
	numberingOrg [Optional]
	gPart 1-1
	mod 1-1
	@numberingOrg [Optional]
	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	fabric 0-1
	@numberingOrg [Optional]
	@codeList [Optional] @listName [Optional]
	@listVersion [Optional]
	color 0-1
	@numberingOrg [Optional]
-i i i i i i i	@codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	added 0-19
	@numberingOrg [Optional]
	@addType [Optional]
	size 0-1
	@numberingOrg [Optional] @codeList [Optional]
	@listName [Optional]
	@listVersion [Optional]
	description 0-unbounded
	@In [Optional]
- or -	
	rmentCode 0-2
	numberingOrg [Optional]
- choose	
- choose	garmentCodeB 1-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] codeList [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] wariantCode 1-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] wariantCode 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] wariantCode 1-1
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] wariantCode 1-1 @numberingOrg [Optional] variantCode 1-1 @numberingOrg [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @listName [Optional] @listName [Optional] wisitName [Optional] wariantCode 1-1 @numberingOrg [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] wariantCode 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @listVersion [Optional] @listVersion [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @listName [Optional] @listVersion [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @numberingOrg [Optional] @codeList [Option
- choose	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] wariantCode 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listName [Optional] @listVersion [Optional] @listVersion [Optional] @listVersion [Optional]

@numberingOrg [Option	al]
@listName [Optional]	
	al1
@codeList [Optional]	,
	~ II
@ndmberingorg [option	aıj
description 0-unbounded	
- or -	
@numberingOrg [Option	al]
@listVersion [Optional]	
- end choose -	
- end choose -	
@ridifiberingOrg [Optional]	
@noteLabel [Optional]	
year 0-1	
title 0-unbounded	
@phone [Optional]	
@numberingOrg [Optional]	
legalName 0-1	
@phone [Optional]	
@um [Optional] [Default= DEGD]	
@geoRefSystem [Optional]	
@dateForm [Optional]	
ShumberingOrg [Optional]	

```
legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
       zGeoCoord 0-1
    issuerAccreditationInfo 0-1
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
signatureInformation 0-1
    signatureTypeCode 1-1
    signatoryParty 0-unbounded
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
attachment 0-1
@uid [Optional]
    fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
    @mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        uri 1-1
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
       characterSetCode 0-1
    hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
    blockChainReference 0-9
        uri 1-1
        @isURL [Optional] [Default= true]
```

	L transportion Descript 4.0
	transactionReceipt 1-9
	beringOrg [Optional]
	eList [Optional]
	Label [Optional]
	rlyProductionMass 0-9
	ypeCode 0-1
	edQty 0-2
	Required]
	lationMethod [Optional]
	renceYear [Optional]
	tainabilityCharacteristics 0-1
	JsedWater 0-9
	edByDisclosureIndicator [Optional]
	nustiveInformation [Required]
	osureLevel [Optional]
	ageAction [Required]
	oductReferenceQty 0-1
	um [Required]
	ar 0-1
	cilityLocation 0-1
	location 1-1 @LRI [Optional]
	street 0-1
	city 0-1
	subCountry 0-1
1 1 1 1 1 1	country 0-1
i i i i i i	postCode 0-1
	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
! ! ! ! ! ! !	xGeoCoord 1-1
	yGeoCoord 1-1
	zGeoCoord 0-1 sedWaterDescriptor 0-99
	indirectIncluded [Required]
	usedWaterType 1-1
	description 0-99
1 1 1 1 1 1	@In [Optional]
	declaredQty 0-9
	@um [Required]
	@validationMethod [Optional]
	@referenceYear [Optional]
! ! ! ! ! ! !	productReferenceQty 0-1
	@um [Required]
	note 0-9
	@numberingOrg [Optional] @codeList [Optional]
	@codeList [Optional] @noteLabel [Optional]
	ternalRefDoc 0-99
1 1 1 1 1 1 1	docID 1-1
1 1 1 1 1 1	@numberingOrg [Optional]
	docDate 0-1
	@dateForm [Optional]
	title 0-unbounded
! ! ! ! ! ! !	@In [Optional]
	description 0-unbounded
	@In [Optional]
	validityStart 0-1 @dateForm [Optional]
	waterorm [Optional] validityEnd 0-1
	ValidityEnd 0-1 @dateForm [Optional]
	documentType 0-1
1 1 1 1 1 1 1	issuerParty 0-1
	id 0-1
	@numberingOrg [Optional]
	legalName 0-1

	dept 0-1
	subDept 0-1
iiiiii	person 0-1
	@email [Optional]
	@phone [Optional]
	street 0-1
	city 0-1
	subCountry 0-1
	country 0-1
	postCode 0-1
	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
	xGeoCoord 1-1
iiiiii	j j j yGeoCoord 1-1
	issuerAccreditationInfo 0-1
1 1 1 1 1 1	signatureInformation 0-1
	signatureTypeCode 1-1
1 1 1 1 1 1	signatoryParty 0-unbounded
	@numberingOrg [Optional]
iiiiii	dept 0-1
	@email [Optional]
	@phone [Optional]
	@fax [Optional]
!!!!!!	street 0-1
i i i i i	
!!!!!!!	
1 1 1 1 1 1	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
iiiiii	@geoRefSystem [Optional]
	xGeoCoord 1-1
	yGeoCoord 1-1
	attachment 0-1
	@uid [Optional]
!!!!!!	fileName 0-1
	@numberingOrg [Optional]
	binaryObject 0-1
1 1 1 1 1	@format [Optional]
	@mime [Optional]
1 1 1 1 1	@encoding [Optional]
	@characterSet [Optional]
	externalReference 0-99
i i i i i	i i uri 1-1
	@isURL [Optional] [Default= true]
	formatCode 0-1
iiiiii	i i encodingCode 0-1
	characterSetCode 0-1
1 1 1 1 1	hashFootprint 0-1
	@schemeID [Optional]
	@hashMethod [Required]
1 1 1 1 1	blockChainReference 0-9
1 1 1 1 1	@isURL [Optional] [Default= true]
	transactionReceipt 1-9
	note 0-99
	@numberingOrg [Optional]
	@codeList [Optional]
	@noteLabel [Optional]

	1
@internalEnergyProduction [Require	d]
- choose -	
	9
@reference Year [Optional] - end choose -	
- end choose -	

	@numberingOrg [Optional]
	@codeList [Optional]
ĺ	auxSystemsConsumptionPerc 0-2
i	@isÉlectric [Optional]
i	externalRefDoc 0-99
i	
i	@numberingOrg [Optional]
i	docDate 0-1
i	@dateForm [Optional]
i	title 0-unbounded
	@In [Optional]
	description 0-unbounded
	@In [Optional]
	validityStart 0-1
	@dateForm [Optional]
-	@dateForm [Optional]
-	
	@numberingOrg [Optional]
ĺ	@email [Optional]
ĺ	@phone [Optional]
ĺ	
i	street 0-1
i	city 0-1
i	
i	country 0-1
i	postCode 0-1
i	
	@geoRefSystem [Optional]
1	
- !	
	issuerAccreditationInfo 0-1
ı	signatureInformation 0-1
	signatureTypeCode 1-1
-	signatoryParty 0-unbounded
	@numberingOrg [Optional]
ĺ	
ĺ	
i	
i	
i	
i	
ı	
	@um [Optional] [Default= DEGD]
ı	@geoRefSystem [Optional]
ļ	

```
@numberingOrg [Optional]
            binaryObject 0-1
            @format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
                transactionReceipt 1-9
        note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfWaste 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
   year 0-1
   facilityLocation 0-1
       location 1-1
        @LRI [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
           xGeoCoord 1-1
           yGeoCoord 1-1
           zGeoCoord 0-1
    wasteDescriptor 0-99
    @indirectIncluded [Required]
        EWCWasteCode 1-1
        wasteTypeCode 0-9
        @schemeID [Required]
        description 0-99
        @In [Optional]
        declaredQty 0-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
        productReferenceQty 0-1
        @um [Required]
        routeLength 0-1
        @um [Required]
        wasteFinalTreatmentType 0-9
        @part [Optional]
        @recyclingProcessEfficiency [Optional]
```

	note 0-9
	@numberingOrg [Optional]
	@codeList [Optional]
i i i i i i i	@noteLabel [Optional]
	ernalRefDoc 0-99
	docID 1-1
	@numberingOrg [Optional]
	docDate 0-1
	@dateForm [Optional]
	title 0-unbounded
!!!!!!!!	@In [Optional]
	description 0-unbounded
	@In [Optional]
	validityStart 0-1
	@dateForm [Optional]
	validityEnd 0-1
	@dateForm [Optional]
	documentType 0-1
	issuerParty 0-1
	id 0-1
	@numberingOrg [Optional]
	legalName 0-1
i i i i i i i	dept 0-1
i i i i i i i	subDept 0-1
i i i i i i i	person 0-1
	@email [Optional]
	@phone [Optional]
	@fax [Optional]
	street 0-1
	city 0-1
	subCountry 0-1
	· · · · · · · · · · · · · · · · · · ·
	country 0-1
	postCode 0-1
	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
	xGeoCoord 1-1
	yGeoCoord 1-1
	zGeoCoord 0-1
	issuerAccreditationInfo 0-1
	signatureInformation 0-1
	signatureTypeCode 1-1
	signatoryParty 0-unbounded
	id 0-1
	@numberingOrg [Optional]
	l legalName 0-1
i i i i i i i	dept 0-1
<u> </u>	subDept 0-1
i i i i i i i	person 0-1
	@email [Optional]
	@phone [Optional]
	@fax [Optional]
	street 0-1
	city 0-1
	subCountry 0-1
	country 0-1
	postCode 0-1
	geoCoordinates 0-1
	@um [Optional] [Default= DEGD]
	@geoRefSystem [Optional]
1 1 1 1 1 1 1	xGeoCoord 1-1
i i i I I I I I	yGeoCoord 1-1
	zGeoCoord 0-1
	attachment 0-1
	@uid [Optional]
	fileName 0-1
	@numberingOrg [Optional]
	binaryObject 0-1
	• •

```
@format [Optional]
            @mime [Optional]
            @encoding [Optional]
            @characterSet [Optional]
            externalReference 0-99
                uri 1-1
                @isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
                transactionReceipt 1-9
       note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfWasteWater 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
   year 0-1
   facilityLocation 0-1
       location 1-1
        @LRI [Optional]
        street 0-1
       city 0-1
        subCountry 0-1
        country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          zGeoCoord 0-1
    wasteWaterDescriptor 1-99
    @hazardous [Required]
    @indirectIncluded [Required]
       description 1-99
        @In [Optional]
        declaredQty 0-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
        productReferenceQty 0-1
        @um [Required]
        wasteWaterFinalTreatmentType 0-9
        @part [Optional]
        wasteWaterContaminantType 0-99
        note 0-9
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
    externalRefDoc 0-99
      | docID 1-1
```

			@numberingOrg [Optional]	
			docDate 0-1	
			@dateForm [Optional]	
			title 0-unbounded	
i	i i	i i i	@In [Optional]	
i	i i	i i i	description 0-unbounded	
i	ii	i i i	@In [Optional]	
i	1 1	1 1	validityStart 0-1	
-			@dateForm [Optional]	
-	!!	!!!		
!	!!	!!!	validityEnd 0-1	
!	!!	!!!	@dateForm [Optional]	
Į	Į Į	i i i	documentType 0-1	
	1 1	1 1	issuerParty 0-1	
			id 0-1	
			@numberingOrg [Optional]	
			legalName 0-1	
i	i i	i i i	dept 0-1	
i	i i	i i i	subDept 0-1	
i	i i	i i i		
i	i i	i i i	@email [Optional]	
-			@phone [Optional]	
-	-		@phone [Optional] @fax [Optional]	
- !	!!			
!	!!	!!!	street 0-1	
ļ	!!!	!!!	city 0-1	
			subCountry 0-1	
			country 0-1	
		1 1	geoCoordinates 0-1	
ĺ	i i	ĹĹ	@um [Optional] [Default= DEG	0]
i	i i	i i i	@geoRefSystem [Optional]	-
i	i i	i i i	xGeoCoord 1-1	
i	ii	i i i	yGeoCoord 1-1	
-			zGeoCoord 0-1	
-	-		issuerAccreditationInfo 0-1	
- !				
!			signatureInformation 0-1	
!	!!!	!!!	signatureTypeCode 1-1	
-		1 1	signatoryParty 0-unbounded	
			@numberingOrg [Optional]	
İ				
İ			@numberingOrg [Optional]	
			@numberingOrg [Optional] legalName 0-1 dept 0-1	
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1	
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @fax [Optional]	
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @fax [Optional]	
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1	
			@numberingOrg [Optional]	DEGD]
			@numberingOrg [Optional]	DEGD]
			@numberingOrg [Optional]	DEGD]
			@numberingOrg [Optional]	DEGD]
			@numberingOrg [Optional]	DEGD]
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1	DEGD]
			@numberingOrg [Optional]	DEGD]
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 postCode 0-1 @geoCoordinates 0-1 @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 0-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional]	DEGD]
			@numberingOrg [Optional] legalName 0-1 dept 0-1 subDept 0-1 person 0-1 @email [Optional] @phone [Optional] @fax [Optional] street 0-1 city 0-1 subCountry 0-1 country 0-1 postCode 0-1 postCode 0-1 geoCoordinates 0-1 @geoRefSystem [Optional] xGeoCoord 1-1 yGeoCoord 1-1 zGeoCoord 0-1 attachment 0-1 @uid [Optional] fileName 0-1	DEGD]
				DEGD]
			@numberingOrg [Optional]	DEGD]
				DEGD]
			@numberingOrg [Optional]	DEGD]
				DEGD]

```
@isURL [Optional] [Default= true]
                mimeCode 0-1
                formatCode 0-1
                encodingCode 0-1
                characterSetCode 0-1
            hashFootprint 0-1
            @schemeID [Optional]
            @hashMethod [Required]
            blockChainReference 0-9
                uri 1-1
                @isURL [Optional] [Default= true]
               transactionReceipt 1-9
       note 0-99
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   note 0-9
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
billOfDirectEmissions 0-9
@limitedByDisclosureIndicator [Optional]
@exhaustiveInformation [Required]
@disclosureLevel [Optional]
@storageAction [Required]
   productReferenceQty 0-1
    @um [Required]
   year 0-1
   facilityLocation 0-1
        location 1-1
        @LRI [Optional]
       street 0-1
       city 0-1
        subCountry 0-1
        country 0-1
       postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
           yGeoCoord 1-1
           zGeoCoord 0-1
    directEmissionDescriptor 1-99
    @releasedOn [Required]
    @indirectIncluded [Required]
       directEmissionType 1-1
        description 0-99
        @In [Optional]
        declaredQty 0-1
        @um [Required]
        @validationMethod [Optional]
        @referenceYear [Optional]
        productReferenceQty 0-1
        @um [Required]
        note 0-9
        @numberingOrg [Optional]
        @codeList [Optional]
        @noteLabel [Optional]
   externalRefDoc 0-99
        docID 1-1
        @numberingOrg [Optional]
        docDate 0-1
        @dateForm [Optional]
        title 0-unbounded
        @In [Optional]
        description 0-unbounded
        @In [Optional]
        validityStart 0-1
```

```
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
documentType 0-1
issuerParty 0-1
    id 0-1
    @numberingOrg [Optional]
    legalName 0-1
    dept 0-1
    subDept 0-1
    person 0-1
    @email [Optional]
    @phone [Optional]
    @fax [Optional]
    street 0-1
    city 0-1
    subCountry 0-1
    country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
        zGeoCoord 0-1
   issuerAccreditationInfo 0-1
signatureInformation 0-1
  | signatureTypeCode 1-1
    signatoryParty 0-unbounded
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
          | zGeoCoord 0-1
attachment 0-1
@uid [Optional]
   fileName 0-1
    @numberingOrg [Optional]
    binaryObject 0-1
    @format [Optional]
@mime [Optional]
    @encoding [Optional]
    @characterSet [Optional]
    externalReference 0-99
        @isURL [Optional] [Default= true]
        mimeCode 0-1
        formatCode 0-1
        encodingCode 0-1
       characterSetCode 0-1
    hashFootprint 0-1
    @schemeID [Optional]
    @hashMethod [Required]
```

```
| blockChainReference 0-9
                                uri 1-1
                                 @isURL [Optional] [Default= true]
                                transactionReceipt 1-9
                        note 0-99
                         @numberingOrg [Optional]
                         @codeList [Optional]
                         @noteLabel [Optional]
                    note 0-9
                     @numberingOrg [Optional]
                     @codeList [Optional]
                    @noteLabel [Optional]
   note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
certificate 0-99
@docStatusCode [Required]
@docValidity [Required]
   docID 1-1
    @numberingOrg [Optional]
   certificateID 1-1
    @schemeID [Optional]
   certificationStandardName 1-1
    @standardOwner [Required]
   docDate 1-1
    @dateForm [Optional]
   title 0-unbounded
    @In [Optional]
   description 0-unbounded
    @In [Optional]
   validityStart 0-1
    @dateForm [Optional]
   validityEnd 0-1
    @dateForm [Optional]
   validityExtensionDate 0-1
    @dateForm [Optional]
   sustainabilityCharacteristicText 0-99
    @In [Optional]
   issuerParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            vGeoCoord 1-1
          | zGeoCoord 0-1
      issuerAccreditationInfo 0-1
   certifiedParty 1-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
      person 0-1
```

```
@email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
           zGeoCoord 0-1
   certifiedEntity 0-unbounded
        entityID 1-3
        @schemeID [Required]
        entityTypeCode 1-1
        description 0-9
        @In [Optional]
   attachment 0-1
    @uid [Optional]
       fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
        @mime [Optional]
        @encoding [Optional]
        @characterSet [Optional]
        externalReference 0-99
            uri 1-1
            @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
           characterSetCode 0-1
        hashFootprint 0-1
        @schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
            @isURL [Optional] [Default= true]
           transactionReceipt 1-9
   note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
selfAssertion 0-99
@disclosureLevel [Optional]
@docStatusCode [Optional]
   sustainabilityCharacteristicText 0-99
    @In [Optional]
   assertionCategory 1-1
   description 1-99
    @In [Optional]
    issuerParty 1-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
       subCountry 0-1
```

```
country 0-1
    postCode 0-1
    geoCoordinates 0-1
    @um [Optional] [Default= DEGD]
    @geoRefSystem [Optional]
        xGeoCoord 1-1
        yGeoCoord 1-1
      | zGeoCoord 0-1
  | issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
    entityID 1-3
    @schemeID [Required]
    entityTypeCode 1-1
    description 0-9
  | @In [Optional]
externalRefDoc 0-99
    docID 1-1
    @numberingOrg [Optional]
    docDate 0-1
    @dateForm [Optional]
    title 0-unbounded
    @In [Optional]
    description 0-unbounded
    @In [Optional]
    validityStart 0-1
    @dateForm [Optional]
    validityEnd 0-1
    @dateForm [Optional]
    documentType 0-1
    issuerParty 0-1
        id 0-1
        @numberingOrg [Optional]
        legalName 0-1
        dept 0-1
        subDept 0-1
        person 0-1
        @email [Optional]
        @phone [Optional]
        @fax [Optional]
        street 0-1
        city 0-1
        subCountry 0-1
        country 0-1
        postCode 0-1
        geoCoordinates 0-1
        @um [Optional] [Default= DEGD]
        @geoRefSystem [Optional]
            xGeoCoord 1-1
            yGeoCoord 1-1
            zGeoCoord 0-1
       issuerAccreditationInfo 0-1
    signatureInformation 0-1
        signatureTypeCode 1-1
        signatoryParty 0-unbounded
            id 0-1
            @numberingOrg [Optional]
            legalName 0-1
            dept 0-1
            subDept 0-1
            person 0-1
            .
@email [Optional]
            @phone [Optional]
            @fax [Optional]
            street 0-1
            city 0-1
            subCountry 0-1
            country 0-1
           postCode 0-1
```

```
| geoCoordinates 0-1
             @um [Optional] [Default= DEGD]
             @geoRefSystem [Optional]
                 xGeoCoord 1-1
                 yGeoCoord 1-1
                zGeoCoord 0-1
    attachment 0-1
    @uid [Optional]
        fileName 0-1
        @numberingOrg [Optional]
        binaryObject 0-1
        @format [Optional]
@mime [Optional]
         @encoding [Optional]
         @characterSet [Optional]
        externalReference 0-99
            uri 1-1
             @isURL [Optional] [Default= true]
            mimeCode 0-1
            formatCode 0-1
            encodingCode 0-1
            characterSetCode 0-1
        hashFootprint 0-1
@schemeID [Optional]
        @hashMethod [Required]
        blockChainReference 0-9
            uri 1-1
             @isURL [Optional] [Default= true]
          | transactionReceipt 1-9
    note 0-99
    @numberingOrg [Optional]
    @codeList [Optional]
    @noteLabel [Optional]
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
validityExtensionDate 0-1
@dateForm [Optional]
```

2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, 2) data type and sintax constraints, 3) information about usage of the element in a particular position in the document: aggregation notes..

2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs). Complex elements are alphabetically ordered.

acsCode	full codification identifying an accessory product usually coupled with garment or other fashion product XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: this element can have two instances only if the numbering organisations are different XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: this element can have two instances only if the numbering organisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode: 0-2 - note for this position: this element can have two instances only if the numbering organisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/assessmentStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: this element can have two instances only if the numbering orga
	nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode: 1-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode: 1-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode: 0-2 - note for this position: this element can have two instances only if the numbering orga
activityLocation	nisations are different data relating to a place where activities take places (indicate at least element location or address, city and country) - base type: Nad,
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation: 0-99 - note for this position: Here filling location, country and subcountry is enough. When the activity is carried out in more than one location, indicate what percentage of the total is carried out at each one XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/activityLocation: 0-99 - note for this position: Here filling location, country and subcountry is enough.
	When the activity is carried out in more than one location, indicate what percentage of the total is carried out at each one XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activity Location: 0-1 - note for this position: Here filling location code, country and subcountry is enough.
assessmentStudyDocument	resulting study document (e.g. an LCA study). It can be related to a component or a pr oduct. It can be a dataset (in any format) or a report according to isStudyDataset flag). In the case of PEF study, prefer PEFStudyDocument if possible.

base type: , **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudvDocument: 0-9 - note for this position: any existing pre-existent useful study attachment an attached document. An attachment can refer to an external document or be include d with the document being exchanged XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/externalRefDoc/attachment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCheader/externalRefDoc/attachment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti ves/externalRefDoc/attachment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachm - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/atta chment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/attachment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/chemicalItem/SDSDoc/attachment: 1-1 - note for this position: reference to the SDS document XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/attachment: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen t: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/atta - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachm ent: 0-1 - note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

icate/attachment: 0-1

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif

- note for this position: indicates where to find the document or contains it as a binary o

bject (the second option is not recommended for practical reasons)

XPath TRCTRNReport/TRCheader/certificate/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment:

0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attach ment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachm ent: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs agePerformance/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/certificate/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/certificate/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/attachment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/attachment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/attachment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attach ment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att achment: 0-1

 note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment: 0-1

- note for this position: indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

	**Maste/externalRefDoc/attachment: 0-1 - note for this position: **indicates where to find the document or contains it as a binary o bject (the second option is not recommended for practical reasons) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
billOfChemical	bill of chemicals used to make the product. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical: 0-1 - note for this position: bill relating to this single treatment or processing phase XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical: 0-1 - note for this position: list of chemical related to the current product.
billOfComponents	bill of components used to create the product. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents: 0-1 - note for this position: bill relating to this single treatment or processing phase
billOfDirectEmissions	bill of direct emissions generated to make the product, excluding waste water, relating to quantities of the reference product or to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions: 0-1 - note for this position: bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions: 0-9 - note for this position: list of direct emissions related to the current product. Data from different years goes into different billOfxxxx elements. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions: 0-9 - note for this position: quantity related to the yearly outputs of the facility
billOfEnergy	breakdown of used or produced energy relating to quantities of the reference product o r to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy: 0-9 - note for this position: list of energy related to the current product. Data from different years goes into different billOfxxxx elements. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

	
	fEnergy: 0-1 - note for this position: bill relating to this single treatment or processing phase. Data from different years goes into different billOfxxxx elements. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy: 0-9 - note for this position: quantity related to the yearly consumption of the facility
billOfMaterials	quantitative bill of used materials - base type: ,
billOfTreatments	list of the treatments necessary to make the product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments: 0-1 - note for this position: list of treatments related to the current product.
billOfUsedWater	breakdown of used water relating to quantities of the reference product or to yearly dat a of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
billOfWaste	list of waste generated to make the product, excluding waste water, relating to quantiti es of the reference product or to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
billOfWasteWater	breakdown of waste water generated to make the product relating to quantities of the r eference product or to yearly data of a facility/plant - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
blockChainReference	blockchain reference - base type: string, max length: 80,

certificate	Reference and details relating to a document containing a certification issued by a thir d party who is entitled to issue it - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
certifiedEntity	The entity (organisation, process, product) for which the certification is valid base type: ,
certifiedParty	identification and details of the party to whom the certificate has been issued - base type: Nad,
chemicalItem	indicates the presence of a chemical product and possibly its quantity
directEmissionDescriptor	descriptor of direct emission (emissions that come from sources that are owned or con trolled by the producer and produced by the manufacturing process) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directE missionDescriptor: 0-99 - note for this position: consider only water emissions (@releadOn=WAT). In directEmissionType consider, in example, Ammonia (NH4+, NH3, as N), COD (Che mical Oxygen Demand), Nitrates (NO3-), Nitrites (NO2-), Nitrogenous Matter (unspecified, as N)
dyesDescriptor	dyes descriptor
endOfLifePerformance	product end of life performance
energyConsumptionDescripto r	descriptor of a quantity of used energy with the indication of its characteristics
energySupplyDescriptor	descriptor of a quantity of supplied or produced energy with the indication of its charact eristics
expectedUsagePerformance	expected performance in the product usage.
externalRefDoc	external document, used to refer generic office documents (like pdf, docx, xls, for exa mple shop window instructions) - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/externalRefDoc: 0-99 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc: 0-99 - note for this position: Any type of supporting documentation XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc: 0-99 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/externalRefDoc: 0-99

```
- note for this position: any supporting information
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/selfAssertion/externalRefDoc: 0-99
- note for this position: Any type of supporting documentation
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fEnergy/externalRefDoc: 0-99
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfEnergy/externalRefDoc: 0-99
- note for this position: any supporting information
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/socialAccountabilityEvidence/externalRefDoc: 0-99
- note for this position: supporting documents
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc: 0-99
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWaste/externalRefDoc: 0-99
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWaste/externalRefDoc: 0-99
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc: 0-99
- note for this position: any supporting information
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc: 0-99
- note for this position: Any type of supporting documentation
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/selfAssertion/externalRefDoc: 0-99
- note for this position: Any type of supporting documentation
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/ext
ernalRefDoc: 0-99
- note for this position: Any type of supporting documentation
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc: 0-9
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti
ves/externalRefDoc: 0-99
- note for this position: any supporting documentation
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fDirectEmissions/externalRefDoc: 0-99
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/selfAssertion/externalRefDoc: 0-99
- note for this position: Any type of supporting documentation
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       selfAssertion/externalRefDoc: 0-99
- note for this position: Any type of supporting documentation
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfChemical/externalRefDoc: 0-99
- note for this position: any supporting information
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs
agePerformance/externalRefDoc: 0-99
- note for this position: any supporting documentation
```

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac

ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc: 0-99 - note for this position: any supporting information TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDo c: 0-99 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/externalRefDoc: 0-99 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc: 0-99 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/externalRefDoc: 0-99 - note for this position: Any type of supporting documentation XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc: 0-99 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc: 0-99 - note for this position: any supporting documentation XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc: 0-9 - note for this position: any supporting information XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/externalRefDoc: 0-99 - note for this position: Any type of supporting documentation XPath TRCTRNReport/TRCheader/externalRefDoc: 0-9 - note for this position: reference to a document produced by or towards third parties (e .g. customs declarations, waybills, etc.) In case of Despatch or Receive, any logistic d ocuments (e.g. CMR) must be indicated here. externalReference details about an external object, such as a document stored at a remote location facilityDescriptor descriptor of a company facility facilityLocation data relating to a place of a facility (indicate at least element location or address, city a nd country) - base type: XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/facilityLocation: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLoca tion: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/facilityLocation: 0-1 - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfUsedWater/facilityLocation: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfDirectEmissions/facilityLocation: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility. TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/f acilityLocation: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/facilityLocation: 0-1 **Best Practice**

- note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/facilityLocation: 0-1 Bes
t Practice - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
Practice - note for this position: when filled indicates that collected figures are related to a specific facility.
XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facility
Location: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility.
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocati on: 0-1 Best Practice
- note for this position: when filled indicates that collected figures are related to a specific facility. XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLoc ation: 0-1 Best Practice
- note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfUsedWater/facilityLocation: 0-1 Best Practice
- note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescript
or/billOfWasteWater/facilityLocation: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfWaste/facilityLocation: 0-1 Best Practice
- note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescript
or/billOfEnergy/facilityLocation: 0-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility.
XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilit yLocation: 0-1 Best Practice
- note for this position: when filled indicates that collected figures are related to a specific facility. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/facilityLocation: 0
-1 Best Practice - note for this position: when filled indicates that collected figures are related to a specific facility.
facility sustainability characteristics
rough mass of production (by product type) and not by single article in a specific facilit y. Usually expressed as weight. XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilityYearlyProductionMass: 0-9 - note for this position: when more instances are present, they must differ for value of o bject type code
codification of the garment product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
ProductIdentification/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering organisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
PEFStudyDocument/ProductIdentification/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering organisations are different XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering orga

nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different
codification of the garment product- type A XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga rmentCodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeA: 1-1 - note for this position: here the barcode EAN-13 or EAN-8 should be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
- note for this position: here the barcode EAN-13 or EAN-8 should be specified codification of the garment product - type B
codification of the component or part of a fashion article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath
garmentVariant	garment product variant
geoCoordinates	geographical coordinates
internalWastewaterTreatment Plant	descriptor of the internal waste water treatment plant.Indicate if it serves the entire pro duction cycle or just some phases. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant: 0-9 - note for this position: indicate the plants separately when more than one. It is possible to associate them to the single phases of the production cycle or to differ ent locations.
issuerParty	Details of the party that issued the document base type: Nad, XPath
listOfFacilities	list of facilities of the organisation
materialDescriptor	descriptor of a quantity of used material with the indication of its characteristics XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor: 0-99 - note for this position: in description indicate the content and the input type: please consider water treated, flocculants, chemicals, energy

organisationAddress	organisation legal address - base type: ,
organisationDescriptor	organisation description
packagingImpactPrimaryData	primary data on packaging impact
PEFStudyDocument	PEF study document (it could be both the dataset saved by an analysis tool and the re sulting report drawn up by an expert, it depends on the isStudyDataset flag) - base type: ,
processStep	single manufacturing operation needed to produce the product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep: 1-unbounded - note for this position: inserting in the correct sequence is recommended XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/processStepsList/processStep: 1-unbounded - note for this position: inserting in the correct sequence is recommended
processStepsList	List of manufacturing operations required to produce the product XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/processStepsList: 0-1 - note for this position: activities performed there
productComponent	descriptor of one of the elements used to create the product, it indicates the codes of the component, the quantity for final product unit, supplier and any documentation
productCompos	Quantitative composition of a product
ProductIdentification	Identifies the product whose transparency and sustainability characteristics are reporte d XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification: 0-99 - note for this position: indicate the product(s) to whom this study is related XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification: 0-99 - note for this position: indicate the product(s) to whom this study is related XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification: 0-99 - note for this position: indicate the product(s) to whom this study is related XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification: 0-99 - note for this position: indicate the product(s) to whom this study is related
productOrigin	Origin of the product according to customs regulations
productSustainabilityCharacte ristics	transparency information about product sustainability characteristics
productUsageCharacteristics	transparency information about usage product characteristics
rawCode	full codification of a raw material XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/rawCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode: 0-2

	 note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode: 0-2 note for this position: this element can have two instances only if the numbering organisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/rawCode: 0-2 note for this position: this element can have two instances only if the numbering organisations are different XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode: 0-2 note for this position: this element can have two instances only if the numbering organisations are different
receiverParty	Details of the party receiving the document base type: Nad,
refDoc	identification of a document and of an item thereof, to which the message makes refer ence XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc: 0-9 - note for this position: reference to document certifying the origin XPath TRCTRNReport/TRCheader/refDoc: 0-9 - note for this position: reference to a document produced in the framework of the colla boration activities between the parties (e.g. order, catalog, price list, etc.)
reviewerParty	Details of the party that reviewed the conformance of the adopted methodology base type: Nad,
SDSDoc	reference to SDS, Safety Data Sheet, associated to a chemical according to REACH r egulation
selfAssertion	A self declared statement that issuer is able to support with detailed descriptions or do cumentation. It might comply with standards about assertions (it is the case for example of ISO14021 for environmental assertions). XPath TRCTRNReport/TRCTRNReportbody/selfAssertion: 0-99 - note for this position: the selfAssertionEntity element of every selfAssertion must be filled XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion: 0-9 - note for this position: selfassertions that apply to the whole organisation XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion: 0-99 - note for this position: supporting assertion(s) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion: 0-99 - note for this position: any self declaration related to this single treatment or processin g phase. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion: 0-99 - note for this position: selfassertions related to the facility
selfAssertionEntity	The entity (organisation, process, product) referred by the self assertion - base type: ,
senderParty	Details of the party sending the document base type: Nad,
signatoryParty	Details of the party that signed the document base type: Nad,
signatureInformation	information about the document signature
socialAccountabilityEvidence	Evidence of the conformance to the social responsibility requirements
1	•

	- base type: string,
socialAndEthicalSpecificInfor mation	social and ethical specific information list
supplier	details of the Supplier (party that supplies the good or service that is object of the curre nt collaborative process) - base type: Nad, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
texCode	full codification of the textile product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode: 0-2 - note for this position: this element can have two instances only if the numbering orga nisations are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode: 0-2
thirdParty	nisations are different identification and details of the Third Party, different from Sender and Receiver of the document
transportImpactPrimaryData	- base type: Nad, primary data on transport impact on a leg route (or a group of routes, similar by type of transport of which the total mileage is reported) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData: 0-99 - note for this position: use only transMode and routeLenght elements within transportImpactPrimaryData XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData: 0-99 - note for this position: use only transMode and routeLenght elements within transportImpactPrimaryData
TRCheader	header of the Traceability documents ("Traceability Receiving Advise", "Traceability D
	I .

	-
	espatching Advise", "Traceability Report", "Transparency and Sustainability Report")
TRCProduct	Description of transparency and sustainability features of a product
TRCTRNReportbody	body of the document TRANSPARENCY REPORT
treatmentDescriptor	descriptor of the specific single production phase (with the indication of the quantity an d of the associated bills)
usageDirectives	directives about the usage of the product.
usedWaterDescriptor	descriptor of the used water produced (with the indication of the quantity) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor: 0-99 - note for this position: Different descriptors must be used for different types of water XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/usedWaterDescriptor: 0-99 - note for this position: Different descriptors must be used for different types of water XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescript or: 0-99 - note for this position: Different descriptors must be used for different types of water
wasteDescriptor	describes a type of waste generated by the activities to which it is associated and poss ibly its quantity in relation to a reference quantity of product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantOutputList/wasteDescriptor: 1-99 - note for this position: (not final treated water)
wasteWaterDescriptor	descriptor of the waste water produced (with the indication of the quantity, their treatm ent and the possible presence of contaminants) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor: 1-99 note for this position: Different descriptors must be used for different types of waste w ater XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor: 1-99 note for this position: Different descriptors must be used for different types of waste w ater XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor: 1-99 note for this position: Different descriptors must be used for different types of waste w ater
wasteWaterPlantInputDescript or	descriptor of an input of the waste water plant. Provide only one descriptor for each so urce of waste water that flows into the installation XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor: 0-99 - note for this position: Provide a descriptor for each source of waste water that flows i nto the installation
wasteWaterPlantInputList	list of the inputs of the waste water plant. (these are the different sources of waste wat er that flow into the same plant)
wasteWaterPlantOutputList	list of outputs of the waste water plant (water excluded)
yarnCode	full codification of a yarn product XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/yarnCode: 0-2 - note for this position: this element can have two instances only if the numbering organisations are different XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode: 0-2

- note for this position: this element can have two instances only if the numbering organisations are different

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode: 0-2

- note for this position: this element can have two instances only if the numbering organisations are different

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode: 0-2

- note for this position: this element can have two instances only if the numbering organisations are different

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode: 0-2

- note for this position: this element can have two instances only if the numbering organisations are different

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode: 0-2

- note for this position: this element can have two instances only if the numbering organisations are different

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode: 0-2

- note for this position: this element can have two instances only if the numbering organisations are different

2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

activePower

active power (used or produced; use kW or W)

- base type:,

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Energy/energy Supply Descriptor/active Power: 1-1

 note for this position: when a precise energy measure is lacking, here we could give an estimaton: indicate the estimated average produced power related to a duration per iod. W or kW
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower: 1-1

- note for this position: when a precise energy measure is lacking, here we could give an estimaton: indicate the estimated average produced power related to a duration per iod. W or kW

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower: 1-1

- note for this position: when a precise energy measure is lacking, give an estimaton: indicate the estimated average load related to a duration period. Use W or kW XPath TRCTRNReport/TRCTRNReport/Dody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower: 1-1

- note for this position: when a precise energy measure is lacking, here we could give an estimaton: indicate the estimated average produced power related to a duration per iod. W or kW

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/activePower: 1-1

- note for this position: when a precise energy measure is lacking, give an estimaton: i ndicate the estimated average load related to a duration period. Use W or kW XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescripto

	r/activePower: 1-1 - note for this position: when a precise energy measure is lacking, give an estimaton: i ndicate the estimated average load related to a duration period. Use W or kW
activityStatisticalCode	statistical classification of economic activity (NACE is suggested) - base type: string,
added	additional code of the product (complementing the formers) - base type: string, max length: 80, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/yarnCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/addec : 0-9
	 note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

- note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/texCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/acsCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/yarnCode/added: 0-9 - note for this position: here an additional codification (see table T44) can be specified additionalIdentifier additional identification code of a Party, for example customs registries or others - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/supplier/additionalIdentifier: 0-9 - note for this position: identifiers for example for exports, such as MID (Manufacturer I dentification Code), REX (identifier in EU Registered Exporter system) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/supplier/additionalIdentifier: 0-9 - note for this position: identifiers for example for exports, such as MID (Manufacturer I dentification Code), REX (identifier in EU Registered Exporter system) @addType qualifier of the additional coding of a product - base type: string, cod. table: T44 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/rawCode/added/@addType: [Optional] - note for this position: addTvpe allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added /@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/rawCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@add Type: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/ @addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. RCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/acsCode/added/@addType: [Option

al]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/adddd/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/tex Code/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@addType: [Optional]

note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/added/@addType:[Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/yarn Code/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/garment Part Code/added/@add Type: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional]

note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product I dentification/texCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/added/@addType: [Optional

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode

B/added/@addType: [Optional]
- note for this position: addType allows the clarification of the meaning of the added ele

note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
 XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/acsCode/added/@addType: [Optional]

- note for this position: addType allows the clarification of the meaning of the added ele ment content; it is strongly suggested to use it always.

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product I dentification/yarn Code/added/@addType: \\ [Optional]$

- note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.

	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/yarnCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/rawCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac illityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/add ed/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/acsCode/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType: [Optional] - note for this position: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.
allocationsDescription	description of the allocations in the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/allocationsDescription: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language)
allowedTumbleDrying	allowed tumble drying, according to BS EN 23758: 1994 Textiles - Care Labelling Cod e Using Symbols - base type: string, cod. table: T311 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T311.xml
art	article number of the product - base type: string, max length: 80, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

- note for this position: can be used either for the base-article (excluding patternic.) or for the SKU XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor (Components/productComponent/exCode/art. 1-1 - note for this position: can be used either for the base-article (excluding patternic.) or for the SKU XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ DillOfComponents/productComponent/texCode/art. 1-1 - note for this position: can be used either for the base-article (excluding patternic.) or for the SKU artGroup artGroup code identifying a class of products - base type: string, max length: 40, assertionCategory assertion category, indicates the object of the assertion - base type: string, and subtle: NT323 - http://www.ebc.ene.lk/mode-mi/repository/code/art/stgc_NT323.ml author textual indication of the authors, one or more - base type: string, max length: 40, auxiliary system consumption estimated percentage on total consumption - base type: string, max length: 40, auxiliary system consumption estimated percentage on total consumption - base type: string, max length: 40, auxiliary system consumption estimated percentage on total consumption - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, - base type: max length: 40, -		
assertionCategory assertion category, indicates the object of the assertion - base type: string, cod. table: NT323 http://www.ebiz.enea.tk/mode-mi/repository/codelist/draft/gc_NT323.xml author textual indication of the authors, one or more - base type: string, max length: 40, - base type: string, max length: 40, - base type: string, max length: 40, - base type: decimal, XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor [Energy/aux/SystemsConsumptionPerc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be ret to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/aux/SystemsConsumption - only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReportTRCTRNReportbody/OrganisationDescriptor/fistOfFacilitis illityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/aux/SystemsConsumption - Perc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be ret to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReportTRCTRNReportbody/OrganisationDescriptor/fistOfFacilitis illityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/aux/SystemsConsumption - Perc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be ret to the only electric energy, or thermal or both if isElectric is unspecified averageProductLifetime averageProductLifetime (in usage phase) - base type:, min inclusive: 0, XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averagePerforenderProductLifetime: 0-9 - note for this position: indicate multiple values only if originating from different ev- on methods (different values of validationMethod or declare in note) base type:, min inclusive: 0, XPa		XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/texCode/art: 1-1 - note for this position: can be used either for the base-article (excluding pattern/colour) or for the SKU XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/art: 1-1 - note for this position: can be used either for the base-article (excluding pattern/colour
author textual indication of the authors, one or more -base type: string, max length: 40, auxSystemsConsumptionPerc auxSystemsConsumptionPerc auxiliary system consumption estimated percentage on total consumption -base type: decimal, -	artGroup	, , ,
auxSystemsConsumptionPerc auxiliary system consumption estimated percentage on total consumption - base type: decimal, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor fEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be reit to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptic c: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be reit to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReport/TRCTRNReportbody/TRCPoduct/ productSustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptic c: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be reit to the only electric energy, or thermal or both if isElectric is unspecified averageProductLifetime average product life time (in usage phase) base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageProductLifetime: 0-9 - note for this position: indicate multiple values only if originating from different ev on methods (different values of validationMethod). average life time (in usage phase) of a reference product in the market, different fe he present product base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageReferenceProductLifetime: 0-9 - note for this position: indicate multiple values only if originating from different ev on methods (different values of validationMethod or declare in note). expected average washing number during the expected life of the product - base type: , min inclusive: 0, fraction digits: 0, XPath TRC	assertionCategory	- base type: string, cod. table: NT323
- base type: decimal, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor IEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be rei to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptio C: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be rei to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilitii ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsu nPerc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be rei to the only electric energy, or thermal or both if isElectric is unspecified average ProductLifetime average product life time (in usage phase) base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageProductLifetime: 0-9 - note for this position: indicate multiple values only if originating from different ev. on methods (different values of validationMethod). average life time (in usage phase) of a reference product in the market, different ference productsustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageReferenceProductLifeTime: 0-9 - note for this position: indicate multiple values only if originating from different ev. on methods (different values of validationMethod) averageWashingNumber expected average washing number during the expected life of the product - base type: , min inclusive: 0, fraction digits: 0, XPath TRCTRNReport/TRCTRNReport/DRCProduct/ ProductSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageWashingNumber: 0-9	author	
- base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageProductLifetime: 0-9 - note for this position: indicate multiple values only if originating from different even on methods (different values of validationMethod). averageReferenceProductLifeTime average life time (in usage phase) of a reference product in the market, different for the present product base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedagePerformance/averageReferenceProductLifeTime: 0-9 - note for this position: indicate multiple values only if originating from different even on methods (different values of validationMethod or declare in note). expected average washing number during the expected life of the product base type: , min inclusive: 0, fraction digits: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedagePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different even agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different even agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different even agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different even agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different even agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different even agePerformance/averageWashingNumber: 0-9	auxSystemsConsumptionPerc	 - base type: decimal, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be referred to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPer c: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be referred to the only electric energy, or thermal or both if isElectric is unspecified XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc: 0-2 - note for this position: synthetic indicator for the whole bill of energy. Might be referred
he present product base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageReferenceProductLifeTime: 0-9 - note for this position: indicate multiple values only if originating from different evon methods (different values of validationMethod or declare in note). averageWashingNumber expected average washing number during the expected life of the product - base type: , min inclusive: 0, fraction digits: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expected agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different evo	averageProductLifetime	- base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs agePerformance/averageProductLifetime: 0-9 - note for this position: indicate multiple values only if originating from different evaluati
 base type: , min inclusive: 0, fraction digits: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expecte agePerformance/averageWashingNumber: 0-9 note for this position: indicate multiple values only if originating from different events. 	•	- base type: , min inclusive: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs agePerformance/averageReferenceProductLifeTime: 0-9 - note for this position: indicate multiple values only if originating from different evaluati
	averageWashingNumber	- base type: , min inclusive: 0, fraction digits: 0, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs agePerformance/averageWashingNumber: 0-9 - note for this position: indicate multiple values only if originating from different evaluati
binaryObject a binary large object containing an attached document, Coding 'base64Binary' is mended base type: base64Binary,	binaryObject	

CASCode	CAS code of the chemical (assigned by Chemical Abstracts Service) - base type: string, min length: 1, max length: 30, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/chemicalltem/SDSDoc/CASCode: 1-1 - note for this position: chemical product to which the SDS sheet refers XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/chemicalltem/SDSDoc/CA SCode: 1-1 - note for this position: chemical product to which the SDS sheet refers
certificateID	Identifier of the certificate assigned by the issuer - base type: string,
certificationStandardName	it indicates the specification that has been used as normative basis of the certificate. (e xamples: 'GRS-global recycling standard' or 'Standard 100 OEKO-TEX') - base type: string,
@characterSet	the character set of the binary object (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,) - base type: normalizedString,
characterSetCode	the character set of an external document (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,) - base type: normalizedString,
city	name of the city (town, village) - base type: string, max length: 40,
@codeList	it specifies the URL where the list of codes used to make an instance of the element c an be found - base type: string, max length: 255, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Chemical/external Ref Doc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariantVariantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numbering Org" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/self Assertion/external Ref Doc/note/@code List: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV ariant/variantType/@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCheader/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Character \dot{i} stics/bill Of Used Water/used Water Descriptor/note/@codeList: [Optional]$

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/note/@code List: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType /@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" sho uld be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode\\ B/artGroup/@codeList: [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 ${\sf PEFStudyDocument/ProductIdentification/texCode/pattern/@codeList:} \ [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/product Usage Characteristics/expected Usage Performance/external Ref Doc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/end Of Life Performance/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/not e/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $\label{percond} PEFS tudy Document / Product I dentification / garment Part Code / fabric / @code List: \\ [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/color/@codeList: [

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

```
fComponents/productComponent/acsCode/color/@codeList: [Optional]
```

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/pattern/@codeList: [Option

al]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/note/@codeList: [Option

al]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/season/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $\label{lem:percode} PEFStudy Document / Product I dentification / garment Code / garment Code B / fabric / @code List: [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariantType/@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" should be set

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@codeListainabilityCharacteristics/billOfDirectEmissions/note/

t: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalltem/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/tex Code/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/tex Code/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/color/@codeList: [Opt

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product Identification/raw Code/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Direct Emissions/external Ref Doc/note / @code List: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Direct Emissions/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Character is tics/internal Wastewater Treatment Plant/note/\\ @codeList: [Optional]$

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode/garmentVariant/variantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCheader/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@co

deList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCheader/refDoc/season/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV ariant/variantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document / Product I dentification / raw Code / art / @code List: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Waste/external Ref Doc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product I dentification/acs Code/pattern/@codeList: \\ [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product Identification/texCode/pattern/@codeList: \\ [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList: [Opt

ionall

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

processStepsList/processStep/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList: [
Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPatl

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product I dentification/yarn Code/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac

ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/note/@codeList: IOptionall

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numbering Org" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode\\ B/color/@codeList: [Optional]$

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode\\ B/fabric/@codeList: [Optional]$

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/mod/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList: IOptionall

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariantType/@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/season/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustain a bility Characteristics/bill Of Energy/energy Supply Descriptor/note/\\ @codeList: [Optional]$

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Used Water/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/note/@codeList: [Optiona

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@codeList: [Option al]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numbering Org" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@codeList: [Option al]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/fabric/@codeList: [Op

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/mod/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" should be set

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

fComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Materials/external Ref Doc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCheader/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList: [Optional]

- note for this position: always at leat one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/art/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/art/@codeList: [Optional]

 note for this position: at least one out of this attribute and "numberingOrg" should be set
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/garment Code/garment CodeB/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Materials/material Descriptor/transport Impact Primary Data/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeA/art/@codeCoptionalI

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/pattern/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/mod/@codeList: [Opti onall

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/art/@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/mod/@codeList: [Opti

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@codeList: [Op tional1

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern /@codeList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/dyesDescriptor/note/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/rawCode/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/not e/@codeList: [Optional]

- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@co deList: [Optional]

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/fabric/@codeList: [Opt

- note for this position: at least one out of this attribute and "numberingOrg" should be set

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/color/@codeList: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/color/@codeList: [Optional

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical

	SpecificInformation/assessmentStudyDocument/ProductIdentification/note/@codeList: [Optional]
	- note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/texCode/art/@codeList: [Optional] - note for this position: at least one out of this attribute and "numberingOrg" should be set
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/fabric/@codeList: [Optional] - note for this position: at least one out of this attribute and "numberingOrg" should be
	set XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfChemical/chemicalItem/note/@codeList: [Optional] - note for this position: must be used to provide (URL) the list of codes used in "noteLa"
	bel" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fWaste/wasteDescriptor/note/@codeList: [Optional] - note for this position: must be used to provide (URL) the list of codes used in "noteLa
	bel" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/note/@cod
	eList: [Optional] - note for this position: must be used to provide (URL) the list of codes used in "noteLa bel"
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/no
	te/@codeList: [Optional] - note for this position: must be used to provide (URL) the list of codes used in "noteLa
	bel" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/acsCode/art/@codeList: [Optional] - note for this position: at least one out of this attribute and "numberingOrg" should be
	set XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/rawCode/art/@codeList: [Optional]
	- note for this position: at least one out of this attribute and "numberingOrg" should be set
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@code List: [Optional]
	- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@codeList: [Optional]
	- note for this position: at least one out of this attribute and "numberingOrg" should be set
collectedFractionMassPercenta ge	percentage of total collected post consumption fraction mass (calculated on the weight) base type: ,
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/collectedFractionM assPercentage: 0-9 - note for this position: Use distinct elements for data related to different years
color	colour number of the product, when not included in the model or fabric code - base type: string, max length: 15,
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/color: 0-1 - note for this position: when a garment component, it should be the code assigned to t
	, , , , , , , , , , , , , , , , , , , ,

	he garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/color: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOTTreatments/treatmentDescriptor/billOffComponents/productComponent/garmentPartCode/color: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/color: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/color: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article
country	code of the nation - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml
customsStat	statistic code assigned by Customs to a specified product (TARIC code) - base type: string, max length: 15,
dataQualityDescription	description of the data quality in the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/dataQualityDescription: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language)
@dateForm	format used for the date - base type: string, cod. table: NT29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml
declaredQty	declared net quantity (might be referred to a year; could be measured, estimated or de rived from literature or other sources, as specified by the appropriate attribute) - base type: , min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilityYearlyProductionMass/declaredQty: 0-2 - note for this position: this element can have two instances only if the units of measur e are different XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty: 0-1 - note for this position: resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescr iptor/declaredQty: 0-1 - note for this position: resulting emission quantity to obtain the product quantity indicated in referenceProductQuantity XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/declaredQty: 0-9 - note for this position: needed water quantity to obtain the product quantity indicated in referenceProductQuantity XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty: 0-1

- note for this position: resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/declaredQty: 0-1

 note for this position: resulting emission quantity to obtain the product quantity indicat ed in referenceProductQuantity
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty: 0-1

- note for this position: resulting emission quantity to obtain the product quantity indicat ed in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/internal Wastewater Treatment Plant/waste Water PlantInput List/waste Water PlantInput Descriptor/material Descriptor/declared Qty: 0-1

 note for this position: needed material quantity for the product quantity indicated in ref erenceProductQuantity. Use a weight unit of measure

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescript or/declaredQty: 0-9

- note for this position: needed water quantity to obtain the product quantity indicated in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty: 0-1

- note for this position: resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/dec laredQty: 0-9

note for this position: needed water quantity to obtain the product quantity indicated in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Materials/material Descriptor/declared 0-1

 note for this position: needed material quantity for the product quantity indicated in ref erenceProductQuantity. Use a weight unit of measure XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantOutputList/wasteDescriptor/declaredQtv: 0-1

- note for this position: resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/declaredQty: 0-1

- note for this position: resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty: 0-1

- note for this position: resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/declaredQty: 0-1

- note for this position: resulting emission quantity to obtain the product quantity indicat ed in referenceProductQuantity

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/declaredQty: 0-1

- note for this position: resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity

dept	name or code of a department - base type: string, max length: 40,
description	free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language
) base type: string, max length: 250,
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fComponents/productComponent/selfAssertion/description: 1-99 - note for this position: in case insert here reference to existing standard/certification or
	assertion standards, like ISO14021. Only one instance of this element for each different value of 'In' attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fDirectEmissions/directEmissionDescriptor/description: 0-99 - note for this position: Only one instance of this element for each different value of 'In'
	attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	assessmentStudyDocument/ProductIdentification/description: 0-9
	 note for this position: Only one instance of this element for each different value of 'ln' attribute (language) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded
	- note for this position: Product description
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/description: 0
	 -unbounded - note for this position: Only one instance of this element for each different value of 'ln'
	attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/description: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In' attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/rawCode/description: 0-unbo
	unded - note for this position: Raw material description
	XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/description: 1-99
	 note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.
	Only one instance of this element for each different value of 'ln' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/description: 0-99
	- note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
	SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded
	- note for this position: <i>Product description</i> XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/certifie dEntity/description: 0-9
	 note for this position: Name or short textual description of the entity. Only one instance e of this element for each different value of 'ln' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	billOfComponents/productComponent/selfAssertion/externalRefDoc/description: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In' attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

fWaste/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescripto r/description: 1-1

 note for this position: Also indicate in the description whether it is used by auxiliary sy stems or direct processes or both

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/descript ion: 0-99

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/selfAssertionEntity/descript ion: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Chemical/dyes Descriptor/description:

0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded

- note for this position: *Product description*

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/description: 1

-9

- note for this position: *give a rough indication of the type of chemical product*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/description: 1-99

- note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.

Only one instance of this element for each different value of 'ln' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/certificate/

certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/selfAssertionEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/description: 0-9

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/description: 0-unbounded

- note for this position: Product part description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemical/tem/description: 1-9

- note for this position: *give a rough indication of the type of chemical product*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/description: 0-unbounded

- note for this position: *Product description* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCheader/certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/description: 0-unbounded

- note for this position: Raw material description

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In'

attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Character \dot{i} stics/bill Of Used Water/used Water Descriptor/description: 0-99$

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/description: 0-unbounded

- note for this position: Raw material description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/description: 0-unb

- note for this position: Product part description

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

fComponents/productComponent/texCode/description: 0-unbounded

- note for this position: *Product description* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/description: 0-9

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCheader/certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/description: 0-unbounded

- note for this position: Product description

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/description: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/description: 1-99

- note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.

Only one instance of this element for each different value of 'ln' attribute (language) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/descript ion: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/description: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded

- note for this position: Product description

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeA/description: 0-unbounded

- note for this position: Product description

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCheader/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/description: 0-unbounded

- note for this position: Product part description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/rawCode/description: 0-unbounded

 note for this position: Raw material description XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description: 1-99

- note for this position: For example water or sludge... and indicate the operation that i s producing it. Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/description: 0-unbounded

- note for this position: Product part description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/selfAssertionEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Chemical/external Ref Doc/description

: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

processStepsList/processStep/description: 0-9

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/description: 1-99

- note for this position: For example water or sludge... and indicate the operation that i s producing it. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/self Assertion/external Ref Doc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode/description: 0-unbounded

- note for this position: Product description

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/description: 0-unbounded

- note for this position: Raw material description XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/description: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/description: 0-9

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/description: 0-unbound

- note for this position: Product part description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif

icate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/description: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPat

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/description: 1-99

- note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.

Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded

- note for this position: Product part description

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

selfAssertionEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/description: 0-unbounded

- note for this position: *Product description* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description: 1-1

- note for this position: Also indicate in the description whether it is used by auxiliary sy stems or direct processes or both

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Materials/material Descriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Characteristics/bill Of Materials/external Ref Doc/description: \\0-unbounded$

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/description: 0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description: 0-unbounded

- note for this position: Raw material description XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/description: 0-9

note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescript or/description: 0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/description: 0-unbounded

- note for this position: *Product description* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode

B/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description: 0-99

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Character is tics/bill Of Waste/external Ref Doc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Direct Emissions/external Ref Doc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/description: 1-99

- note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.

Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/description: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description: 0-unbounded

- note for this position: *Product part description* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/description: 0-unbounded

note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/description: 1-1

- note for this position: Also indicate in the description whether it is used by auxiliary sy stems or direct processes or both

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/description: 0 99

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/description: 0-99

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/description: 0-99

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/description: 0-99

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac

ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/descript ion: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/description: 0-unbo

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/description: 0-unbounded

- note for this position: Raw material description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/description: 1-99

- note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.

Only one instance of this element for each different value of 'In' attribute (language)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/certifiedEntity/description: 0-9

- note for this position: Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description: 1-99

- note for this position: For example water or sludge... and indicate the operation that i s producing it. Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/description: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/description: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeA/descriptio

n: 0-unbounded

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/yarnCode/description: 0-unb

- note for this position: Product description

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/description: 1-99

- note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021.

Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReport/Doublet/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/description: 0-99

	- note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/description: 0-unbounded - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/description: 1-99 - note for this position: in case insert here reference to existing standard/certification or assertion standards, like ISO14021. Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpa ctPrimaryData/description: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/description: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/description: 0-unbounded - note for this position: Product description VPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOftDsedWater/externalRefDoc/description: 0-unbounded - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOftComponents/productComponent
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/description: 0-9 - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/selfAssertionEntity/description: 0-9 - note for this position: Name or short textual description of the entity. Only one instanc e of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/description: 0-9 - note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
directEmissionType	type of direct emission generated for the realization of the product (examples: in air C O2, NOx, PO4, PM10, PM2.5; in water SO2; in soil PO4) - base type: string, max length: 40,
@disclosureLevel	indicates the level of disclosure permitted for the information it is associated with - base type: decimal, cod. table: NT311 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml
docDate	date of issue of the referenced document, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW base type: string,

docID	identification number of the referenced document - base type: string, max length: 80, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/docID: 1-1 - note for this position: reference to the internal certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate to the systems of the participants in the supply chain XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/docID: 1-1 - note for this position: reference to
@docStatusCode	current status of the document - base type: decimal, cod. table: NT313 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml
@docType	type or class to which the referenced document belongs - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml
documentType	type or class to which the document belongs - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml
@docValidity	document current validity indicator - base type: boolean,
drop	drop number of the garment - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop: 0-1 - note for this position: Fill this element if the drop is the same for all the sizes of the m odel. Otherway specify it within the csRange element XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentCode/garmentCodeB/drop: 0-1 - note for this position: Fill this element if the drop is the same for all the sizes of the m odel. Otherway specify it within the csRange element XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/drop: 0-1

	- note for this position: Fill this element if the drop is the same for all the sizes of the m odel. Otherway specify it within the csRange element XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop:
	o-1 - note for this position: Fill this element if the drop is the same for all the sizes of the m odel. Otherway specify it within the csRange element
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
	B/drop: 0-1 - note for this position: Fill this element if the drop is the same for all the sizes of the m odel. Otherway specify it within the csRange element XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop: 0-1
	 note for this position: Fill this element if the drop is the same for all the sizes of the m odel. Otherway specify it within the csRange element XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop: 0-1 - note for this position: Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element
dyesCategory	dyes category - base type: integer, cod. table: T312 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T312.xml
@email	electronic mail address of the contact person within a Party - base type: string, max length: 250,
emptyReturnForTruck	empty return for truck transport - base type: boolean,
@encoding	specifies the decoding algorithm of the binary object - base type: normalizedString,
encodingCode	the encoding/decoding algorithm used with the external object (example is 'base64Bin ary') - base type: normalizedString,
energy	Quantity of Energy measured (produced or consumed; use Wh or kWh) - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfTenergy/energyConsumptionDescriptor/energy: 1-1 - note for this position: when used to describe the energy related to a facility please ref
	er to its yearly production. Use Wh or kWh XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fEnergy/energySupplyDescriptor/energy: 1-1 - note for this position: when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescripto
	r/energy: 1-1 - note for this position: when used to describe the energy related to a facility please ref
	er to its yearly production. Use Wh or kWh
	er to its yearly production. Use Wh or kWh XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor
	er to its yearly production. Use Wh or kWh XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor /energy: 1-1 - note for this position: when used to describe the energy related to a facility please ref er to its yearly production. Use Wh or kWh
	er to its yearly production. Use Wh or kWh XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor /energy: 1-1 - note for this position: when used to describe the energy related to a facility please ref

	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDes criptor/energy: 1-1 - note for this position: when used to describe the energy related to a facility please ref er to its yearly production. Use Wh or kWh
@energyRecoveryEfficiency	efficiency value of the energy recovery process (indicator calculated by Wh per kg of p roduct) - base type: decimal,
energySourceType	type of energy source - base type: string, cod. table: NT320 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/ener gySourceType: 0-1 - note for this position: specify this information especially for renewable sources XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/energySupplyDescriptor/energySourceType: 0-1 - note for this position: specify this information especially for renewable sources XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor /energySourceType: 0-1
entityID	- note for this position: specify this information especially for renewable sources unique identification number assigned to an entity.
	- base type: string, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/certifiedEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/self AssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ selfAssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/certifiedEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/certifiedEntity/entityID: 1-3 - note for this posi

- note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/certifiedEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCheader/certificate/certifiedEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entit - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/selfAssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/selfAssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/selfAssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/certifie dEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different scheme) D value) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/selfAssertionEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/certifiedEntity/entityID: 1-3 - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID - note for this position: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemel D value) entityTypeCode code that indicates the type of entity to which we refer - base type: string, cod. table: NT201 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml evidenceValue value of the specified indicator which constitutes evidence of the criterion - base type: string, **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical

	SpecificInformation/socialAccountabilityEvidence/evidenceValue: 0-1 - note for this position: any unit of measurement is indicated by the socialAccountabilit
	yEvidenceCategory
EWCWasteCode	code of the waste according to the European Waste Catalogue (CER or EWC) classification. Refer to table NT315 or directly to the standard if the code you are looking for is not present. - base type: string, max length: 9,
@exhaustiveInformation	indicates that the provided information is guaranteed as exhaustive (all the information are mentioned – with the only limitations due to the access rights-) or non-exhaustive (the list contains just some elements): value true=exhaustive - base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@exhaustiveInform ation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce
	ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen ts). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce
	ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied
	information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen ts). XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation: [Required]
	- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation: [Required]
	- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen
	ts). XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveIn formation: [Required]
	- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen
	ts). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/@exhaustiveInformation: [Required]
	- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Chemical/@exhaustive Information: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/@exhaustiveInformation: [Required]

- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of the product Sustainability Characteristics and the product Sustainability Cha

	fUsedWater/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation
	: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen ts). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfWaste/@exhaustiveInformation: [Req uired] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen
	ts). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/@exhaustiveInformation: [Required]
	- note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen ts). XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the acce
	ss rights-) When FALSE, non-exhaustive (the list contains only some foreseen elemen ts). XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/@exhaustiveInformation: [Required] - note for this position: When TRUE the sender guarantees as exhaustive the supplied
	information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).
@externalProviderIndicator	indicates that the product is supplied by an external supplier: value true = supplied by external; false value = made internally. - base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/@externalProviderIndicator: [Optional] - note for this position: Indicate true only if the product is made entirely externally to the ecompany
fabric	fabric number of the garment - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	- note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/fabric: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/fabric: 0-1 - note for this position: when a garment component, it should be the code assigned to the garment article
@fax	fax number of the contact person within a Party - base type: string, max length: 35,
@fibre	type of fibre used in a textile product - base type: string, cod. table: T19 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml
fileName	unique identifier (name) of the file - base type: string, max length: 255,
@format	the format of the binary content (examples xml, pdf, doc,) - base type: string,
formatCode	the format of the external object (examples xml, pdf, doc,) - base type: normalizedString,
fractionMassToCompostingPerc	percentage of collected post consumption fraction mass to composting. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/fractionMassToCo mpostingPerc: 0-9 - note for this position: Use distinct elements for data related to different years
fractionMassToRecyclingPerc	percentage of collected post consumption fraction mass to recycling. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
fractionMassToReusePerc	percentage of collected post consumption fraction mass to reuse. - base type: , XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/fractionMassToRe usePerc: 0-9 - note for this position: Use distinct elements for data related to different years
functionalUnitDescription	description of the functional unit object of the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/functionalUnitDescription: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language)

@geoRefSystem	georeference system adopted for the coordinate (in example wgs84 with decimal degr ee o degree with minute and seconds) - base type: string,
gPart	code specifying the type of component or part of a fashion product (sleeve, neck,) - base type: string, cod. table: T48 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml
hashFootprint	footprint obtained by applying an hashing algorythm - base type: string, max length: 80,
@hashMethod	type of used hashing algorythm - base type: string, max length: 80, cod. table: NT333 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml
@hazardous	qualification as 'hazardous' for the object to which it refers (if true it is dangerous) - base type: boolean,
id	primary identification code of a Party; it is recommended to use an EORI number (with @numberingOrg= "EO") or the format: nation code (ISO 3166) + national tax code (i.e. VAT identification number) with @numberingOrg= "MF" - base type: string, max length: 15,
@idQualifier	Qualification of the identifier. - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
@indirectIncluded	indicatets that also indirect consumptions or emissions or impacts (for example energy consumption of auxiliary systems) have been considered. False value = direct impacts only, true value also indirect impacts base type: boolean,
inputMaterialCategory	input material category - base type: string, cod. table: NT322 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT322.xml
@internalEnergyProduction	indicates if the energy is supplied by an internal energy production (TRUE) or from me xternal source (for example electricity grid) - base type: boolean,
@internallyPerformed	indicates that the operation is carried out internally (value TRUE) of the organization a nd not at a subcontractor or other subject (value FALSE) - base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/@internallyPerformed: [Required] - note for this position: information relating to the entire component XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/@internallyPerformed: [Required] - note for this position: information relating to the entire component
@isElectric	indicates whether it is electricity ('true' value) or thermal energy ('false' value). When a bsent refer to both base type: boolean,
@isStudyDataset	if 'true' the element to which it is associated is the dataset of a study to be treated as a binary dataset, otherwise it is a report
	- base type: boolean,
issuerAccreditationInfo	- base type: boolean, accrediting information of the issuer of the document - base type: string,

- base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/e xternalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attach ment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachm ent/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif icate/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/atta chment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optio nal] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/certificate/ attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/att achment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment /externalReference/uri/@isÚRL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/attachment/externalReference/uri/@isURL: [Optional] [De fault= true - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/attachment/externalReference/uri/@isURL: [Optio

nal] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChain Reference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [O ptionall [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/attachment/blockChainReference /uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: *usage of URLs is recommended* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att achment/externalReference/uri/@isURL: [Optional] [Default= true]

 note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri /@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default = true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Defa It= true]

- note for this position: *usage of URLs is recommended* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

```
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/refDoc/attachment/blockChainReference/uri/@isUR
L: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachm
ent/blockChainReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att
achment/blockChainReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attach
ment/blockChainReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [De
fault= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/attachment/blockChainReference/uri/@isURL: [Optional] [
Default= true1
- note for this position: usage of URLs is recommended
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@is
URL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/ex
ternalReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attach
ment/externalReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productOrigin/refDoc/attachment/externalReference/uri/@isURL: [Optional] [De
fault= true1
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCheader/certificate/attachment/
       externalReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA
ssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default
= true1
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment
/blockChainReference/uri/@isURL: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/attachment/blockChainReference/uri/@isURL: [O
ptional] [Default= true]
- note for this position: usage of URLs is recommended
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL
: [Optional] [Default= true]
- note for this position: usage of URLs is recommended
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/refDoc/attachment/externalReference/uri/@isURL: [
Optional] [Default= true]
```

XPath

- note for this position: usage of URLs is recommended

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default - true]

- note for this position: usage of URLs is recommended

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCheader/refDoc/attachment/

externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default=true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCheader/externalRefDoc/attachment/

externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/product Usage Characteristics/expected Usage Performance/external Ref Doc/attachment/block Chain Reference/uri/@isURL: [Optional] [Default=true]

 note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/attachment/externalReference/uri/@isURL: [Optional] [Default=true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

 note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default = true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCheader/certificate/attachment/

blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= tr

ue]

 note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/attachment/externalReference/uri/@is URL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/attachment/externalReference /uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: *usage of URLs is recommended* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/ext ernalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Chemical/chemical Item/SDSDoc/attachment/external Reference/uri/@isURL: [Optional] [Default= true]

- note for this position: *usage of URLs is recommended* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default=true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

 $external Ref Doc/attachment/external Reference/uri/@is URL: [Optional] \ [Default] \\$

= true]

- note for this position: usage of URLs is recommended

 $XPath\ TRCTRNReport/TRCheader/externalRefDoc/attachment/$

blockChainReference/uri/@isURL: [Optional] [Default= true]

 note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/attachment/blockChainReference/uri/@is URL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment /blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/attachment/externalReference/uri /@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/atta chment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalRe ference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachme nt/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti ves/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [Default= tr - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/attachment/externalReference/uri/@isUR L: [Optional] [Default= true] - note for this position: usage of URLs is recommended **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attach ment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/certificate/ attachment/externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment /externalReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL: [Optional] [D efault= true1 - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri/@isURL: [Opti onall [Default= true] - note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCheader/refDoc/attachment/

blockChainReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/attachment/externalReference/uri/@isURL: [Optional] [Default= true]

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Def

- note for this position: usage of URLs is recommended

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

	-
	fWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL: [Optional] [Default= true] - note for this position: usage of URLs is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
itemID	number of the line/item of the referenced document - base type: string, max length: 40,
legalName	legal name - base type: string, max length: 250,
limitationsDescription	description of the limitations of the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/limitationsDescription: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language)
@limitedByDisclosureIndicator	indicates whether the content has been restricted by the enforcement of accessibility ri ghts (i.e. it may not be complete): true = restricted, false = not restricted - base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

YPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

processStepsList/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/@limitedByDisclosureIndic ator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/@limitedByDisclosureIndicator: [Optional]

- note for this position: use when you want to indicate that the content provided is only

a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/@limitedByDisclosur eIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIn dicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/@limitedByDisclosureIndicato r: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/@limitedByDisclosureIndic ator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/@I imitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/@limitedByDisclosureIndicator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@limitedByDisclosureInd icator: [Optional] - note for this position: use when you want to indicate that the content provided is only a part of what is actually stored @listName the name of the list of codes used to make an instance of the element (it migth be thou ght as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264") - base type: string, max length: 40, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/acsCode/color/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@list Name: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/pattern/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/texCode/pattern/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/fabric/@listName: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr

```
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentPartCode/fabric/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/colo
r/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentPartCode/mod/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
3
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod
e/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeA/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/size/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
3
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod
e/mod/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/acsCode/color/@listName: [
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod
e/fabric/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/size/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/artGroup/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/rawCode/color/@listName: [Optional]
```

```
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/texCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName: [
Optional]

    note for this position: this attribute should always be used coupled with "numberingOr

g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAnd Ethical\\
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/texCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/texCode/art/@listName: [Opt
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/rawCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@lis
tName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/garmentVariant/variantType/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/rawCode/art/@listName: [Op
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/drop/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/acsCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/yarnCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
```

```
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/garmentVariant/variantCode/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName: [O
ptional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/rawCode/color/@listName: [
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/yarnCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/acsCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/mod/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeA/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/mod/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
     TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/rawCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/acsCode/art/@listName: [Op
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/acsCode/pattern/@listName: [Optional]
```

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical

```
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@li
stName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod
e/size/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeA/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName:
[Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listNa
me: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/texCode/pattern/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/texCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabr
ic/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@listN
ame: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size
/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/texCode/color/@listName: [
Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/fabric/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
```

```
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/texCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentPartCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/acsCode/pattern/@listName: [Option
al]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/acsCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/acsCode/color/@listName: [Optional
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listNam
e: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listName: [
Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/mod/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productOrigin/refDoc/season/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/yarnCode/color/@listName: [Optional
ŋ
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/yarnCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCheader/refDoc/season/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentPartCode/color/@listName: [Opt
ional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/texCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
```

```
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/texCode/pattern/@listName: [Option
all
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/texCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
      TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName:
[Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/refDoc/season/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@I
istName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeA/art/@listName: [Optio
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV
ariant/variantCode/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/drop/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/size/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
```

```
[Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listName: [
Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@li
stName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/varnCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
      TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentPartCode/size/@listName: [Opti
onall
- note for this position: this attribute should always be used coupled with "numberingOr
g'
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/garmentVariant/variantCode/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/acsCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/fabric/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
      TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/yarnCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType
/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/rawCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
        billOfComponents/productComponent/garmentPartCode/fabric/@listName: [Op
tional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/fabric/@listName: [Optional
- note for this position: this attribute should always be used coupled with "numberingOr
```

PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listName:

```
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listNa
me: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentPartCode/mod/@listName: [Opti
onall

    note for this position: this attribute should always be used coupled with "numberingOr

g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentPartCode/fabric/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/rawCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/color/@lis
tName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCod
e/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listN
ame: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/refDoc/season/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/acsCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/rawCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/rawCode/color/@listName: [Optional
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listNa
me: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/drop/@listName: [Optional]
```

```
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/mod/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/acsCode/pattern/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
      TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV
ariant/variantType/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilitvDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/garmentVariant/variantType/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/yarnCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listN
ame: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/acsCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/yarnCode/art/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garme
ntVariant/variantType/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/drop/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/varian
tType/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@li
stName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/color/@listName: [Opt
ional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/rawCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
```

- note for this position: this attribute should always be used coupled with "numberingOr

```
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/garmentVariant/variantCode/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@
listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeB/artGroup/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGro
up/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/drop/@listName: [Opti
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/varian
tCode/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/size/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/artGroup/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentPartCode/size/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/garmentVariant/variantType/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentPartCode/size/@listName: [Optional]
```

```
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentPartCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode
B/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/acsCode/pattern/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/mod/@listName: [Opti
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listNa
me: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/fabric/@listName: [Op
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@li
stName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern
/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/texCode/color/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mo
d/@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g'
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/
@listName: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@list
Name: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garme
```

- note for this position: this attribute should always be used coupled with "numberingOr

- note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/ @listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listName: [Optional₁ - note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName: [Opti onall - note for this position: this attribute should always be used coupled with "numberingOr g" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/art/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/garmentCode/garmentCodeB/size/@listName: [Opti onall - note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/art/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g' XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment CodeB/size/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/mod/@listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g' **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@lis tName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/ @listName: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr @listVersion it specifie the version of the list of codes used to make an instance of the element - base type: string, max length: 6, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/acsCode/color/@listVersion: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantType/@listVersion: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" **XPath**

ntVariant/variantCode/@listName: [Optional]

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/art/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@list

Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@list

Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode\\ B/fabric/@listVersion: [Optional]$

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/artGroup/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode/garmentCode/garmentVariant/variantCode/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/size/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/season/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVer

sion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/size/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode\\ B/mod/@listVersion: [Optional]$

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size /@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantCode/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/drop/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product I dentification/garment Part Code/color/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

VPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $\label{lem:person} PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/\\ @listVersion: [Optional]$

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/garment Code/garment CodeB/art Group/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/garment Code/garment Code B/size/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion:

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/size/@listVersion: [Optional

]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/size/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariantVariantCode/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@lis

tVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/garment Code/garment Code B/color/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

```
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/varian
tCode/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/yarnCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV
ariant/variantType/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/rawCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/acsCode/pattern/@listVersion: [Optional
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCheader/refDoc/season/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/acsCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCod
e/@listVersion: [Optional]
```

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

 $XPath\ TRCTRNReport/TRCTRNReportbody/TRCProduct/$

ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Option

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType /@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

```
ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Option
al]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/acsCode/color/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optiona
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/garmentPartCode/color/@listVersion: [O
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/acsCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/texCode/pattern/@listVersion: [Optio
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/texCode/color/@listVersion: [Option
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Option
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion:
[Optional]

    note for this position: this attribute should always be used coupled with "numberingOr

g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Opti
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productOrigin/refDoc/season/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/rawCode/color/@listVersion: [Option
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/yarnCode/color/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/acsCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
  Path TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/ProductIdentification/rawCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
```

```
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           PEFStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           PEFStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [Optional
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           PEFStudyDocument/ProductIdentification/yarnCode/color/@listVersion: [Optio
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           product Sustain ability Characteristics/bill Of Treatments/treatment Descriptor/bill Of the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characteristics and the product Sustain ability Characte
fComponents/productComponent/garmentCode/garmentCodeB/fabric/@listVersion: [O
ptional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@list
Version: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath
            TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/drop/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
   Path TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/texCode/pattern/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/texCode/art/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
           TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/artGroup/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
   Path TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/yarnCode/color/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
XPath
           TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/size/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
   Path
            TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga
rmentCodeB/garmentVariant/variantCode/@listVersion: [Optional]
- note for this position: this attribute should always be used coupled with "numberingOr
g" and "listName"
```

ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion: [Optiona

η

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@listVersion: [Optional]

 note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product Identification/tex Code/pattern/@listVersion: \\ [Optional]$

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product I dentification/acs Code/art/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion:

[Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product I dentification/yarn Code/color/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product I dentification/raw Code/color/@list Version: \\ [Optional]$

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion: [

Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/fabric/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/size/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern /@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/garment Code/garment Code B/mod/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr q" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/color/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV ariant/variantCode/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/garment Code/garment Code B/fabric/@list Version: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

VPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@listVersion: [Optional]

- note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/texCode/pattern/@listVersion: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/acsCode/color/@listVersion: [Optional] - note for this position: this attribute should always be used coupled with "numberingOr g" and "listName" @In Language code. - base type: string, cod. table: NT60 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc NT60.xml TRCTRNReport/TRCheader/certificate/sustainabilityCharacteristicText/@In: [O ptional] - note for this position: Indicates the language of the text **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/sustainabilityCharacteristicText/@ln: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristic Text/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/certificate/ sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif icate/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/sustainabilityCharacteristicTe xt/@ln: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteri sticText/@In: [Optional] - note for this position: Indicates the language of the text **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/sus tainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/certificate/sustainabilityCharacteristicText/@In: [Optional] - note for this position: *Indicates the language of the text* TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/sustain

abilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/sustainabilityCharacteristicText/@In: [Optional] - note for this position: Indicates the language of the text XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/sustainabilityCharacteristicText/@In: [Opti onal] - note for this position: Indicates the language of the text location specification of a location. It can be represented by an identification code (preferable) or a short text (not recommended). For example a GLN code that requires to assign th e value "GLN" to the attribute @LRI. - base type: string, max length: 128, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/locati - note for this position: Use this element only to indicate an identification code of this pl ace. **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/locat ion: 1-1 - note for this position: Use this element only to indicate an identification code of this pl XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl ace. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl ace. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl ace. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/activityLocation/location: 0-1 - note for this position: Use this element only to indicate an identification code of this pl ace. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl ace. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activity Location/location: 0-1 - note for this position: Use this element only to indicate an identification code of this pl ace. **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac

ation: 1-1

ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/loc

	- note for this position: Use this element only to indicate an identification code of this pl
	- note for this position: Use this element only to indicate an identification code of this prace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fWaste/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfChemical/facilityLocation/location: 1-
	- note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/processStepsList/processStep/activityLocation/location: 0-1 - note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfWasteWater/facilityLocation/location:
	- note for this position: <i>Use this element only to indicate an identification code of this pl</i>
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfUsedWater/facilityLocation/location:
	- note for this position: <i>Use this element only to indicate an identification code of this pl</i>
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfMaterials/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this pl</i>
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fChemical/facilityLocation/location: 1-1 - note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation /location: 1-1
	- note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfWaste/facilityLocation/location: 1-1 - note for this position: <i>Use this element only to indicate an identification code of this pl</i>
	ace.
	XPath TDCTDND an art TDCTDND are arthorized from December 4. (A green is a time December 4.) is t Of Fig. 1) it is a first of the control of
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location:
	1-1
	- note for this position: Use this element only to indicate an identification code of this pl
	ace.
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location:
	1-1
	- note for this position: Use this element only to indicate an identification code of this pl
	ace.
@logo	company logo (URL of the image jpeg or gif). It is recommended that the width of the i
	mage does not exceed 640 pixel.
	- base type: string, max length: 255,
@LRI	issuer of the identifier (or identification system) of a location.
	- base type: string, cod. table: NT3

	http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml
machineryName	machinery name - base type: string, max length: 50,
made	specifies the country where the product has been manufactured - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml
manufacturingOperationCode	single manufacturing operation type - base type: string, cod. table: T305 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml
@materialSource	Indicates whether the material is virgin or comes from recycling or reuse processes - base type: string, cod. table: T306 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T306.xml
maximumIroningTemperature	maximum ironing temperature, according to BS EN 23758: 1994 Textiles - Care Labelli ng Code Using Symbols - base type: decimal,
maximumWashingTemperature	maximum washing temperature, according to BS EN 23758: 1994 Textiles - Care Labe lling Code Using Symbols - base type: decimal,
@mime	the mime type of the binary object - base type: normalizedString,
mimeCode	mime type of the external object - base type: normalizedString,
mod	model number of the garment - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod: 1-1 - note for this position: when a garment component, it should be the code assigned to the garment article
msgDate	date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW base type: string,
msgID	key identifier of the business document in the information system of the issuing Party. I
	ı

	n case of more despatches of the same business document, it is unchanged base type: string, max length: 35,
msgN	identification number given to the message (xml document) by its issuer. In case of more despatches of the same business document, it changes. - base type: string, max length: 35, XPath TRCTRNReport/TRCheader/msgN: 1-1 - note for this position: in the case of Traceability Report or Transparency Report this i dentifier corresponds to a UNIQUE identifier assigned by the platform (for example TR RN)
note	free text or structured (computer processing) note. For note structuring use the attribut es "noteLabel" and "codelist" - base type: string, max length: 350,
@noteLabel	subject qualifier of a note

```
bel: [Optional]
```

- note for this position: must be used to qualify the subject of the note

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note* XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note*

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste

WaterPlantOutputList/wasteDescriptor/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Energy/external Ref Doc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/wasteDescriptor/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/certificate/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@noteLabel: [O ptionall - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/note/ @noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti ves/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/dyesDescriptor/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescript or/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescri ptor/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCheader/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/usedWaterDescriptor/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac oteLabel: [Optional] - note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/certificate/note/@noteLabel: [Optional] - note for this position: must be used to qualify the subject of the note **XPath**

ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@n

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@noteLabel: [Op

- note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note XPath TRCTRNReport/TRCheader/certificate/note/@noteLabel: [Optional]

```
- note for this position: must be used to qualify the subject of the note
        TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/processStepsList/processStep/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/note/@n
oteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfDirectEmissions/note/@noteLabel: [
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfMaterials/note/@noteLabel: [Optional
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescr
iptor/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fEnergy/energyConsumptionDescriptor/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transpor
tImpactPrimaryData/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note
/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/note/@noteL
abel: [Optional]
- note for this position: must be used to qualify the subject of the note
        TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/certificate/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/no
te/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/externalRefDoc/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/note/@note
Label: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/
       externalRefDoc/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWaste/externalRefDoc/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@n
oteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath
```

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Energy/energy Consumption Descriptor/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Energy/external Ref Doc/note/@note Label: [Optional]

- note for this position: must be used to qualify the subject of the note XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

processStepsList/processStep/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/not e/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note XPath

```
SpecificInformation/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
        productSustainabilityCharacteristics/endOfLifePerformance/note/@noteLabel: [
Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@
noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWasteWater/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs
agePerformance/externalRefDoc/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       certificate/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
        productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/not
e/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/selfAssertion/externalRefDoc/note/@noteLabel: [Opt
ional]
- note for this position: must be used to qualify the subject of the note
XPath
        TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/assessmentStudyDocument/ProductIdentification/note/@noteLabe
I: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs
agePerformance/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste
WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpa
ctPrimaryData/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCheader/externalRefDoc/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
      TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/not
e/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/
@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       assessmentStudyDocument/ProductIdentification/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/n
ote/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWasteWater/externalRefDoc/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       ProductIdentification/note/@noteLabel: [Optional]
- note for this position: must be used to qualify the subject of the note
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
```

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemical/ttem/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/note/@noteLabel : [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@noteLabel: [Optional]

- note for this position: *must be used to qualify the subject of the note* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@noteLabel: [Optional]

- note for this position: must be used to qualify the subject of the note

@numberingOrg

code specifying the organisation who has created or owns the coding or numbering sy stem

- base type: string, cod. table: NT6

onall

http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Opti

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/note/@numberingOrg: [Option

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCheader/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional]

 note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [
Dotional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberin gOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Materials/external Ref Doc/doc ID/@numbering Org: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/color/@numberin gOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optio al]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [
Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/not e/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of

codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optial]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentPartCode/size/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transportImpactPrimaryData/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [ional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

PEFStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/garment Part Code/added/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

processStepsList/processStep/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/supplier/additional Identifier/@numbering Org: [Optional]

- note for this position: here the issuer of the identifier must be specified

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/season/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCheader/certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/note/@numberin gOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentPartCode/color/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/self Assertion/external Ref Doc/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

 note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

YPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

YPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@

numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCod e/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/supplier/additionalIdentifier/@numbering Org: [Optional]

- note for this position: here the issuer of the identifier must be specified XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/color/@numberingOrg: [Option

al]
- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

ProductIdentification/rawCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/texCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/doc ID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/pattern/@numberingOrg: [Optinal]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/garment Part Code/fabric/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/ga

rmentCodeB/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

Product Identification/garment Code/garment Code B/fabric/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/yarnCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/acsCode/added/@numberingOrg: [Optio

nal]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType /@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/rawCode/added/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg: [Optional]

 note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product Identification/garment Part Code/size/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/added/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/added/@numberin gOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCheader/refDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note /@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantCode/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product I dentification/garment Code/garment Code \\ B/drop/@numbering Org: [Optional]$

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Character is tics/bill Of Direct Emissions/external Ref Doc/docl D/@numbering Org: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/artGroup/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/certificate/doclD/@numbering Org: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garment
CodeA/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Characteristics/bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/@numbering Org: \cite{Continuous Characteristics} bill Of Used Water/note/water/note/water/note/water/note/water/note/water/note/water/note/water/note/water/note/water/note/water/note/water/note/water/note$

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessment Study Document/Product Identification/garment Code/garment Code \\ B/garment Variant Type/@numbering Org: [Optional]$

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariantVariantCode/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberin gOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/yarnCode/color/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product I dentification/raw Code/art/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/note/@numberingOrg: [Optional]

23

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/rawCode/added/@numberin gOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/rawCode/color/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optio

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client. Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/added/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document/Product Identification/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/acsCode/color/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg

: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN

ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCheader/refDoc/season/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessment Study Document / Product I dentification / tex Code / color / @numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g.

: Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/not e/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCheader/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/note/@numberingOrg: [Option

al]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Energy/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/added/@numberingOrg: [Optio

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/season/@numberingOrg: [Option

al]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]

 note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/docID/@numberingOrg: [Optiona

note for this position: here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/docID/@numbering Org: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/add ed/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Waste/waste Descriptor/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/color/@numberingOrg: [Option

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Treatments/treatment Descriptor/certificate/docID/@numbering Org: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

bill Of Components/product Component/garment Code/garment Code A/art/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/rawCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size /@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of

codes used in "noteLabel" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Waste Water/external Ref Doc/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

nal]

billOfComponents/productComponent/yarnCode/color/@numberingOrg: [Optio

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/acsCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode\\ B/added/@numberingOrg: [Optional]$

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/doclD/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/ProductIdentification/note/@numberingOrg: [Optio

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/yarnCode/art/@numberingOrg: [Optiona

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/no

te/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode/garmentVariant/variantCode/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added /@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/added/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Character \cite{s} bill Of Treatments / treatment Descriptor / bill Of Components / product Component / garment Code / garment Code B / drop / @numbering Org: [Optional]$

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/product Usage Characteristics/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/garment Code/garment Code B/color/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/dyesDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/product Usage Characteristics/expected Usage Performance/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCheader/certificate/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/garment Code/garment Code B/garment Variant/variant Type/@numbering Org: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

ProductIdentification/garmentPartCode/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

```
billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV ariant/variantType/@numberingOrg: [Optional]
```

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg: [Optional]

 note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/added/@numberingOrg: [Optional

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $Product Identification/garment Code/garment Code B/art Group/@numbering Org: \\ [Optional]$

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

 $XPath\ TRCTRNReport/TRCheader/externalRefDoc/docID/@numberingOrg:\ [Optional]$

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/color/@numberingOrg: [Option all

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/texCode/art/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg: [Optional]

- note for this position: here can be specified whose document numbering is used (e.g. : Client, Supplier, ..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Chemical/external Ref Doc/note/@numbering Org: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@numberingOrg: [Optional]

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg: [Optional]

note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/note/@numberingOrg: [Optional]

- note for this position: must be used to specify the organization that created the list of codes used in "noteLabel"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

- note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion"

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@numberingOrg: IOptionall

- note for this position: this attribute should be used either single or coupled with "listN

objectTypeCode	ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudy/Document/ProductIdentification/garmentCode/garmentCodeB/drop/ @numberingOrg: [Optional] - note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@numberingOrg: [Optional] - note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@numberingOrg: [Optional] - note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@numberingOrg: [Optional] - note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@numberingOrg: [Optional] - note for this position: this attribute should be used either single or coupled with "listN ame" and "listVersion" XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/ProductIdentification/garmentCode/garme
object rypeCode	- base type: string, cod. table: T302
	http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml
packageText	denomination of the type of transport package (text) - base type: string, max length: 80, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImp actPrimaryData/packageText: 1-1 - note for this position: type of packaging and its material XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/packagi ngImpactPrimaryData/packageText: 1-1 - note for this position: type of packaging and its material
@part	percent fraction - base type: decimal, min inclusive: 1, max inclusive: 100, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	- note for this position: fraction of the total following this route (or group of routes); XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOTreatments/treatmentDescriptor/billO fWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part: [Optional] - note for this position: Indicates the percentage of waste water destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100% XPath TRCTRNReportRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantOutputList/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional] - note for this position: Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac lityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional] - note for this position: Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part: [Optional] - note for this position: Indicates the percentage of waste destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpa ctPrimaryData/@part: [Optional] [Default= 10] - note for this position: Indicates the percentage of waste water destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100% XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristic
pattern	pattern/design number of the product, when not included in the article code - base type: string, max length: 15,
PEFLifeCyclePhase	PEF life cycle phase (it is a first level grouping of the activities analised by the PEF; ea ch group includes more manufacturing operation or other activities like 'distribution') - base type: string, cod. table: T308 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/PEFLifeCyclePhase: 0-6 - note for this position: indicates to which life cycle phases the study is addressed; whe n omitted it is intended the whole life cycle.
percCompos	fiber percentage in the product composition - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,
@percSourcesRenewable	indicates the percentage of renewable sources - base type: decimal, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	-
	productCompos/percCompos/@percSourcesRenewable: [Optional] - note for this position: use only for virgin material XPath TRCTRNReportTRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/energySupplyDescriptor/@percSourcesRenewable: [Optional] - note for this position: percentage of renewable energy calculated on the total energy of the energySupply Descriptor element to which it belongs
person	name of a person (e.g. contact person within an organization) - base type: string, max length: 40,
@phone	phone number of the contact person within a Party - base type: string, max length: 35,
postCode	code defining the postal zone - base type: string, max length: 10,
processStepID	internal identifier of the single manufacturing operation needed to produce the product - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
prodServName	description of the product or service that either complements or substitutes its coding - base type: string, max length: 100,
productReferenceQty	net reference quantity of the product - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/product ReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductio nPrimaryDataSet) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/productReferenceQty: 0 - 1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of prod uct / material. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productReferenceQty: 0-1 - note for this position: if present, each 'bill of' element contained refers to this quantity of product/ material. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfEnergy/energyConsumptionDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is refer red to a facility XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/d irectEmissionDescriptor/froductReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/product/material XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSus

y: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directEmissionDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfUsedWater/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/productReference

Qty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfChemical/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfWaste/wasteDescriptor/productReferenceQty: 0-1

 note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a descriptor in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/usedWaterDescript or/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/productReferenceQty: 0

-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/ wasteWaterPlantOutputList/wasteDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/ wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a descriptor in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty: 0-1

note for this position: this element can be omitted if is contained in a bill in which the quantity of the i

unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfWasteWater/wasteWaterDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productReferenceQty: 0-1

- note for this position: when filled, all the quantities indicated in product Component are relative to the realization of this quantity of product.

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is refer red to a facility

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfDirectEmissions/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfUsedWater/usedWaterDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/energyConsumptionDe scriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is refer red to a facility

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/productReferenceQty:

0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfWaste/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty: 0-1

- note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfWasteWater/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty: 0-1 Best Practice

- note for this position: when present, each contained input/output figure refers to this quantity of product / material

	T
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfComponents/productReferenceQty: 0-1 - note for this position: when filled, all the quantities indicated in product Component are relative to the realization of this quantity of product. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFaciliti es/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedW aterDescriptor/productReferenceQty: 0-1 - note for this position: this element can be omitted if is contained in a bill in which the quantity of the f unctional unit of reference is already known (for example PEFProductionPrimaryDataSet) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/productReferenceQt y: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of prod uct / material XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescript or/billOfEnergy/productReferenceQty: 0-1 Best Practice - note for this position: when present, each contained input/output figure refers to this quantity of prod uct / material XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/ productReferenceQty: 0-1 - note for this position: when the quantity refers to a global ANNUAL activity of a plant indicate the ANN UAL production of the plant if it is not possible to estimate in greater detail
@progr	progressive number in the sequence - base type: positiveInteger, min inclusive: 1, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ processStepsList/processStep/@progr: [Required] - note for this position: Indicates the sequence of operations necessary to make the pr oduct. In the case of repeated operations, assign different values of progr. XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/processStepsList/processStep/@progr: [Required] - note for this position: Indicates the sequence of operations necessary to make the pr oduct. In the case of repeated operations, assign different values of progr.
@propulsionSystemCode	propulsion system type - base type: string, cod. table: NT324 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT324.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpa ctPrimaryData/transMeans/@propulsionSystemCode: [Optional] - note for this position: indicates the type of propulsion of the means of transport XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/materialDescriptor/transpor tImpactPrimaryData/transMeans/@propulsionSystemCode: [Optional] - note for this position: indicates the type of propulsion of the means of transport
publishableAbstract	publishable abstract of the study - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/publishableAbstract: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/publishableAbstract: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/publishableAbstract: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/publishableAbstract: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language)

qty	net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering,) and by the context - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/qty: 0-2 - note for this position: this value is referred to the unit of measure of the product decla red in the billOfcomponents XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/qty: 0-2 - note for this position: this value is referred to the unit of measure of the product decla red in the billOfcomponents
@recyclingProcessEfficiency	recycling process efficiency rate (percentage by weight). - base type: decimal, min inclusive: 0, max inclusive: 100, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: efficiency of the recycling process adopted on the waste XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: efficiency of the recycling process adopted on the waste XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: efficiency of the recycling process adopted on the waste XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productCompos/percCompos/@recyclingProcessEfficiency: [Optional] - note for this position: process efficiency declared by the fibre supplier XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantOutputList/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency: [Optional] - note for this position: efficiency of the recycling process adopted on the waste
@recyclingProcessMethod	recycling process method - base type: string, cod. table: T307 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T307.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
@referenceYear	reference year of the element to whom is associated - base type: positiveInteger,
@releasedOn	indicates the possible destinations of direct emissions with which it is associated - base type: string, cod. table: NT317 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmission Descriptor/@releasedOn: [Required] - note for this position: when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/directEmissionDescriptor/@releasedOn: [Required] - note for this position: when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescr iptor/@releasedOn: [Required] - note for this position: when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/directE missionDescriptor/@releasedOn: [Required]

	- note for this position: when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres
reviewDate	date of accomplishment of the document review, according to one of the patterns YYY Y-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW base type: string,
@role	Third Party role qualifier - base type: string, cod. table: NT2 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml XPath TRCTRNReport/TRCheader/senderParty/@role: [Optional] - note for this position: The use of this attribute is mandatory when the element to which it is associated has TRCHeader as its parent. XPath TRCTRNReport/TRCheader/receiverParty/@role: [Optional] - note for this position: The use of this attribute is mandatory when the element to which it is associated has TRCHeader as its parent.
routeLength	length of a route - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantOutputList/wasteDescriptor/routeLength: 0-1 - note for this position: lenght of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/wasteDescriptor/routeLength: 0-1 - note for this position: lenght of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/factilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength: 0-1 - note for this position: lenght of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength: 0-1 - note for this position: lenght of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred)
@schemeID	identifier of an identification scheme - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/externalRefDoc/attachment/hashFootprint/@schemelD: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeC ode/@schemelD: [Required] - note for this position: indicates the adopted classification, a URI is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachm ent/hashFootprint/@schemelD: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/attachment/hashFootprint/@schemelD: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDo c/attachment/hashFootprint/@schemelD: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system) XPath

ernalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCheader/externalRefDoc/attachment/

hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/attachment/hashFootprint/@schemelD: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemelD: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@scheme ID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID: [Required]

- note for this position: *indicates the adopted classification, a URI is recommended* XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

customsStat/@schemeID: [Optional] [Default= TARIC]

- note for this position: By default the value is TARIC, other different coding schemes must be indicated

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID: [Required]

- note for this position: *indicates the adopted classification, a URI is recommended* XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attach ment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCheader/refDoc/attachment/

hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteTypeCode/@schemeID: [Required]

- note for this position: indicates the adopted classification, a URI is recommended XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/certificate/

attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional]

- note for this position: specify for which system this hash footprint might be used as id

entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti ves/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCheader/certificate/attachment/ hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [O ptional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment /hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment /hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att achment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/attachment/hashFootprint/@schemeID: [Op tional1 - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/refDoc/attachment/hashFootprint/@schemeID: [Opti - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/attachment/hashFootprint/@schemel D: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/atta chment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional

- note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/atta chment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/attachment/hashFootprint/@schemeID: [O - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ product Sustainability Characteristics/bill Of Used Water/external Ref Doc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs agePerformance/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of the product Sustainability Characteristics and the product Sustainability ChafChemical/externalRefDoc/attachment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFoo tprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attach ment/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachm ent/hashFootprint/@schemeID: [Optional] - note for this position: specify for which system this hash footprint might be used as id entifier (for example HDFS system..) sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 season Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc. - base type: string, max length: 15, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productOrigin/refDoc/season: 0-1 - note for this position: here indicates the season to which the referenced document be XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/refDoc/season: 0-1 - note for this position: here indicates the season to which the referenced document be XPath TRCTRNReport/TRCheader/refDoc/season: 0-1 - note for this position: here indicates the season to which the referenced document be longs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/refDoc/season: 0-1 - note for this position: here indicates the season to which the referenced document be longs @sender qualifier that specifies the Party issuing of the document

- base type: boolean, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/supplier/@sender: [Optional] - note for this position: This attibute is mandatory when the STYLESHEET must be us ed
XPath TRCTRNReport/TRCheader/thirdParty/@sender: [Optional] - note for this position: This attibute is mandatory when the STYLESHEET must be us ed
XPath TRCTRNReport/TRCheader/receiverParty/@sender: [Optional] - note for this position: This attibute is mandatory when the STYLESHEET must be us ed.
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/supplier/@sender: [Optional] - note for this position: This attibute is mandatory when the STYLESHEET must be us ed XPath TRCTRNReport/TRCheader/senderParty/@sender: [Optional] - note for this position: This attibute is mandatory when the STYLESHEET must be us ed.
indicates the percentual - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/@sharePerc: [Optional] - note for this position: indicates how much of the wastewater comes from this source
indicator of existing and type of signature - base type: string,
size number of a fashion product (knitwear, clothing,) - base type: string, max length: 15,
Category of Social Accountability Requirements (according to SA8000 description) - base type: string, cod. table: NT326 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml
applied social accountability assessment method (might be SA8000 or a specialisation /adaptation of it) - base type: string,
standard owner is the organisation that owns and manages the standard specifications (for example Textile exchange or OEKO-TEX) - base type: string,
indicates how to insert the information to which it refers into an archive, also specifying what should happen to the pre-existing information base type: string, cod. table: NT312 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml
street and building number identifying a location - base type: string, max length: 80,
short name or code of the sub-country entity - base type: string, max length: 9,
name or code of a department - base type: string, max length: 40,
text that describes a single sustainability characteristic (for example a claim). The cont ent of the element must be unique, it might be translated and repeated into more langu ages (thus no more than one instance for each language). - base type: string, min length: 1, XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language)

-
TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteri sticText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristic Text: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim.
Only one instance of this element for each different value of 'ln' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'ln' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'ln' attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA ssertion/sustainabilityCharacteristicText: 0-99 - note for this position: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'ln' attribute (language)
description of the system boundaries of the studied system - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/systemBoundariesDescription: 0-99 - note for this position: Only one instance of this element for each different value of 'In' attribute (language)
duration time in days, hours, possibly also indicating minutes and seconds (format nnn D:nnnH: nnM: nnS) - base type: duration,
document title - base type: string, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Characteristics/bill Of Materials/external Ref Doc/title: \ 0-unbounded$

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/certificate/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/title: 0-unbounded

note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/title: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'ln' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'In' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title: 0-unbounded

 note for this position: Only one instance of this element for each different value of 'In' attribute (language)
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Character is tics/bill Of Treatments/treatment Descriptor/bill Of Used Water/external Ref Doc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title: 0-un

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/certificate/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Direct Emissions/external Ref Doc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'In' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/title: 0-unbounded

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Characteristics/bill Of Waste Water/external Ref Doc/title: \ 0-unbounded$

- note for this position: Only one instance of this element for each different value of 'ln' attribute (language)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	productSustainabilityCharacteristics/billOfWaste/externalRefDoc/title: 0-unboun ded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDo c/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	billOfComponents/productComponent/certificate/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	billOfComponents/productComponent/selfAssertion/externalRefDoc/title: 0-unb
	ounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
	ilityDescriptor/assessmentStudyDocument/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	selfAssertion/externalRefDoc/title: 0-unbounded - note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fChemical/externalRefDoc/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/ext
	ernalRefDoc/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'ln'
	attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
	fComponents/productComponent/certificate/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfChemical/externalRefDoc/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
	XPath TRCTRNReport/TRCheader/certificate/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
	SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/title: 0-
	unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language) XPath TRCTRNReport/TRCheader/externalRefDoc/title: 0-unbounded
	- note for this position: Only one instance of this element for each different value of 'In'
	attribute (language)
trangationDescipt	
transactionReceipt	transaction receipt on blockchain - base type: string, max length: 80,
	Saco type. String, max longth. 00,
transMeans	means of transport, in general or referred to a specific leg
	- base type: string, cod. table: T40
	http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml
transMode	way of transport, in general or referred to the specified leg
	- base type: string, cod. table: T8

	http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml
transportMeansUtilisationPercen	· · · · · · · · · · · · · · · · · · ·
tage	utilisation percentage of the means of transport (estimation) - base type: decimal,
@TRCReportFunction	indicates whether the document has the function of REQUEST for recording events in the traceability system OR if it is a REPORT on the events recorded up to now in the traceability system - base type: string, cod. table: NT205 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT205.xml
typeOfEnergyVector	type of energy vector - base type: string, cod. table: NT319 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml
@uid	unique element identifier within the xml document - base type: string,
@um	specification of the unit of measure - base type: string, cod. table: NT7 http://www.ebiz.enea.it/moda-mi/repository/codelist/draft/ge_NT7.xml XPath TRCTRNReportTRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DE GD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO [Components/productComponent/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReportTCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO [Components/productComponent/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReportTRCTRNReportGeodyselfAssertion/ externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReportTRCTRNReportDody/selfAssertion/ externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReportTRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfTreatments/reatmentDescriptor/selfocoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReportTRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specif

```
productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/sig
natureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/organisationAddr
ess/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWaste/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCheader/receiverParty/geoCoordinates/@um: [Optional] [D
efault= DEGD1
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/iss
uerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatur
eInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/sig
natureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/issu
erParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoor
dinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/ext
ernalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default=
DEGD1
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/
       issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/g
eoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/ge
oCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/ext
ernalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [De
fault= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/@um: [Required]
```

- note for this position: this unit of measure is the reference unit for the quantities of ea ch component; if it is 'piece', each quantity is referred to the quantity of the component needed for 1 piece. XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInfor mation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/certifiedParty/geoCoordinates/@um: [Opti onal] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/certifie dParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/issuer Party/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerP arty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [O ptional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart y/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/issuerParty/geoCoordinates/@um: [Optio nal] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEG - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCheader/thirdParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fEnergy/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerP arty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= D EGD]

```
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti
ves/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: IOptio
nal] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatur
eInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/supplier/geoCoordinates/@um: [Optiona
I] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti
ves/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilitvDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoC
oordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@u
m: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/supplier/geoCoordinates/@um: [Optional] [Default=
DEGD1
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/sign
atureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fChemical/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWaste/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issu
erParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/certificate/
       issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs
agePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/
@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/productUsageCharacteristics/expectedUs
agePerformance/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Defaul
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCheader/senderParty/geoCoordinates/@um: [Optional] [Default= DEG
- note for this position: when not specified assume decimal DEGREEs
```

- note for this position: when not specified assume decimal DEGREEs

YPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Option all IDefault= DEGD1

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DE GD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

processStepsList/processStep/activityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCheader/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD 1

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activity Location/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREES XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/reviewerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Materials/external Ref Doc/issuer Party/geo Coordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREES

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

 note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReport/Dody/TRCProduct/

assessmentStudyDocument/issuerParty/geoCoordinates/@um: [Optional] [Def ault= DEGD1

- note for this position: when not specified assume decimal DEGREEs

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/sig natureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCheader/certificate/issuerParty/

geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/ geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinat es/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/facilityLocation/geoCoordin ates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geo Coordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [De fault= DEGD1

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/issuerParty/geoCoordinates/@um: [Optional] [Default= D EGD1

- note for this position: when not specified assume decimal DEGREEs **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoor dinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoord inates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/@um: [Opti onal] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuer Party/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/@um: [Option al] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac

ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDo c/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina tes/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/reviewerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREES

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signature Information/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREES XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordin ates/@um: [Optional] [Default= DEGD]

- note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReport/Dody/TRCProduct/

```
@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinate
s/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA
ssertion/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinate
s/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA
ssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default=
DEGD1
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fDirectEmissions/facilityLocation/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default=
DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCheader/certificate/certifiedParty/
       geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um: [Optional] [Defaul
t= DEGD1
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA
ssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [
Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@u
m: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/
       externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um: [O
ptional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/certificate/
       certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       certificate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issu
erParty/geoCoordinates/@um: [Optional] [Default= DEGD]
- note for this position: when not specified assume decimal DEGREEs
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/@um: [
```

billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/

	,
	Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/iss
	uerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/g eoCoordinates/@um: [Optional] [Default= DEGD]
	 note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInfo
	rmation/signatoryParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ billOfComponents/@um: [Required] - note for this position: this unit of measure is the reference unit for the quantities of ea
	ch component; if it is 'piece', each quantity is referred to the quantity of the component needed for 1 piece.
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/
	@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/issuerParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um: [
	Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/issuerParty/geoCoordinates/@um: [Optional] [Defaul t= DEGD]
	 note for this position: when not specified assume decimal DEGREES XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif
	icate/certifiedParty/geoCoordinates/@um: [Optional] [Default= DEGD] - note for this position: when not specified assume decimal DEGREEs
uniqueProductID	Unique product identifier. It identifies the product completely, differentiating any variant s, sizes, colors, etc. It should be unique throughout the whole value chain. (It can be the GTIN)
	- base type: string, max length: 80,
uri	Uniform Resource Identifier (URI) that identifies the external object as an Internet resource - base type: normalizedString,
	XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachm
	ent/blockChainReference/uri: 1-1 - note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)
	XPath TRCTRNReport/TRCheader/certificate/attachment/ blockChainReference/uri: 1-1 - note for this position: reference to the used blockchain (example: url https://ethersca
	n.io/ of ethereum) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti
	ves/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCheader/externalRefDoc/attachment/

blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attach ment/blockChainReference/uri: 1-1

ment/blockChainReference/uri: 1-1
- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/att achment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical

SpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockCh ainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudvDocument/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCheader/refDoc/attachment/

blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachme nt/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment /blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/certificate/

attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen t/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/attachment/blockChainReference

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri: 1-1

- note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum)

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

	productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri: 1-1
	- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri: 1-1
	- note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fWasteWater/externalRefDoc/attachment/blockChainReference/uri: 1-1
	 note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath
	TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)
	XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/bl ockChainReference/uri: 1-1
	 note for this position: reference to the used blockchain (example: url https://ethersca n.io/ of ethereum) XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
	productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri: 1-1 - note for this position: reference to the used blockchain (example: url https://etherscan.io/ of ethereum)
usedWaterType	origin of the used water - base type: string, cod. table: NT318 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml
@useProfile	use profile to which the present document if compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile base type: string,
@validationMethod	type of method used to validare the quantity to which it refers. For example, it indicates whether it was measured in the field, estimated indirectly, approved by an expert or tak en from the literature - base type: string, cod. table: NT329 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml
validityEnd	date by which the validity ends, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW base type: string,
validityExtensionDate	end date of validity resulting from extension, according to one of the patterns YYYY-M M-DD, YYYY-MM-DD:HH-MM or YYYY-WW base type: string,
validityStart	date by which the validity starts, according to one of the patterns YYYY-MM-DD, YYY Y-MM-DD:HH-MM or YYYY-WW base type: string,
variantCode	Code of variant used for fashion product base type: string,
variantType	Type of variant used for fashion product (examples: 'treatment', 'washing type', 'size cl ass',) - base type: string,
@VAT	VAT rate or code (DEPRECATED, use dtScheme element) - base type: string, cod. table: NT16 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml
@version	Dictionary version from which the instance has been created - base type: string, cod. table: NT100 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml

washingType	washing type, according to BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols - base type: decimal, cod. table: T309 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T309.xml
wasteFinalTreatmentType	indicates the final treatment of the waste (in whole or in part) - base type: string, cod. table: NT316 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml
wasteTypeCode	indicates a code of the type of waste according to a classification that can be of variou s kinds, usually of greater detail than the EWC one; the classification is identified by S chemeID - base type: string,
wasteWaterContaminantType	type of contaminant in the waste water produced (textile and leather examples: BOD, s olids, sulfates and chromium; other sectors: Chlorinated organic compounds, COD, mi neral oils, phenols, organic chemicals, heavy metals, SS, cyanide, Fluorine) - base type: string, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescri
	ptor/wasteWaterContaminantType: 0-99 - note for this position: indicates the presence of contaminant in the wastewater stream described by current element XPath TRCTRNReportTRCTRNReportbody/TRCProduct/
wasteWaterFinalTreatmentType	type of final treatment of the waste water produced (examples: none, septic tank, activ ated sludge treatment, etc.) - base type: string,
wasteWaterProvenance	provenance of the waste water - base type: string, cod. table: T308 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/waste WaterPlantInputList/wasteWaterPlantInputDescriptor/wasteWaterProvenance: 0-1 - note for this position: when non indicated the whole process is assumed as origin
weight	effective weight of a specified object - base type: decimal, min inclusive: 0, fraction digits: 2, XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
xGeoCoord	geographical coordinate x , corresponding to latitude - base type: decimal,
year	reference year - base type: integer, min inclusive: 1800, max inclusive: 2100, XPath TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/year: 0-1 - note for this position: when filled indicates that collected figures are related to a speci fic year XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

```
fWaste/year: 0-1
```

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Waste Water/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/year: 0-1

note for this position: when filled indicates that collected figures are related to a specific year
 XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/vear: 0-1

- note for this position: when filled indicates that collected figures are related to a speci fic year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/year: 0-1

- note for this position: indicate the year to whom the study is referred

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/year: 0-1

- note for this position: when filled indicates that collected figures are related to a specific year

XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/year: 0-1

- note for this position: *year of production to which the data refers*

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/year: 0-1

- note for this position: when filled indicates that collected figures are related to a speci fic year XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfChemical/year: 0-1 - note for this position: when filled indicates that collected figures are related to a speci fic year **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/assessmentStudyDocument/year: 0-1 - note for this position: indicate the year to whom the study is referred XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfUsedWater/year: 0-1 - note for this position: when filled indicates that collected figures are related to a speci fic year **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/year: 0-1 - note for this position: when filled indicates that collected figures are related to a speci fic year XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ PEFStudyDocument/year: 0-1 - note for this position: indicate the year to whom the study is referred XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ assessmentStudyDocument/year: 0-1 - note for this position: indicate the year to whom the study is referred vGeoCoord geographical coordinate y, corresponding to longitude - base type: decimal, zGeoCoord geographical coordinate z, corresponding to altitude - base type: decimal, TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerPa rty/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/sig natureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fComponents/productComponent/certificate/issuerParty/geoCoordinates/zGeoCoord: - note for this position: altitude might be omitted **XPath** TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuer Party/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/ externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatu reInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoC oordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCheader/externalRefDoc/issuerParty/

geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/g eoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordin ates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCheader/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/product Usage Characteristics/expected Usage Performance/external Ref Doc/issuer Party/geo Coordinates/z Geo Coord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

 note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0 -1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/iss uerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustain ability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/self Assertion/issuer Party/geo Coordinates/z Geo Coord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

product Sustainability Characteristics/bill Of Treatments/treatment Descriptor/bill Of Components/product Component/certificate/certified Party/geo Coordinates/z Geo Coordi

```
- note for this position: altitude might be omitted
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/organisationAddr
ess/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfA
ssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif
icate/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/
       externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoo
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCheader/certificate/certifiedParty/
       geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/
geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/zGeoCo
ord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCheader/certificate/issuerParty/
       geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/iss
uerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
SpecificInformation/selfAssertion/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical
```

SpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCo ord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certif icate/certifiedParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/facilityLocation/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted **XPath**

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac ilityDescriptor/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/ge oCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/certifiedParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/issuer Party/geoCoordinates/zGeoCoord: 0-1

 note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

 note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

 $TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord:\ 0-1$

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/zGeoCoord: 0-1

 note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/issu erParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthical SpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

```
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/z
GeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fEnergy/facilityLocation/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfMaterials/facilityLocation/geoCoordin
ates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/selfAssertion/externalRefDoc/signaturel
nformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCo
ord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/
zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGe
oCoord: 0-1
- note for this position: altitude might be omitted
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord: 0-
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfChemical/externalRefDoc/issuerParty
/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
      TRCTRNReport/TRCTRNReportbody/TRCProduct/
       product Sustain ability Characteristics/bill Of Chemical/facility Location/geo Coordin
ates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCo
ordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/signatureIn
formation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath
       TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerP
arty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
       PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGe
```

- note for this position: altitude might be omitted

oCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

fWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart y/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO

fDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted XPath

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

XPath TRCTRNReport/TRCTRNReportbody/certificate/

issuerParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord: 0-1

- note for this position: *altitude might be omitted* XPath TRCTRNReport/TRCTRNReportbody/certificate/

```
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fWaste/facilityLocation/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           bill Of Components/product Component/self Assertion/issuer Party/geo Coordinate
s/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfChemical/externalRefDoc/signatureIn
formation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath
           TRCTRNReport/TRCheader/receiverParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/supplier/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath
            TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ility Descriptor/facility Sustainability Characteristics/bill Of Direct Emissions/external Ref Domination of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of
c/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatur
eInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerP
arty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fChemical/facilityLocation/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
            TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoor
dinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoor
dinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordi
nates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/sign
atureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/productUsageCharacteristics/usageDirecti
ves/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
           productSustainabilityCharacteristics/internalWastewaterTreatmentPlant/activity
Location/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCheader/senderParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
```

certifiedParty/geoCoordinates/zGeoCoord: 0-1

 note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

```
productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geo
Coordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
                processStepsList/processStep/activityLocation/geoCoordinates/zGeoCoord: 0-
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
               productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/si
gnatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
                productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issu
erParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCheader/thirdParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
            TRCTRNReport/TRCTRNReportbody/TRCProduct/
               product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is tics/bill Of Used Water/external Ref Doc/signature and the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustainability Character is the product Sustai
Information/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
                productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fUsedWater/facilityLocation/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
               productSustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinat
es/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
               billOfComponents/productComponent/supplier/geoCoordinates/zGeoCoord: 0-
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
               productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerPa
rty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
                selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath
                TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord:
0-1
- note for this position: altitude might be omitted
XPath
                TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/fac
ilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatur
eInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
                productSustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoord
inates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
               productSustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/g
eoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/
                productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO
fChemical/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
XPath TRCTRNReport/TRCTRNReportbody/selfAssertion/
                issuerParty/geoCoordinates/zGeoCoord: 0-1
- note for this position: altitude might be omitted
            TRCTRNReport/TRCTRNReportbody/TRCProduct/
                product Sustainability Characteristics/bill Of Waste/external Ref Doc/sign at ure Information (Sustainability Characteristics) and the product Sustainability Characteristics (Sustainability Characteristics) and the product Sustainability Characteristics (Sustainability Characteristics) and the product Sustainability Characteristics (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the product Sustainability (Sustainability Characteristics) and the produ
mation/signatoryParty/geoCoordinates/zGeoCoord: 0-1
 - note for this position: altitude might be omitted
```

XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinate s/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/g eoCoordinates/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billO fChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeo - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina tes/zGeoCoord: 0-1 - note for this position: altitude might be omitted XPath TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord: 0-1

- note for this position: altitude might be omitted

2.3 Suggested best practices

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfWaste/facilityLocation (data relating to a place of a facility (indicate at least element I ocation or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/facilityLocation (data relating to a place of a facility (in dicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLo cation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfDirectEmissions/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/facilityLocation (data relating to a place of a facility (in dicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/facilityLocation (data relating to a place of a facility (indic

ate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least elem ent location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfEnergy/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation (dat a relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation (d ata relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. c ustomer and supplier - with two docID with different numberingOrg

TRCTRNReport/TRCheader/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. c ustomer and supplier - with two docID with different numberingOrg

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. c ustomer and supplier - with two docID with different numberingOrg

TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. c ustomer and supplier - with two docID with different numberingOrg

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/at tachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/at tachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/usageDirectives/externalRefDoc/attach ment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/external RefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/selfAssertion/

externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/certificate/

attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/externalRefDoc/attachment/externalReference/mime Code (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/productUsageCharacteristics/expectedUsagePerformance/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/a ttachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/certific ate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode (mime ty pe of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCheader/refDoc/attachment/

externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/assess mentStudyDocument/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external objection)

t)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

PEFStudyDocument/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/att achment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/S DSDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCo de (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/endOfLifePerformance/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/certificate/attachment/external Reference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/certificate/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mime Code (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

assessmentStudyDocument/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/assessment StudyDocument/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCheader/externalRefDoc/attachment/

externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productOrigin/refDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCheader/certificate/attachment/

externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeCod e (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/externalRefDoc/attachment/externalReference/mimeC ode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/socialAndEthicalSpecificInformation/selfAss ertion/externalRefDoc/attachment/externalReference/mimeCode (mime type of the external object)

Use coding from IANA http://www.iana.org/assignments/media-types/media-types.xml

TRCTRNReport/TRCTRNReportbody/TRCProduct/

 $product Sustainability Characteristics/bill Of Waste Water/product Reference Qty\ (net\ reference\ quantity\ of\ the\ product)$

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilityDescriptor/facilitySusta inabilityCharacteristics/billOfWasteWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfChemical/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfUsedWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfUsedWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfChemical/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfUsedWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfEnergy/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the productSustainabilityCharacteristics/billOfWaste/productSustainabilityCharacteristics/billofWaste/productSustainabilityCharacteristics/billofWaste/productSustainabilityCharacteristics/billofWaste/productSustainability

Might be ignored when facilityLocation is filled

uct)

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfDirectEmissions/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/productR eferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfEnergy/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWaste/productReference Qty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfWasteWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySusta inabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/

productSustainabilityCharacteristics/billOfMaterials/productReferenceQty (net reference quantity of the pr

oduct)

Might be ignored when facilityLocation is filled

TRCTRNReport/TRCTRNReportbody/TRCProduct/
productSustainabilityCharacteristics/billOfTreatments/treatmentDescriptor/billOfEnergy/productReference
Qty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find all the tables with the corresponding codes at: http://www.ebiz.enea.it/eBIZ/imple/eBIZTCU-draft.asp?lingua=en&pag=6

NT100 - eBIZ TCFUpstream version

NT16 - VAT rate or code

NT2 - third party qualifier

NT201 - entity type

NT205 - Function of the document

NT29 - format of a date

NT3 - issuer of the identifier (or identification system) of a location.

NT311 - information disclosure level

NT312 - storage action

NT313 - status of the document

NT316 - waste final treatment type

NT317 - emission to

NT318 - water type

NT319 - Type of energy vector

NT320 - type of energy source

NT322 - input material function

NT323 - category of the object of a declaration

NT324 - propulsion system type

NT326 - Evidence type on Social Accountability Requirements

NT329 - type of validation method of the value

NT333 - type of hashing algorythm

NT6 - coding system owner/issuer

NT60 - language, codes from ISO 639-1 (subset)

NT7 - unit of measure

T10 - ISO3166 - Country

T19 - fibre type

T21 - type of document

T302 - type of object

T305 - table of manufacturing operation types

T306 - material circularity attribute

T307 - recycling process method

T308 - table of macro groups of manufacturing operations for the PEF

T309 - washing type

T311 - allowed tumble drying mode

T312 - dye Category

T40 - type of transport means

T44 - additional code type

T48 - garment part type

T8 - Modes of Transport

ACKNOWLEDGEMENT



This action is part of the TRICK project, which has received funding from Horizon 2020 research and innovation programme under grant agreement No. 958352 of the European Union.

DISCLAIMER

The content of this document represents the views of the authors only and is their sole responsibility; it cannot be considered to reflect the views of the European Commission or any other body of the European Union.

The European Commission does not accept any responsibility for use that may be made of the information it contains.

Annex A

Representative images of the principal complex elements' structure.

