



<http://www.ebiz-tcf.eu>

DRAFT

**GUIDA DI IMPLEMENTAZIONE
TRANSAZIONE "INFORMAZIONI PRELIMINARI
RESPONSABILITA SOCIALE ED ETICA"**

Versione: draft

Data di rilascio: 26/6/2023

Codice documento: TRC011

Documentazione Tecnica: <http://www.ebiz.enea.it>

Repository XML Schema: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Repository guide: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Nome file: TRC011-eBIZ-InformazioniPreliminariResponsabilitaSocialeEdEtica.pdf

0. PREMESSA

Questo documento riporta una **proposta di aggiornamento** ed estensione delle specifiche eBIZ a partire dalla versione eBIZ 2018. Sotto la denominazione di 'versione Draft' viene infatti riportato il risultato di un ampio lavoro di analisi e consultazione finalizzato a sviluppare e mantenere le specifiche eBIZ.

In particolare il contenuto di questa proposta è il risultato di diverse attività, principalmente quelle svolte nel quadro del **progetto TRICK**, finanziato dalla Commissione Europea: grant agreement 958352, call H2020-LOW-CARBON-CIRCULAR-INDUSTRIES-2020 / H2020-LCCI-2020-EASME-twostage.

I contenuti tecnici sono retrocompatibili con l'ultima versione ufficiale pubblicata, con l'esclusione dei concetti totalmente nuovi aggiunti esplicitamente per la versione che sono inseriti come evoluzione incrementale della base di conoscenza. Ogni proposta aggiuntiva rispetto a quelle specifiche costituisce una proposta, non ancora una specifica accettata, ma verrà proposta nelle apposite sedi per essere accettata nelle future versioni eBIZ.


1. DESCRIZIONE DI BUSINESS

1.1 Scopo

Questa guida ha lo scopo di illustrare la forma standard XML del tipo documento "Informazioni preliminari responsabilità sociale ed etica", fornendo le istruzioni per il suo impiego nel contesto di un SISTEMA DI TRASPARENZA che coinvolge Produttori Fashion, loro clienti, terze parti ed eventualmente autorità doganali, piattaforme di eBusiness ed eCommerce. Tutte le regole necessarie per la costruzione e la validazione del documento sono espresse mediante uno specifico schema XML, che è presentato in dettaglio nel paragrafo "Guida alla implementazione".

1.2. Scenario applicativo

S4.1 Esecuzione del servizio Valutazione protezione etica e sociale



2. GUIDA ALLA IMPLEMENTAZIONE

2.1 Struttura generale del documento XML

Tutti i dati che possono essere scambiati tra le Parti con questa classe di documenti XML sono mostrati nella "Struttura del documento" (una visione semplificata dello schema) dove:

- i due numeri che seguono ciascun elemento indicano la sua "cardinalità" (numero minimo e massimo di ripetizioni ammesse); il numero minimo uguale a 0 indica un elemento opzionale, il numero minimo maggiore o uguale a 1 indica un elemento obbligatorio)
- il carattere grassetto denota gli elementi che sono "complessi semantici" ovvero aggregati di dati elementari costruiti ai fini della funzionalità e della riusabilità dell'informazione (gli elementi che sono contenuti in ogni elemento padre si individuano agevolmente per l'indentatura)
- il simbolo @ ed il carattere corsivo denotano un attributo dell'elemento che lo precede; qui la condizione d'uso (Required, Optional, ecc.) è indicata fra parentesi quadre

Struttura del documento XML

SEpreliminaryinformation

@version [Optional] [Default= draft]

@useProfile [Optional]

| SRVheader 1-1

| msgID 0-1

| msgDate 0-1

| @dateForm [Optional]

| senderParty 1-1

| @role [Optional]

| @sender [Optional]

| id 1-1

| @numberingOrg [Optional]

| legalName 0-1

| dept 0-1

| subDept 0-1

| person 0-1

| @email [Optional]

| @phone [Optional]

| @fax [Optional]

| street 0-1

| city 0-1

| subCountry 0-1

| country 0-1

| postCode 0-1

| geoCoordinates 0-1

| @um [Optional] [Default= DEGD]

| @geoRefSystem [Optional]

| xGeoCoord 1-1

| yGeoCoord 1-1

| zGeoCoord 0-1

| receiverParty 1-1

| @role [Optional]

| @sender [Optional]

| id 1-1

| @numberingOrg [Optional]

| legalName 0-1

| dept 0-1

| subDept 0-1

| person 0-1

| @email [Optional]

| @phone [Optional]

| @fax [Optional]

| street 0-1

| city 0-1

| subCountry 0-1

| country 0-1

| postCode 0-1

- | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | | **platformServiceReference 1-1**
- | | | platformServiceCode 1-1
- | | | | @codeList [Optional]
- | | | | serviceTicketID 0-1
- | | | | serviceRequestedAction 1-1
- | | | | | @codeList [Optional]

| **ProductIdentification 1-1**

- | | uniqueProductID 1-1
- | | | @schemeID [Required]
- | | | objectTypeCode 1-1
- | | | description 0-9
- | | | @ln [Optional]

- scegli -

| **rawCode 0-2**

- | | @numberingOrg [Optional]
- | | | art 1-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | added 0-9
- | | | | @numberingOrg [Optional]
- | | | | @addType [Optional]
- | | | | description 0-unbounded
- | | | | @ln [Optional]

- oppure -

| **yarnCode 0-2**

- | | @numberingOrg [Optional] [Default= CL]
- | | | art 1-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | added 0-9
- | | | | @numberingOrg [Optional]
- | | | | @addType [Optional]
- | | | | description 0-unbounded
- | | | | @ln [Optional]

- oppure -

| **texCode 0-2**

- | | @numberingOrg [Optional]
- | | | art 1-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | pattern 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]

| | | color 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | added 0-9
| | | @numberingOrg [Optional]
| | | @addType [Optional]
| | | description 0-unbounded
| | | @ln [Optional]

- oppure -

| | **acsCode 1-2**

| | | @numberingOrg [Optional]
| | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | pattern 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | description 0-unbounded
| | | @ln [Optional]

- oppure -

| | **garmentPartCode 0-2**

| | | @numberingOrg [Optional]
| | | gPart 1-1
| | | mod 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | added 0-19
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | description 0-unbounded
| | | @ln [Optional]

- oppure -

| | **garmentCode 0-2**

| | | @numberingOrg [Optional]

- scegli -

| | | **garmentCodeB 1-1**

| | | | @numberingOrg [Optional]

```

| | | | mod 1-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | fabric 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | color 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | garmentVariant 0-9
| | | |   variantType 1-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   variantCode 1-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | | drop 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | size 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | artGroup 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | added 0-9
| | | |   @numberingOrg [Optional]
| | | |   @addType [Optional]
| | | | description 0-unbounded
| | | |   @ln [Optional]
| | | | - oppure -
| | | | garmentCodeA 1-1
| | | |   art 1-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   description 0-unbounded
| | | |   @ln [Optional]
| | | | - fine scelta -
| | | | - fine scelta -
| | | | note 0-99
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @noteLabel [Optional]
| | | | billOfComponents 1-1
| | | | @um [Required]
| | | | @limitedByDisclosureIndicator [Optional]
| | | | @exhaustiveInformation [Required]
| | | | @disclosureLevel [Required]
| | | | @storageAction [Required]

```

```

| | productReferenceQty 0-1
| | @um [Required]
| | productComponent 0-unbounded
| | @internallyPerformed [Required]
| | | uniqueProductID 1-1
| | | @schemeID [Required]
| | - scegli -
| | | rawCode 0-2
| | | @numberingOrg [Optional]
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | - oppure -
| | | yarnCode 0-2
| | | @numberingOrg [Optional] [Default= CL]
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | - oppure -
| | | texCode 0-2
| | | @numberingOrg [Optional]
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | pattern 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | - oppure -
| | | acsCode 0-2
| | | @numberingOrg [Optional]

```



```

| | | | art 1-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | pattern 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | color 0-1
| | | |   @numberingOrg [Optional]
| | | |   @codeList [Optional]
| | | |   @listName [Optional]
| | | |   @listVersion [Optional]
| | | | added 0-9
| | | |   @numberingOrg [Optional]
| | | |   @addType [Optional]
| | | | description 0-unbounded
| | | |   @ln [Optional]

```

- oppure -

```

| | | | garmentPartCode 0-2
| | | |   @numberingOrg [Optional]
| | | |   gPart 1-1
| | | |   mod 1-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   fabric 0-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   color 0-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   added 0-19
| | | |     @numberingOrg [Optional]
| | | |     @addType [Optional]
| | | |   size 0-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   description 0-unbounded
| | | |     @ln [Optional]

```

- oppure -

```

| | | | garmentCode 0-2
| | | |   @numberingOrg [Optional]

```

- scegli -

```

| | | | garmentCodeB 1-1
| | | |   @numberingOrg [Optional]
| | | |   mod 1-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   fabric 0-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]
| | | |     @listName [Optional]
| | | |     @listVersion [Optional]
| | | |   color 0-1
| | | |     @numberingOrg [Optional]
| | | |     @codeList [Optional]

```

```

| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | garmentVariant 0-9
| | | | | variantType 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | variantCode 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | drop 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | artGroup 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | | - oppure -
| | | | garmentCodeA 1-1
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | - fine scelta -
- fine scelta -
| | | | refDoc 0-9
| | | | @docType [Required]
| | | | | docID 1-2
| | | | | @numberingOrg [Optional]
| | | | | docDate 0-1
| | | | | @dateForm [Optional]
| | | | | season 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | itemID 0-1
| | | | | attachment 0-1
| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]

```

```

| | | | | mimeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | | | | hashFootprint 0-1
| | | | | @schemeID [Optional]
| | | | | @hashMethod [Required]
| | | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | | | certificate 0-9
| | | | | @docStatusCode [Required]
| | | | | @docValidity [Required]
| | | | | docID 1-1
| | | | | @numberingOrg [Optional]
| | | | | certificateID 1-1
| | | | | @schemeID [Optional]
| | | | | certificationStandardName 1-1
| | | | | @standardOwner [Required]
| | | | | docDate 1-1
| | | | | @dateForm [Optional]
| | | | | title 0-unbounded
| | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | validityStart 0-1
| | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | @dateForm [Optional]
| | | | | validityExtensionDate 0-1
| | | | | @dateForm [Optional]
| | | | | sustainabilityCharacteristicText 0-99
| | | | | @ln [Optional]
| | | | | issuerParty 1-1
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | | issuerAccreditationInfo 0-1
| | | | | certifiedParty 1-1
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1

```

- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **certifiedEntity 0-unbounded**
- | | entityID 1-3
- | | | @schemeID [Required]
- | | | entityTypeCode 1-1
- | | | description 0-9
- | | | @ln [Optional]
- | **attachment 0-1**
- | | @uid [Optional]
- | | | fileName 0-1
- | | | | @numberingOrg [Optional]
- | | | | binaryObject 0-1
- | | | | | @format [Optional]
- | | | | | @mime [Optional]
- | | | | | @encoding [Optional]
- | | | | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **selfAssertion 0-99**
- | | @disclosureLevel [Optional]
- | | @docStatusCode [Optional]
- | | | sustainabilityCharacteristicText 0-99
- | | | | @ln [Optional]
- | | | assertionCategory 1-1
- | | | description 1-99
- | | | | @ln [Optional]
- | **issuerParty 1-1**
- | | id 0-1
- | | | @numberingOrg [Optional]
- | | | legalName 0-1
- | | | dept 0-1
- | | | subDept 0-1
- | | | person 0-1
- | | | | @email [Optional]
- | | | | @phone [Optional]
- | | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]

```

| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| selfAssertionEntity 0-unbounded
| | entityID 1-3
| | | @schemeID [Required]
| | | entityTypeCode 1-1
| | | description 0-9
| | | | @In [Optional]
| externalRefDoc 0-99
| | docID 1-1
| | | @numberingOrg [Optional]
| | | docDate 0-1
| | | | @dateForm [Optional]
| | | title 0-unbounded
| | | | @In [Optional]
| | | description 0-unbounded
| | | | @In [Optional]
| | | validityStart 0-1
| | | | @dateForm [Optional]
| | | validityEnd 0-1
| | | | @dateForm [Optional]
| | | documentType 0-1
| issuerParty 0-1
| | | id 0-1
| | | | @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | issuerAccreditationInfo 0-1
| signatureInformation 0-1
| | signatureTypeCode 1-1
| | signatoryParty 0-unbounded
| | | id 0-1
| | | | @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1

```

| | | | | zGeoCoord 0-1
 | | | | | **attachment 0-1**
 | | | | | @uid [Optional]
 | | | | | fileName 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | binaryObject 0-1
 | | | | | @format [Optional]
 | | | | | @mime [Optional]
 | | | | | @encoding [Optional]
 | | | | | @characterSet [Optional]
 | | | | | **externalReference 0-99**
 | | | | | uri 1-1
 | | | | | @isURL [Optional] [Default= true]
 | | | | | mimeTypeCode 0-1
 | | | | | formatCode 0-1
 | | | | | encodingCode 0-1
 | | | | | characterSetCode 0-1
 | | | | | hashFootprint 0-1
 | | | | | @schemeID [Optional]
 | | | | | @hashMethod [Required]
 | | | | | **blockChainReference 0-9**
 | | | | | uri 1-1
 | | | | | @isURL [Optional] [Default= true]
 | | | | | transactionReceipt 1-9
 | | | | | note 0-99
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @noteLabel [Optional]
 | | | | | validityStart 0-1
 | | | | | @dateForm [Optional]
 | | | | | validityEnd 0-1
 | | | | | @dateForm [Optional]
 | | | | | validityExtensionDate 0-1
 | | | | | @dateForm [Optional]
 | | | | | objectTypeCode 0-1
 | | | | | qty 0-2
 | | | | | @um [Required]
 | | | | | **supplier 0-9**
 | | | | | @logo [Optional]
 | | | | | @sender [Optional]
 | | | | | id 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | additionalIdentifier 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @idQualifier [Optional]
 | | | | | legalName 0-1
 | | | | | dept 0-1
 | | | | | subDept 0-1
 | | | | | person 0-1
 | | | | | @email [Optional]
 | | | | | @phone [Optional]
 | | | | | @fax [Optional]
 | | | | | street 0-1
 | | | | | city 0-1
 | | | | | subCountry 0-1
 | | | | | country 0-1
 | | | | | postCode 0-1
 | | | | | **geoCoordinates 0-1**
 | | | | | @um [Optional] [Default= DEGD]
 | | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1

| **certificate 0-99**
 | @docStatusCode [Required]
 | @docValidity [Required]
 | docID 1-1

- | @numberingOrg [Optional]
- | certificateID 1-1
- | @schemeID [Optional]
- | certificationStandardName 1-1
- | @standardOwner [Required]
- | docDate 1-1
- | @dateForm [Optional]
- | title 0-unbounded
- | @ln [Optional]
- | description 0-unbounded
- | @ln [Optional]
- | validityStart 0-1
- | @dateForm [Optional]
- | validityEnd 0-1
- | @dateForm [Optional]
- | validityExtensionDate 0-1
- | @dateForm [Optional]
- | sustainabilityCharacteristicText 0-99
- | @ln [Optional]
- | **issuerParty 1-1**
- | | id 0-1
- | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | @email [Optional]
- | | @phone [Optional]
- | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | | issuerAccreditationInfo 0-1
- | **certifiedParty 1-1**
- | | id 0-1
- | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | @email [Optional]
- | | @phone [Optional]
- | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **certifiedEntity 0-unbounded**
- | | entityID 1-3
- | | @schemeID [Required]
- | | entityTypeCode 1-1
- | | description 0-9
- | | @ln [Optional]

attachment 0-1

- | @uid [Optional]
- | fileName 0-1
- | | @numberingOrg [Optional]
- | binaryObject 0-1
- | | @format [Optional]
- | | @mime [Optional]
- | | @encoding [Optional]
- | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | **blockChainReference 0-9**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]

selfAssertion 0-99

- | @disclosureLevel [Optional]
- | @docStatusCode [Optional]
- | sustainabilityCharacteristicText 0-99
- | | @In [Optional]
- | assertionCategory 1-1
- | description 1-99
- | | @In [Optional]
- | **issuerParty 1-1**
- | | id 0-1
- | | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | issuerAccreditationInfo 0-1

selfAssertionEntity 0-unbounded

- | entityID 1-3
- | | @schemeID [Required]
- | entityTypeCode 1-1
- | description 0-9
- | | @In [Optional]

externalRefDoc 0-99

- | docID 1-1
- | | @numberingOrg [Optional]
- | docDate 0-1

| @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
 | **issuerParty 0-1**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | | issuerAccreditationInfo 0-1
 | | **signatureInformation 0-1**
 | | | signatureTypeCode 1-1
 | | | **signatoryParty 0-unbounded**
 | | | | id 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | legalName 0-1
 | | | | | dept 0-1
 | | | | | subDept 0-1
 | | | | | person 0-1
 | | | | | @email [Optional]
 | | | | | @phone [Optional]
 | | | | | @fax [Optional]
 | | | | | street 0-1
 | | | | | city 0-1
 | | | | | subCountry 0-1
 | | | | | country 0-1
 | | | | | postCode 0-1
 | | | | | **geoCoordinates 0-1**
 | | | | | | @um [Optional] [Default= DEGD]
 | | | | | | @geoRefSystem [Optional]
 | | | | | | | xGeoCoord 1-1
 | | | | | | | yGeoCoord 1-1
 | | | | | | | zGeoCoord 0-1
 | | **attachment 0-1**
 | | | @uid [Optional]
 | | | | fileName 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | binaryObject 0-1
 | | | | | @format [Optional]
 | | | | | @mime [Optional]
 | | | | | @encoding [Optional]
 | | | | | @characterSet [Optional]
 | | | **externalReference 0-99**
 | | | | uri 1-1
 | | | | | @isURL [Optional] [Default= true]
 | | | | | mimeTypeCode 0-1

- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | **blockChainReference 0-9**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | transactionReceipt 1-9
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | | validityStart 0-1
- | | | @dateForm [Optional]
- | | validityEnd 0-1
- | | | @dateForm [Optional]
- | | validityExtensionDate 0-1
- | | | @dateForm [Optional]

assessmentStudyDocument 0-9

- | | @disclosureLevel [Optional]
- | | @docStatusCode [Optional]
- | | @isStudyDataset [Required]

- | | | docID 0-1
- | | | | @numberingOrg [Optional]
- | | | docDate 0-1
- | | | | @dateForm [Optional]

ProductIdentification 0-99

- | | | uniqueProductID 1-1
- | | | | @schemeID [Required]
- | | | objectTypeCode 1-1
- | | | description 0-9
- | | | | @In [Optional]

- scegli -

rawCode 0-2

- | | | @numberingOrg [Optional]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | color 0-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | added 0-9
- | | | | | @numberingOrg [Optional]
- | | | | | @addType [Optional]
- | | | | description 0-unbounded
- | | | | | @In [Optional]

- oppure -

yarnCode 0-2

- | | | @numberingOrg [Optional] [Default= CL]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | color 0-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | added 0-9
- | | | | | @numberingOrg [Optional]

| | | @addType [Optional]
| | | description 0-unbounded
| | | @ln [Optional]

- oppure -

| | **texCode 0-2**

| | @numberingOrg [Optional]
| | art 1-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | pattern 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | color 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | added 0-9
| | @numberingOrg [Optional]
| | @addType [Optional]
| | description 0-unbounded
| | @ln [Optional]

- oppure -

| | **acsCode 1-2**

| | @numberingOrg [Optional]
| | art 1-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | pattern 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | color 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | added 0-9
| | @numberingOrg [Optional]
| | @addType [Optional]
| | description 0-unbounded
| | @ln [Optional]

- oppure -

| | **garmentPartCode 0-2**

| | @numberingOrg [Optional]
| | gPart 1-1
| | mod 1-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | fabric 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | color 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]

```

| | | | added 0-19
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
- oppure -
| | | | garmentCode 0-2
| | | | @numberingOrg [Optional]
- scegli -
| | | | garmentCodeB 1-1
| | | | @numberingOrg [Optional]
| | | | mod 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | garmentVariant 0-9
| | | | variantType 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | variantCode 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | drop 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | artGroup 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
- oppure -
| | | | garmentCodeA 1-1
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]

```

```

| | | | @listVersion [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| - fine scelta -
| - fine scelta -
| | note 0-99
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]
| year 0-1
| title 0-unbounded
| | @ln [Optional]
| description 0-unbounded
| | @ln [Optional]
| publishableAbstract 0-99
| | @ln [Optional]
| author 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| reviewerParty 0-9
| | id 1-1
| | | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| reviewDate 0-1
| | @dateForm [Optional]
| issuerParty 0-1
| | id 0-1
| | | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | issuerAccreditationInfo 0-1
| validityStart 0-1
| | @dateForm [Optional]
| validityEnd 0-1

```

```

| | @dateForm [Optional]
| | signatureInformation 0-1
| | | signatureTypeCode 1-1
| | | signatoryParty 0-unbounded
| | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | | @um [Optional] [Default= DEGD]
| | | | | | @geoRefSystem [Optional]
| | | | | | | xGeoCoord 1-1
| | | | | | | yGeoCoord 1-1
| | | | | | | zGeoCoord 0-1
| | attachment 0-1
| | | @uid [Optional]
| | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | | externalReference 0-99
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeTypeCode 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | | blockChainReference 0-9
| | | | | | | uri 1-1
| | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | transactionReceipt 1-9
| | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]

| organisationDescriptor 0-1
| | id 1-1
| | | @numberingOrg [Optional]
| | | legalName 1-1
| | | organisationAddress 1-1
| | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | | @um [Optional] [Default= DEGD]
| | | | | | @geoRefSystem [Optional]
| | | | | | | xGeoCoord 1-1
| | | | | | | yGeoCoord 1-1
| | | | | | | zGeoCoord 0-1

```

person 1-99
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 activityStatisticalCode 0-1
 | @schemeID [Optional] [Default= NACE]
certificate 0-99
 | @docStatusCode [Required]
 | @docValidity [Required]
 | docID 1-1
 | | @numberingOrg [Optional]
 | certificateID 1-1
 | | @schemeID [Optional]
 | certificationStandardName 1-1
 | | @standardOwner [Required]
 | docDate 1-1
 | | @dateForm [Optional]
 | title 0-unbounded
 | | @ln [Optional]
 | description 0-unbounded
 | | @ln [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | validityExtensionDate 0-1
 | | @dateForm [Optional]
 | sustainabilityCharacteristicText 0-99
 | | @ln [Optional]
issuerParty 1-1
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | | issuerAccreditationInfo 0-1
certifiedParty 1-1
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]

- | | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | | **certifiedEntity 0-unbounded**
- | | | entityID 1-3
- | | | @schemeID [Required]
- | | | entityTypeCode 1-1
- | | | description 0-9
- | | | @ln [Optional]
- | | **attachment 0-1**
- | | | @uid [Optional]
- | | | fileName 0-1
- | | | @numberingOrg [Optional]
- | | | binaryObject 0-1
- | | | @format [Optional]
- | | | @mime [Optional]
- | | | @encoding [Optional]
- | | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | | mimeTypeCode 0-1
- | | | formatCode 0-1
- | | | encodingCode 0-1
- | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | @schemeID [Optional]
- | | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | | **selfAssertion 0-99**
- | | | @disclosureLevel [Optional]
- | | | @docStatusCode [Optional]
- | | | sustainabilityCharacteristicText 0-99
- | | | @ln [Optional]
- | | | assertionCategory 1-1
- | | | description 1-99
- | | | @ln [Optional]
- | | **issuerParty 1-1**
- | | | id 0-1
- | | | @numberingOrg [Optional]
- | | | legalName 0-1
- | | | dept 0-1
- | | | subDept 0-1
- | | | person 0-1
- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | | | issuerAccreditationInfo 0-1
- | | **selfAssertionEntity 0-unbounded**

| entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @ln [Optional]
externalRefDoc 0-99
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
issuerParty 0-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
signatureInformation 0-1
 | signatureTypeCode 1-1
signatoryParty 0-unbounded
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
attachment 0-1
 | @uid [Optional]
 | fileName 0-1
 | @numberingOrg [Optional]

- | binaryObject 0-1
- | | @format [Optional]
- | | @mime [Optional]
- | | @encoding [Optional]
- | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | **blockChainReference 0-9**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | transactionReceipt 1-9
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | | validityStart 0-1
- | | | @dateForm [Optional]
- | | validityEnd 0-1
- | | | @dateForm [Optional]
- | | validityExtensionDate 0-1
- | | | @dateForm [Optional]
- | | **socialAndEthicalSpecificInformation 0-1**
- | | | @limitedByDisclosureIndicator [Optional]
- | | | @exhaustiveInformation [Required]
- | | | @disclosureLevel [Required]
- | | | @storageAction [Required]
- | | | **certificate 0-99**
- | | | | @docStatusCode [Required]
- | | | | @docValidity [Required]
- | | | | docID 1-1
- | | | | | @numberingOrg [Optional]
- | | | | certificateID 1-1
- | | | | | @schemeID [Optional]
- | | | | certificationStandardName 1-1
- | | | | | @standardOwner [Required]
- | | | | docDate 1-1
- | | | | | @dateForm [Optional]
- | | | | title 0-unbounded
- | | | | | @in [Optional]
- | | | | description 0-unbounded
- | | | | | @in [Optional]
- | | | | validityStart 0-1
- | | | | | @dateForm [Optional]
- | | | | validityEnd 0-1
- | | | | | @dateForm [Optional]
- | | | | validityExtensionDate 0-1
- | | | | | @dateForm [Optional]
- | | | | sustainabilityCharacteristicText 0-99
- | | | | | @in [Optional]
- | | | | **issuerParty 1-1**
- | | | | | id 0-1
- | | | | | | @numberingOrg [Optional]
- | | | | | legalName 0-1
- | | | | | dept 0-1
- | | | | | subDept 0-1
- | | | | | person 0-1
- | | | | | | @email [Optional]
- | | | | | | @phone [Optional]
- | | | | | | @fax [Optional]
- | | | | | street 0-1

| city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **certifiedParty 1-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **certifiedEntity 0-unbounded**
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @n [Optional]
 | **attachment 0-1**
 | @uid [Optional]
 | fileName 0-1
 | @numberingOrg [Optional]
 | binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | | mimeTypeCode 0-1
 | | formatCode 0-1
 | | encodingCode 0-1
 | | characterSetCode 0-1
 | hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9
 | note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **selfAssertion 0-99**
 | @disclosureLevel [Optional]
 | @docStatusCode [Optional]

sustainabilityCharacteristicText 0-99
 @In [Optional]
 assertionCategory 1-1
 description 1-99
 @In [Optional]
issuerParty 1-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
 entityID 1-3
 @schemeID [Required]
 entityTypeCode 1-1
 description 0-9
 @In [Optional]
externalRefDoc 0-99
 docID 1-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]
 title 0-unbounded
 @In [Optional]
 description 0-unbounded
 @In [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 documentType 0-1
issuerParty 0-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1

issuerAccreditationInfo 0-1
signatureInformation 0-1
 signatureTypeCode 1-1
signatoryParty 0-unbounded
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
attachment 0-1
 @uid [Optional]
 fileName 0-1
 @numberingOrg [Optional]
 binaryObject 0-1
 @format [Optional]
 @mime [Optional]
 @encoding [Optional]
 @characterSet [Optional]
externalReference 0-99
 uri 1-1
 @isURL [Optional] [Default= true]
 mimeTypeCode 0-1
 formatCode 0-1
 encodingCode 0-1
 characterSetCode 0-1
 hashFootprint 0-1
 @schemeID [Optional]
 @hashMethod [Required]
blockChainReference 0-9
 uri 1-1
 @isURL [Optional] [Default= true]
 transactionReceipt 1-9
 note 0-99
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 validityExtensionDate 0-1
 @dateForm [Optional]
assessmentStudyDocument 0-9
 @disclosureLevel [Optional]
 @docStatusCode [Optional]
 @isStudyDataset [Required]
 docID 0-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]
ProductIdentification 0-99
 uniqueProductID 1-1
 @schemeID [Required]

				objectTypeCode 1-1
				description 0-9
				@In [Optional]
				- scegli -
				rawCode 0-2
				@numberingOrg [Optional]
				art 1-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				color 0-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				added 0-9
				@numberingOrg [Optional]
				@addType [Optional]
				description 0-unbounded
				@In [Optional]
				- oppure -
				yarnCode 0-2
				@numberingOrg [Optional] [Default= CL]
				art 1-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				color 0-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				added 0-9
				@numberingOrg [Optional]
				@addType [Optional]
				description 0-unbounded
				@In [Optional]
				- oppure -
				texCode 0-2
				@numberingOrg [Optional]
				art 1-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				pattern 0-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				color 0-1
				@numberingOrg [Optional]
				@codeList [Optional]
				@listName [Optional]
				@listVersion [Optional]
				added 0-9
				@numberingOrg [Optional]
				@addType [Optional]
				description 0-unbounded
				@In [Optional]
				- oppure -
				acsCode 1-2
				@numberingOrg [Optional]
				art 1-1
				@numberingOrg [Optional]
				@codeList [Optional]

| | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | pattern 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-9
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | description 0-unbounded
 | | | | | @ln [Optional]

- oppure -

| | | | | **garmentPartCode 0-2**
 | | | | | @numberingOrg [Optional]
 | | | | | gPart 1-1
 | | | | | mod 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | fabric 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | added 0-19
 | | | | | @numberingOrg [Optional]
 | | | | | @addType [Optional]
 | | | | | size 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | description 0-unbounded
 | | | | | @ln [Optional]

- oppure -

| | | | | **garmentCode 0-2**
 | | | | | @numberingOrg [Optional]

- scegli -

| | | | | **garmentCodeB 1-1**
 | | | | | @numberingOrg [Optional]
 | | | | | mod 1-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | fabric 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | color 0-1
 | | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @listName [Optional]
 | | | | | @listVersion [Optional]
 | | | | | **garmentVariant 0-9**

```

| | | | | | | | | variantType 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | variantCode 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | drop 0-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | size 0-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | artGroup 0-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | added 0-9
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @addType [Optional]
| | | | | | | | | description 0-unbounded
| | | | | | | | | @ln [Optional]
| | | | | | | | | - oppure -
| | | | | | | | | garmentCodeA 1-1
| | | | | | | | | art 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | description 0-unbounded
| | | | | | | | | @ln [Optional]
| | | | | | | | | - fine scelta -
| | | | | | | | | - fine scelta -
| | | | | | | | | note 0-99
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @noteLabel [Optional]
| | | | | | | | | year 0-1
| | | | | | | | | title 0-unbounded
| | | | | | | | | @ln [Optional]
| | | | | | | | | description 0-unbounded
| | | | | | | | | @ln [Optional]
| | | | | | | | | publishableAbstract 0-99
| | | | | | | | | @ln [Optional]
| | | | | | | | | author 0-1
| | | | | | | | | @email [Optional]
| | | | | | | | | @phone [Optional]
| | | | | | | | | @fax [Optional]
| | | | | | | | | reviewerParty 0-9
| | | | | | | | | id 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | legalName 0-1
| | | | | | | | | dept 0-1
| | | | | | | | | subDept 0-1
| | | | | | | | | person 0-1
| | | | | | | | | @email [Optional]
| | | | | | | | | @phone [Optional]
| | | | | | | | | @fax [Optional]
| | | | | | | | | street 0-1
| | | | | | | | | city 0-1

```



```

| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     | xGeoCoord 1-1
|     | yGeoCoord 1-1
|     | zGeoCoord 0-1
| reviewDate 0-1
|   @dateForm [Optional]
| issuerParty 0-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       | xGeoCoord 1-1
|       | yGeoCoord 1-1
|       | zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| validityStart 0-1
|   @dateForm [Optional]
| validityEnd 0-1
|   @dateForm [Optional]
| signatureInformation 0-1
|   signatureTypeCode 1-1
|   signatoryParty 0-unbounded
|     id 0-1
|     @numberingOrg [Optional]
|     legalName 0-1
|     dept 0-1
|     subDept 0-1
|     person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|     street 0-1
|     city 0-1
|     subCountry 0-1
|     country 0-1
|     postCode 0-1
|     geoCoordinates 0-1
|       @um [Optional] [Default= DEGD]
|       @geoRefSystem [Optional]
|         | xGeoCoord 1-1
|         | yGeoCoord 1-1
|         | zGeoCoord 0-1
| attachment 0-1
|   @uid [Optional]
|   fileName 0-1
|   @numberingOrg [Optional]
|   binaryObject 0-1
|   @format [Optional]
|   @mime [Optional]
|   @encoding [Optional]

```

```

| | | | | @characterSet [Optional]
| | | | | externalReference 0-99
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeType 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | | blockChainReference 0-9
| | | | | | | uri 1-1
| | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | transactionReceipt 1-9
| | | | | | note 0-99
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @noteLabel [Optional]
| | | | | socialAccountabilityEvidence 1-unbounded
| | | | | | @socialAccountabilityMethod [Optional]
| | | | | | | socialAccountabilityEvidenceCategory 1-1
| | | | | | | description 0-99
| | | | | | | | @ln [Optional]
| | | | | | | | evidenceValue 0-1
| | | | | | | | @um [Optional]
| | | | | | | selfAssertion 0-99
| | | | | | | | @disclosureLevel [Optional]
| | | | | | | | @docStatusCode [Optional]
| | | | | | | | | sustainabilityCharacteristicText 0-99
| | | | | | | | | | @ln [Optional]
| | | | | | | | | assertionCategory 1-1
| | | | | | | | | description 1-99
| | | | | | | | | | @ln [Optional]
| | | | | | | | issuerParty 1-1
| | | | | | | | | id 0-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | legalName 0-1
| | | | | | | | | | dept 0-1
| | | | | | | | | | subDept 0-1
| | | | | | | | | | person 0-1
| | | | | | | | | | | @email [Optional]
| | | | | | | | | | | @phone [Optional]
| | | | | | | | | | | @fax [Optional]
| | | | | | | | | | street 0-1
| | | | | | | | | | city 0-1
| | | | | | | | | | subCountry 0-1
| | | | | | | | | | country 0-1
| | | | | | | | | | postCode 0-1
| | | | | | | | | geoCoordinates 0-1
| | | | | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | | | | @geoRefSystem [Optional]
| | | | | | | | | | | xGeoCoord 1-1
| | | | | | | | | | | yGeoCoord 1-1
| | | | | | | | | | | zGeoCoord 0-1
| | | | | | | | | issuerAccreditationInfo 0-1
| | | | | | | selfAssertionEntity 0-unbounded
| | | | | | | | entityID 1-3
| | | | | | | | | @schemeID [Required]
| | | | | | | | | entityTypeCode 1-1
| | | | | | | | | description 0-9
| | | | | | | | | | @ln [Optional]
| | | | | | | | externalRefDoc 0-99
| | | | | | | | | docID 1-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | docDate 0-1
| | | | | | | | | | | @dateForm [Optional]
| | | | | | | | | | title 0-unbounded

```

```

| @In [Optional]
| description 0-unbounded
| @In [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
| | id 0-1
| | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | issuerAccreditationInfo 0-1
| | signatureInformation 0-1
| | | signatureTypeCode 1-1
| | | signatoryParty 0-unbounded
| | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | | @um [Optional] [Default= DEGD]
| | | | | | @geoRefSystem [Optional]
| | | | | | | xGeoCoord 1-1
| | | | | | | yGeoCoord 1-1
| | | | | | | zGeoCoord 0-1
| | attachment 0-1
| | | @uid [Optional]
| | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | externalReference 0-99
| | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | | mimeTypeCode 0-1
| | | | | | formatCode 0-1
| | | | | | encodingCode 0-1

```

| characterSetCode 0-1
 | hashFootprint 0-1
 | @schemeID [Optional]
 | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | @isURL [Optional] [Default= true]
 | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | validityExtensionDate 0-1
 | | @dateForm [Optional]
 | **externalRefDoc 0-99**
 | docID 1-1
 | | @numberingOrg [Optional]
 | docDate 0-1
 | | @dateForm [Optional]
 | title 0-unbounded
 | | @ln [Optional]
 | description 0-unbounded
 | | @ln [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | documentType 0-1
 | **issuerParty 0-1**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**
 | | signatureTypeCode 1-1
 | | **signatoryParty 0-unbounded**
 | | | id 0-1
 | | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1

- subCountry 0-1
- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
- @um [Optional] [Default= DEGD]
- @geoRefSystem [Optional]
 - xGeoCoord 1-1
 - yGeoCoord 1-1
 - zGeoCoord 0-1
- attachment 0-1**
- @uid [Optional]
 - fileName 0-1
 - @numberingOrg [Optional]
 - binaryObject 0-1
 - @format [Optional]
 - @mime [Optional]
 - @encoding [Optional]
 - @characterSet [Optional]
 - externalReference 0-99**
 - uri 1-1
 - @isURL [Optional] [Default= true]
 - mimeCode 0-1
 - formatCode 0-1
 - encodingCode 0-1
 - characterSetCode 0-1
 - hashFootprint 0-1
 - @schemeID [Optional]
 - @hashMethod [Required]
 - blockChainReference 0-9**
 - uri 1-1
 - @isURL [Optional] [Default= true]
 - transactionReceipt 1-9
 - note 0-99
 - @numberingOrg [Optional]
 - @codeList [Optional]
 - @noteLabel [Optional]
- note 0-9
 - @numberingOrg [Optional]
 - @codeList [Optional]
 - @noteLabel [Optional]
- listOfFacilities 0-1**
- @limitedByDisclosureIndicator [Optional]
- @exhaustiveInformation [Required]
- @disclosureLevel [Required]
- @storageAction [Required]
- facilityDescriptor 0-unbounded**
 - facilityLocation 1-1**
 - location 1-1
 - @LRI [Optional]
 - street 0-1
 - city 0-1
 - subCountry 0-1
 - country 0-1
 - postCode 0-1
 - geoCoordinates 0-1**
 - @um [Optional] [Default= DEGD]
 - @geoRefSystem [Optional]
 - xGeoCoord 1-1
 - yGeoCoord 1-1
 - zGeoCoord 0-1
 - description 0-2
 - @ln [Optional]
 - processStepsList 0-1**
 - @limitedByDisclosureIndicator [Optional]
 - @exhaustiveInformation [Required]
 - @disclosureLevel [Required]
 - @storageAction [Required]
 - processStep 1-unbounded**

@progr [Required]
 @internallyPerformed [Optional]
 | processStepID 1-1
 | manufacturingOperationCode 1-1
 | description 0-9
 | @ln [Optional]
 | **activityLocation 0-99**
 | @part [Optional] [Default= 100]
 | | location 0-1
 | | | @LRI [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]

certificate 0-99

@docStatusCode [Required]
 @docValidity [Required]
 | docID 1-1
 | | @numberingOrg [Optional]
 | certificateID 1-1
 | | @schemeID [Optional]
 | certificationStandardName 1-1
 | | @standardOwner [Required]
 | docDate 1-1
 | | @dateForm [Optional]
 | title 0-unbounded
 | | @ln [Optional]
 | description 0-unbounded
 | | @ln [Optional]
 | validityStart 0-1
 | | @dateForm [Optional]
 | validityEnd 0-1
 | | @dateForm [Optional]
 | validityExtensionDate 0-1
 | | @dateForm [Optional]
 | sustainabilityCharacteristicText 0-99
 | | @ln [Optional]

issuerParty 1-1

| id 0-1
 | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1

| country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **certifiedParty 1-1**
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **certifiedEntity 0-unbounded**
 | entityID 1-3
 | | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | | @ln [Optional]
 | **attachment 0-1**
 | @uid [Optional]
 | fileName 0-1
 | | @numberingOrg [Optional]
 | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
 | **externalReference 0-99**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | mimeTypeCode 0-1
 | | formatCode 0-1
 | | encodingCode 0-1
 | | characterSetCode 0-1
 | hashFootprint 0-1
 | | @schemeID [Optional]
 | | @hashMethod [Required]
 | **blockChainReference 0-9**
 | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9
 note 0-99
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **selfAssertion 0-99**
 | @disclosureLevel [Optional]
 | @docStatusCode [Optional]
 | sustainabilityCharacteristicText 0-99
 | | @ln [Optional]

```

assertionCategory 1-1
description 1-99
  @In [Optional]
issuerParty 1-1
  id 0-1
  @numberingOrg [Optional]
  legalName 0-1
  dept 0-1
  subDept 0-1
  person 0-1
  @email [Optional]
  @phone [Optional]
  @fax [Optional]
  street 0-1
  city 0-1
  subCountry 0-1
  country 0-1
  postCode 0-1
  geoCoordinates 0-1
  @um [Optional] [Default= DEGD]
  @geoRefSystem [Optional]
  | xGeoCoord 1-1
  | yGeoCoord 1-1
  | zGeoCoord 0-1
  issuerAccreditationInfo 0-1
selfAssertionEntity 0-unbounded
  entityID 1-3
  @schemeID [Required]
  entityTypeCode 1-1
  description 0-9
  @In [Optional]
externalRefDoc 0-99
  docID 1-1
  @numberingOrg [Optional]
  docDate 0-1
  @dateForm [Optional]
  title 0-unbounded
  @In [Optional]
  description 0-unbounded
  @In [Optional]
  validityStart 0-1
  @dateForm [Optional]
  validityEnd 0-1
  @dateForm [Optional]
  documentType 0-1
  issuerParty 0-1
  id 0-1
  @numberingOrg [Optional]
  legalName 0-1
  dept 0-1
  subDept 0-1
  person 0-1
  @email [Optional]
  @phone [Optional]
  @fax [Optional]
  street 0-1
  city 0-1
  subCountry 0-1
  country 0-1
  postCode 0-1
  geoCoordinates 0-1
  @um [Optional] [Default= DEGD]
  @geoRefSystem [Optional]
  | xGeoCoord 1-1
  | yGeoCoord 1-1
  | zGeoCoord 0-1
  issuerAccreditationInfo 0-1
signatureInformation 0-1

```


signatureTypeCode 1-1

signatoryParty 0-unbounded

- | id 0-1
- | @numberingOrg [Optional]
- | legalName 0-1
- | dept 0-1
- | subDept 0-1
- | person 0-1
- | @email [Optional]
- | @phone [Optional]
- | @fax [Optional]
- | street 0-1
- | city 0-1
- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
- | |xGeoCoord 1-1
- | |yGeoCoord 1-1
- | |zGeoCoord 0-1

attachment 0-1

- | @uid [Optional]
- | fileName 0-1
- | @numberingOrg [Optional]
- | binaryObject 0-1
- | @format [Optional]
- | @mime [Optional]
- | @encoding [Optional]
- | @characterSet [Optional]
- | **externalReference 0-99**
- | uri 1-1
- | @isURL [Optional] [Default= true]
- | mimeCode 0-1
- | formatCode 0-1
- | encodingCode 0-1
- | characterSetCode 0-1
- | hashFootprint 0-1
- | @schemeID [Optional]
- | @hashMethod [Required]
- | **blockChainReference 0-9**
- | uri 1-1
- | @isURL [Optional] [Default= true]
- | transactionReceipt 1-9
- | note 0-99
- | @numberingOrg [Optional]
- | @codeList [Optional]
- | @noteLabel [Optional]
- | validityStart 0-1
- | @dateForm [Optional]
- | validityEnd 0-1
- | @dateForm [Optional]
- | validityExtensionDate 0-1
- | @dateForm [Optional]

assessmentStudyDocument 0-9

- | @disclosureLevel [Optional]
- | @docStatusCode [Optional]
- | @isStudyDataset [Required]
- | docID 0-1
- | @numberingOrg [Optional]
- | docDate 0-1
- | @dateForm [Optional]

ProductIdentification 0-99

- | uniqueProductID 1-1
- | @schemeID [Required]
- | objectTypeCode 1-1
- | description 0-9

```

| | | | | @In [Optional]
| | | | | - scegli -
| | | | | rawCode 0-2
| | | | | @numberingOrg [Optional]
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | | description 0-unbounded
| | | | | | @In [Optional]
| | | | | - oppure -
| | | | | yarnCode 0-2
| | | | | @numberingOrg [Optional] [Default= CL]
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | | description 0-unbounded
| | | | | | @In [Optional]
| | | | | - oppure -
| | | | | texCode 0-2
| | | | | @numberingOrg [Optional]
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | pattern 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | | description 0-unbounded
| | | | | | @In [Optional]
| | | | | - oppure -
| | | | | acsCode 1-2
| | | | | @numberingOrg [Optional]
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]

```

					pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional]
				- oppure -	garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional]
				- oppure -	garmentCode 0-2 @numberingOrg [Optional]
				- scegli -	garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional]
					garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional]

| postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 reviewDate 0-1
 @dateForm [Optional]
issuerParty 0-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
signatureInformation 0-1
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | | id 0-1
 | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | @um [Optional] [Default= DEGD]
 | | @geoRefSystem [Optional]
 | | | xGeoCoord 1-1
 | | | yGeoCoord 1-1
 | | | zGeoCoord 0-1
attachment 0-1
 @uid [Optional]
 | fileName 0-1
 | @numberingOrg [Optional]
 | binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]
 | @encoding [Optional]
 | @characterSet [Optional]
externalReference 0-99

- | uri 1-1
- | | *@isURL [Optional] [Default= true]*
- | mimeTypeCode 0-1
- | formatCode 0-1
- | encodingCode 0-1
- | characterSetCode 0-1
- | hashFootprint 0-1
- | | *@schemeID [Optional]*
- | | *@hashMethod [Required]*
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | | *@isURL [Optional] [Default= true]*
- | | | transactionReceipt 1-9
- | note 0-99
- | | *@numberingOrg [Optional]*
- | | *@codeList [Optional]*
- | | *@noteLabel [Optional]*
- | | **facilityYearlyProductionMass 0-9**
- | | | objectTypeCode 0-1
- | | | declaredQty 0-2
- | | | | *@um [Required]*
- | | | | *@validationMethod [Optional]*
- | | | | *@referenceYear [Optional]*
- | | | year 0-1
- | | **facilitySustainabilityCharacteristics 0-1**
- | | | **billOfUsedWater 0-9**
- | | | | *@limitedByDisclosureIndicator [Optional]*
- | | | | *@exhaustiveInformation [Required]*
- | | | | *@disclosureLevel [Optional]*
- | | | | *@storageAction [Required]*
- | | | | | productReferenceQty 0-1
- | | | | | | *@um [Required]*
- | | | | | year 0-1
- | | | | **facilityLocation 0-1**
- | | | | | location 1-1
- | | | | | | *@LRI [Optional]*
- | | | | | street 0-1
- | | | | | city 0-1
- | | | | | subCountry 0-1
- | | | | | country 0-1
- | | | | | postCode 0-1
- | | | | | **geoCoordinates 0-1**
- | | | | | | *@um [Optional] [Default= DEGD]*
- | | | | | | *@geoRefSystem [Optional]*
- | | | | | | | xGeoCoord 1-1
- | | | | | | | yGeoCoord 1-1
- | | | | | | | zGeoCoord 0-1
- | | | | **usedWaterDescriptor 0-99**
- | | | | | *@indirectIncluded [Required]*
- | | | | | | usedWaterType 1-1
- | | | | | | description 0-99
- | | | | | | | *@ln [Optional]*
- | | | | | | | declaredQty 0-9
- | | | | | | | | *@um [Required]*
- | | | | | | | | *@validationMethod [Optional]*
- | | | | | | | | *@referenceYear [Optional]*
- | | | | | | | productReferenceQty 0-1
- | | | | | | | | *@um [Required]*
- | | | | | | | note 0-9
- | | | | | | | | *@numberingOrg [Optional]*
- | | | | | | | | *@codeList [Optional]*
- | | | | | | | | *@noteLabel [Optional]*
- | | | | **externalRefDoc 0-99**
- | | | | | docID 1-1
- | | | | | | *@numberingOrg [Optional]*
- | | | | | | docDate 0-1
- | | | | | | | *@dateForm [Optional]*
- | | | | | | title 0-unbounded

@In [Optional]
 description 0-unbounded
 @In [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 documentType 0-1
issuerParty 0-1
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | | @um [Optional] [Default= DEGD]
 | | @geoRefSystem [Optional]
 | | | xGeoCoord 1-1
 | | | yGeoCoord 1-1
 | | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
signatureInformation 0-1
 | signatureTypeCode 1-1
signatoryParty 0-unbounded
 | id 0-1
 | | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | | @um [Optional] [Default= DEGD]
 | | @geoRefSystem [Optional]
 | | | xGeoCoord 1-1
 | | | yGeoCoord 1-1
 | | | zGeoCoord 0-1
attachment 0-1
 @uid [Optional]
 | fileName 0-1
 | | @numberingOrg [Optional]
 | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
externalReference 0-99
 | uri 1-1
 | | @isURL [Optional] [Default= true]
 | mimeTypeCode 0-1
 | formatCode 0-1
 | encodingCode 0-1

```

| | | | characterSetCode 0-1
| | | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | note 0-9
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | billOfEnergy 0-9
| | | | | @limitedByDisclosureIndicator [Optional]
| | | | | @exhaustiveInformation [Required]
| | | | | @disclosureLevel [Optional]
| | | | | @storageAction [Required]
| | | | | productReferenceQty 0-1
| | | | | | @um [Required]
| | | | | year 0-1
| | | | | facilityLocation 0-1
| | | | | | location 1-1
| | | | | | | @LRI [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | @geoRefSystem [Optional]
| | | | | | | | xGeoCoord 1-1
| | | | | | | | yGeoCoord 1-1
| | | | | | | | zGeoCoord 0-1
| | | | | | energySupplyDescriptor 1-99
| | | | | | | @percSourcesRenewable [Optional]
| | | | | | | @internalEnergyProduction [Required]
| | | | - scegli -
| | | | | energy 1-1
| | | | | | @um [Required]
| | | | | | @validationMethod [Optional]
| | | | | | @referenceYear [Optional]
| | | | - oppure -
| | | | | timeDuration 1-1
| | | | | activePower 1-1
| | | | | | @um [Required]
| | | | | | @validationMethod [Optional]
| | | | | | @referenceYear [Optional]
| | | | - fine scelta -
| | | | | description 0-99
| | | | | | @In [Optional]
| | | | | energySourceType 0-1
| | | | | typeOfEnergyVector 1-1
| | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | energyConsumptionDescriptor 1-99
| | | | | | @isElectric [Required]
| | | | | | @indirectIncluded [Required]
| | | | - scegli -
| | | | | activePower 1-1
| | | | | | @um [Required]
| | | | | | @validationMethod [Optional]

```


- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
 - | xGeoCoord 1-1
 - | yGeoCoord 1-1
 - | zGeoCoord 0-1
- | **attachment 0-1**
- | @uid [Optional]
 - | fileName 0-1
 - | @numberingOrg [Optional]
 - | binaryObject 0-1
 - | @format [Optional]
 - | @mime [Optional]
 - | @encoding [Optional]
 - | @characterSet [Optional]
- | **externalReference 0-99**
 - | uri 1-1
 - | @isURL [Optional] [Default= true]
 - | mimeTypeCode 0-1
 - | formatCode 0-1
 - | encodingCode 0-1
 - | characterSetCode 0-1
- | hashFootprint 0-1
- | @schemeID [Optional]
- | @hashMethod [Required]
- | **blockChainReference 0-9**
 - | uri 1-1
 - | @isURL [Optional] [Default= true]
 - | transactionReceipt 1-9
- | note 0-99
- | @numberingOrg [Optional]
- | @codeList [Optional]
- | @noteLabel [Optional]
- | note 0-9
- | @numberingOrg [Optional]
- | @codeList [Optional]
- | @noteLabel [Optional]
- | **billOfWaste 0-9**
- | @limitedByDisclosureIndicator [Optional]
- | @exhaustiveInformation [Required]
- | @disclosureLevel [Optional]
- | @storageAction [Required]
 - | productReferenceQty 0-1
 - | @um [Required]
 - | year 0-1
- | **facilityLocation 0-1**
 - | location 1-1
 - | @LRI [Optional]
 - | street 0-1
 - | city 0-1
 - | subCountry 0-1
 - | country 0-1
 - | postCode 0-1
 - | **geoCoordinates 0-1**
 - | @um [Optional] [Default= DEGD]
 - | @geoRefSystem [Optional]
 - | xGeoCoord 1-1
 - | yGeoCoord 1-1
 - | zGeoCoord 0-1
- | **wasteDescriptor 0-99**
- | @indirectIncluded [Required]
 - | EWCWasteCode 1-1
 - | wasteTypeCode 0-9
 - | @schemeID [Required]
 - | description 0-99

| @In [Optional]
 | declaredQty 0-1
 | @um [Required]
 | @validationMethod [Optional]
 | @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | routeLength 0-1
 | @um [Required]
 | wasteFinalTreatmentType 0-9
 | @part [Optional]
 | @recyclingProcessEfficiency [Optional]
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]

externalRefDoc 0-99

| docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1

issuerParty 0-1

| id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1

geoCoordinates 0-1

| @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1

| issuerAccreditationInfo 0-1

signatureInformation 0-1

| signatureTypeCode 1-1

signatoryParty 0-unbounded

| id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1

| @referenceYear [Optional]
 | productReferenceQty 0-1
 | @um [Required]
 | wasteWaterFinalTreatmentType 0-9
 | @part [Optional]
 | wasteWaterContaminantType 0-99
 | note 0-9
 | @numberingOrg [Optional]
 | @codeList [Optional]
 | @noteLabel [Optional]
 | **externalRefDoc 0-99**
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @In [Optional]
 | description 0-unbounded
 | @In [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
 | **issuerParty 0-1**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**
 | signatureTypeCode 1-1
 | **signatoryParty 0-unbounded**
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1

| | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | | @format [Optional]
 | | | @mime [Optional]
 | | | @encoding [Optional]
 | | | @characterSet [Optional]
 | | **externalReference 0-99**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | | mimeTypeCode 0-1
 | | | | formatCode 0-1
 | | | | encodingCode 0-1
 | | | | characterSetCode 0-1
 | | | hashFootprint 0-1
 | | | | @schemeID [Optional]
 | | | | @hashMethod [Required]
 | | | **blockChainReference 0-9**
 | | | | uri 1-1
 | | | | | @isURL [Optional] [Default= true]
 | | | | transactionReceipt 1-9
 | | note 0-99
 | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @noteLabel [Optional]
 | | note 0-9
 | | | @numberingOrg [Optional]
 | | | | @codeList [Optional]
 | | | | @noteLabel [Optional]
 | **billOfDirectEmissions 0-9**
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]
 | | productReferenceQty 0-1
 | | | @um [Required]
 | | year 0-1
 | | **facilityLocation 0-1**
 | | | location 1-1
 | | | | @LRI [Optional]
 | | | | street 0-1
 | | | | city 0-1
 | | | | subCountry 0-1
 | | | | country 0-1
 | | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | **directEmissionDescriptor 1-99**
 | @releasedOn [Required]
 | @indirectIncluded [Required]
 | | directEmissionType 1-1
 | | description 0-99
 | | | @In [Optional]
 | | declaredQty 0-1
 | | | @um [Required]
 | | | @validationMethod [Optional]
 | | | @referenceYear [Optional]
 | | productReferenceQty 0-1
 | | | @um [Required]
 | | note 0-9
 | | | @numberingOrg [Optional]

| @codeList [Optional]
 | @noteLabel [Optional]
externalRefDoc 0-99
 | docID 1-1
 | @numberingOrg [Optional]
 | docDate 0-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | documentType 0-1
issuerParty 0-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
signatureInformation 0-1
 | signatureTypeCode 1-1
signatoryParty 0-unbounded
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
attachment 0-1
 | @uid [Optional]
 | fileName 0-1
 | @numberingOrg [Optional]
 | binaryObject 0-1
 | @format [Optional]
 | @mime [Optional]

2.2 Descrizione di dettaglio degli elementi del documento

Nelle tabelle seguenti vengono presentati tutti gli elementi (complessi e semplici) utilizzati in questo documento. La descrizione comprende: 1) informazioni proprie dell'elemento: tag, nome dell'elemento, breve descrizione, tipo di dato e vincoli sintattici; 2) informazioni relative all'uso dell'elemento in una particolare collocazione nel documento: xpath ed eventuali note relative a tale uso.

2.2.1 Elementi complessi (Aggregate Business Information Entities)

Sono elementi complessi gli elementi il cui contenuto è costituito da altri elementi (figli). Gli elementi complessi sono ordinati alfabeticamente.

<p>acsCode</p>	<p>codifica che identifica un prodotto accessorio associato a capo o altro prodotto fashion (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode) 1-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode) 1-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode) 1-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/ProductIdentification/acsCode) 1-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
<p>activityLocation</p>	<p>dati relativi ad un luogo dove ha luogo l'attività (Indicare almeno identificatore location o un indirizzo, città e paese) - tipo base: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation) 0-99 - note: Qui e' sufficiente indicare location, country e subcountry. Se la attivita' viene svolta in piu' luoghi o stabilimenti indicare anche quale percentuale del totale viene svolta presso ciascuna. .</p>
<p>assessmentStudyDocument</p>	<p>documento risultante di studio (ad esempio LCA). Puo' essere relativo a componente o prodotto. Puo' essere report o set di dati (in qualsiasi formato) a seconda del flag isStudyDataSet. Nel caso di studio PEF, se possibile preferire PEFStudyDocument. - tipo base: , (XPath SEpreliminaryinformation/assessmentStudyDocument) 0-9 - note: eventuali studi pre-esistenti utili (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument) 0-9 - note: eventuali studi pre-esistenti utili</p>
<p>attachment</p>	<p>un documento allegato. Un allegato può fare riferimento a un documento esterno o essere incluso nel documento scambiato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment) 0-1 - note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment) 0-1 - note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s</p>

econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/certificate/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/certificate/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
selfAssertion/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/certificate/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/refDoc/attachment) 0-1
(XPath SEpreliminaryinformation/organisationDescriptor/
certificate/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/certificate/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment)
0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/selfAssertion/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s
econda opzione è sconsigliata per ragioni di praticita')
(XPath
SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment) 0-1
- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s

	<p>econda opzione è sconsigliata per ragioni di praticita') (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s econda opzione è sconsigliata per ragioni di praticita') (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment) 0 -1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s econda opzione è sconsigliata per ragioni di praticita')</p>
billOfComponents	<p>distinta dei componenti utilizzati per creare il prodotto (XPath SEpreliminaryinformation/billOfComponents) 1-1</p> <p>- note: obbligatorio stato del fornitore se prodotto esternamente</p>
billOfDirectEmissions	<p>distinta delle emissioni dirette generate per realizzare il prodotto, escluse le acque refl ue, relativa a una quantità di prodotto di riferimento o a dati annuali di uno stabilimento /impianto.</p> <p>- tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions) 0-9</p> <p>- note: quantità riferita ai rilasci annuali della facility</p>
billOfEnergy	<p>distinta dell'energia consumata o prodotta relativi a una quantità di prodotto di riferime nto o a dati annuali di uno stabilimento/impianto.</p> <p>- tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y) 0-9</p> <p>- note: quantità riferite ai consumi annuali della facility</p>
billOfUsedWater	<p>distinta delle acque usate relativa a una quantità di prodotto di riferimento o a dati ann uali di uno stabilimento/impianto.</p> <p>- tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water) 0-9</p> <p>- note: quantità riferite ai consumi annuali della facility</p>
billOfWaste	<p>distinta dei rifiuti generati per realizzare il prodotto, escluse le acque reflue, relativi a u na quantità di prodotto di riferimento o a dati annuali di uno stabilimento/impianto.</p> <p>- tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste) 0-9</p> <p>- note: quantità riferite ai rilasci annuali della facility</p>
billOfWasteWater	<p>distinta delle acque reflue generate per realizzare il prodotto relativa a una quantità di prodotto di riferimento o a dati annuali di uno stabilimento/impianto.</p> <p>- tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water) 0-9</p> <p>- note: quantità riferite ai rilasci annuali della facility</p>
blockChainReference	<p>riferimento in blockchain</p> <p>- tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChain Reference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainRefer</p>

	<p>ence) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/certificate/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/block ChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/block ChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bl ockChainReference) 0-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReferenc e) 0-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference) 0- 9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ blockChainReference) 0-9 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/blockChainReference) 0-9</p>
certificate	<p>Riferimento e dettagli relativi ad un documento contenente una certificazione rilasciata da un soggetto terzo che e' intitolato a rilasciarlo - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/certificate) 0-99 - note: <i>certificati relativi all'intera organizzazione</i> (XPath SEpreliminaryinformation/certificate) 0-99 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate) 0-9 - note: <i>certificato di scopo del componente</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate) 0-99 - note: <i>certificati relativi alla facility</i></p>
certifiedEntity	<p>L'entità (organizzazione, processo, prodotto..) per la quale la certificazione è valida. - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedEntity) 0-unbounded (XPath SEpreliminaryinformation/certificate/certifiedEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedEntity) 0-unbounded (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedEntity) 0-unbounded</p>

certifiedParty	<p>l'identificazione e gli estremi del soggetto cui è stato rilasciato il certificato</p> <p>- tipo base: Nad,</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty) 1-1</p>
directEmissionDescriptor	<p>descrittore di una emissione diretta (emissioni che provengono da fonti possedute o controllate dal produttore e generate dal processo manifatturiero)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor) 1-99</p>
energyConsumptionDescriptor	<p>descrittore di una quantità di energia usata con indicazione delle sue caratteristiche</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor) 1-99</p>
energySupplyDescriptor	<p>descrittore di una quantità di energia fornita o prodotta con indicazione delle sue caratteristiche</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor) 1-99</p>
externalRefDoc	<p>documento esterno, per riportare generici documenti di ufficio (come pdf, docx, xls, ad esempio delle istruzioni per allestire una vetrina); può essere firmato digitalmente</p> <p>- tipo base: ,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc) 0-99 - note: <i>documenti a supporto</i></p>
externalReference	<p>informazioni su un oggetto esterno al documento, ad esempio un documento memorizzato in una locazione remota (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference) 0-99</p>
facilityDescriptor	<p>descrittore di una facility aziendale (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor) 0-unbounded</p>
facilityLocation	<p>dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo , città e paese) - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy</p>

	<p>y/facilityLocation) 0-1 Best Practice - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation) 0-1 Best Practice - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation) 0-1 Best Practice - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation) 0-1 Best Practice - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation) 0-1 Best Practice - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.</p>
facilitySustainabilityCharacteristics	<p>caratteristiche di sostenibilità della facility (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics) 0-1</p>
facilityYearlyProductionMass	<p>massa approssimativa di produzione (per tipo di prodotto) e non per singolo articolo in uno stabilimento specifico. Solitamente espresso come peso. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass) 0-9 - note: se sono presenti piu' istanze devono differire per il valore di object type code</p>
garmentCode	<p>codifica dell'articolo di abbigliamento (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/ProductIdentification/garmentCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
garmentCodeA	<p>codifica dell'articolo di abbigliamento - tipo A (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1 - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA) 1-1 - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA) 1-1 - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1 - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA) 1-1 - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p>

garmentCodeB	<p>codifica dell'articolo di abbigliamento - tipo B (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB) 1-1</p>
garmentPartCode	<p>codifica della componente o parte di un articolo fashion (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
garmentVariant	<p>variante prodotto abbigliamento (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9</p>
geoCoordinates	<p>coordinate geografiche (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/</p>

	<p>productComponent/supplier/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geo Coordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina tes) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates) 0- 1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ facilityLocation/geoCoordinates) 0-1</p>
--	--

	<p>(XPath SEpreliminaryinformation/SRVheader/senderParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/ geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC oordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi nates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCo ordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates) 0-1</p>
issuerParty	<p>Dati del soggetto che ha emesso il documento. - tipo base: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty) 1-1</p>

	<p>- note: <i>Indicare almeno la denominazione</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p>
listOfFacilities	<p>lista delle facility della organizzazione (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities) 0-1</p>
organisationAddress	<p>indirizzo sede legale dell'organizzazione - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/organisationAddress) 1-1</p>
organisationDescriptor	<p>descrizione di organizzazione</p>

	(XPath SEpreliminaryinformation/organisationDescriptor) 0-1 - note: <i>listOfFacilities e' richiesta</i>
platformServiceReference	istruzioni e riferimenti sul servizio - tipo base: string, (XPath SEpreliminaryinformation/SRVheader/platformServiceReference) 1-1
processStep	singola operazione manifatturiera necessaria per produrre il prodotto (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep) 1-unbounded - note: <i>inserire nella sequenza corretta è raccondabile</i>
processStepsList	Lista delle operazioni manifatturiere necessarie per produrre il prodotto (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList) 0-1 - note: <i>attivita' svolte presso la facility</i>
productComponent	descrittore di uno degli elementi utilizzati per creare il prodotto, indica i codici del componente, la quantità per unità di prodotto finale, il fornitore e l' eventuale documentazione (XPath SEpreliminaryinformation/billOfComponents/productComponent) 0-unbounded
ProductIdentification	Identifica il prodotto di cui si riportano le caratteristiche di trasparenza e sostenibilità (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification) 0-99 - note: <i>indica il prodotto/i a cui è relativo lo studio</i> (XPath SEpreliminaryinformation/ProductIdentification) 1-1 - note: <i>indicare la classificazione del tipo di oggetto</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification) 0-99 - note: <i>indica il prodotto/i a cui è relativo lo studio</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification) 0-99 - note: <i>indica il prodotto/i a cui è relativo lo studio</i>
rawCode	codifica completa di un articolo di materia prima (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode) 0-2 - note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode) 0-2 - note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i> (XPath SEpreliminaryinformation/ProductIdentification/rawCode) 0-2 - note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode) 0-2 - note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode) 0-2 - note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>
receiverParty	Dati del soggetto che riceve il documento. - tipo base: Nad, (XPath SEpreliminaryinformation/SRVheader/receiverParty) 1-1
refDoc	identificazione di un documento di riferimento ed eventualmente di un suo item (riga) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc) 0-9
reviewerParty	Dati del soggetto che ha verificato la conformita' del metodo usato. - tipo base: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty) 0-9 (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty) 0-9

	(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty) 0-9
selfAssertion	Una autodichiarazione che l'emittente è in grado di supportare con descrizioni o documentazione dettagliate. Potrebbe essere conforme agli standard sulle asserzioni (è il caso ad esempio della ISO14021 per le asserzioni ambientali). (XPath SEpreliminaryinformation/selfAssertion) 0-99 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion) 0-99 - note: <i>autodichiarazioni relative alla facility</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion) 0-99 - note: <i>asserzione/i a supporto</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion) 0-99 - note: <i>autodichiarazioni relative all'intera organizzazione</i>
selfAssertionEntity	L'entità (organizzazione, processo, prodotto..) a cui si riferisce la autodichiarazione - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity) 0-unbounded
senderParty	Dati del soggetto che invia il documento. - tipo base: Nad, (XPath SEpreliminaryinformation/SRVheader/senderParty) 1-1
signatoryParty	Dati del soggetto che ha firmato il documento. - tipo base: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty) 0-unbounded (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounde d (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded</p>
signatureInformation	<p>informazioni sulla firma del documento</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation) 0-1</p>
socialAccountabilityEvidence	<p>Evidenza della conformita' ai requisiti di responsabilita' sociale</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence) 1-unbounded</p>
socialAndEthicalSpecificInformation	<p>elenco di informazioni specifiche sulla responsabilita' sociale ed etica</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation) 0-1</p>
SRVheader	<p>testata dei documenti di supporto a Servizi di piattaforma</p>

	(XPath SEpreliminaryinformation/SRVheader) 1-1
supplier	<p>dati del Fornitore (parte che fornisce il bene o il servizio oggetto del processo di collaborazione corrente)</p> <p>- tipo base: Nad,</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier) 0-9</p> <p>- note: è fornitore dell'intero componente quando il valore di internallyPerformed=FALSO</p>
texCode	<p>codifica dell'articolo tessile</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
usedWaterDescriptor	<p>descrittore delle acque utilizzate (con l'indicazione della quantità)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor) 0-99</p> <p>- note: descrittori differenti debbono essere utilizzati per tipologie di acque differenti</p>
wasteDescriptor	<p>descrive un tipo di rifiuto generato dalle attività a cui è associato ed eventualmente la sua quantità in relazione a una quantità di riferimento di prodotto</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor) 0-99</p>
wasteWaterDescriptor	<p>descrittore delle acque reflue prodotte (con l'indicazione della quantità, del loro trattamento e dell'eventuale presenza di contaminanti)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor) 1-99</p> <p>- note: descrittori differenti debbono essere utilizzati per tipologie di acque reflue differenti</p>
yarnCode	<p>codifica completa di un articolo di filato</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>

	<p><i>anisation</i> (XPath SEpreliminaryinformation/ProductIdentification/yarnCode) 0-2 - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
--	--

2.2.2 Elementi semplici (Basic Business Information Entities)

Sono elementi semplici gli elementi il cui contenuto è caratterizzato da un data type e da un dominio di valori. Gli elementi semplici sono ordinati alfabeticamente.

activePower	<p>potenza attiva (consumata o prodotta; utilizzare kW oppure W) - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower) 1-1 - note: quando manca una misura energetica precisa, qui potremmo dare una stima: in indicare la potenza prodotta media stimata relativa ad un periodo di durata. W oppure kW (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower) 1-1 - note: quando manca una misura energetica precisa, dare una stima: indicare il carico medio stimato relativo ad un periodo di durata. Usare W oppure kW.</p>
activityStatisticalCode	<p>classificazione statistica dell'attività economica (si suggerisce NACE) - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/activityStatisticalCode) 0-1</p>
added	<p>elemento aggiuntivo di codifica, non includibile nei precedenti - tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/ProductIdentification/texCode/added) 0-9 - note: qui puo' specificarsi un ulteriore codifica (vedere tabella T44) (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/added) 0-9 - note: qui puo' specificarsi un ulteriore codifica (vedere tabella T44) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9 (XPath SEpreliminaryinformation/ProductIdentification/rawCode/added) 0-9 (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added) 0-9 - note: qui puo' specificarsi un ulteriore codifica (vedere tabella T44) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9 - note: qui puo' specificarsi un ulteriore codifica (vedere tabella T44) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added) 0-9 - note: qui puo' specificarsi un ulteriore codifica (vedere tabella T44) (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/added) 0-9</p>

	<p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/ProductIdentification/acsCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/added) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added) 0-19</p>
additionalIdentifier	<p>codice identificativo aggiuntivo della Parte in causa (Cliente, Fornitore, Destinatario merce ecc..), ad esempio per registri delle dogane o altri registri</p> <p>- tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/additionalIdentifier) 0-9</p> <p>- note: <i>identificatori ad esempio per registri esportazioni, come MID (Manufacturer Identification Code), REX (identificatore nel sistema europeo degli Esportatori registrati)</i></p>
@addType	<p>qualificatore dell'elemento aggiuntivo di codifica di un prodotto</p> <p>- tipo base: string, tabella cod.: T44 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: <i>addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: <i>addType consente di indicare il significato dell'elemento added; si consiglia fort</i></p>

emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/yarnCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/ProductIdentification/
 garmentPartCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/ProductIdentification/
 acsCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/garmentCode/garmentCodeB/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/acsCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 ProductIdentification/garmentPartCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
 on/rawCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/garmentCode/garmentCodeB/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/ProductIdentification/
 garmentCode/garmentCodeB/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/ProductIdentification/
 rawCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/ProductIdentification/
 texCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/garmentPartCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 ProductIdentification/acsCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/garmentPartCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/rawCode/added/@addType) [Optional]
 - nota: addType consente di indicare il significato dell'elemento added; si consiglia fort
 emente di utilizzarlo sempre.
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/texCode/added/@addType) [Optional]

	<p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre. (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p>
art	<p>codice articolo del prodotto - tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art) 1-1</p>

	<p>- note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art) 1-1</p> <p>- note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i> (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art) 1-1</p> <p>- note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/art) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/art) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/art) 1-1</p> <p>- note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i> (XPath SEpreliminaryinformation/ProductIdentification/ texCode/art) 1-1</p> <p>- note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1</p>
artGroup	<p>codice che identifica la famiglia del prodotto - tipo base: string, lunghezza max: 40, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1</p>

	ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1
assertionCategory	<p>categoria di asserzione, indica l'oggetto dell'asserzione</p> <p>- tipo base: string, tabella cod.: NT323 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/assertionCategory) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/assertionCategory) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/assertionCategory) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /assertionCategory) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/assertionCategory) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/assertionCategory) 1-1</p>
author	<p>indicazione testuale degli autori, uno o piu'</p> <p>- tipo base: string, lunghezza max: 40,</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/author) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author) 0-1</p>
auxSystemsConsumptionPerc	<p>stima percentuale del consumo dei sistemi ausiliari sul consumo totale</p> <p>- tipo base: decimal,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc) 0-2</p> <p>- note: <i>indicatore sintetico sull'intero bill of energy. Può essere riferito a sola energia elettrica o solo termica o entrambe se non specificato il valore isElectric</i></p>
binaryObject	<p>Oggetto binario di grandi dimensioni contenente un documento allegato. E' raccomandata la codifica 'base64Binary'</p> <p>- tipo base: base64Binary,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject) 0-1</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject) 0-1</p>
certificateID	<p>Identificatore del certificato assegnato dall'emittente</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certificateID) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certificateID) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certificateID) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certificateID) 1-1</p>
certificationStandardName	<p>indica la specifica che è stata utilizzata come base normativa del certificato. (esempi: 'GRS – standard di riciclaggio globale' o 'Standard 100 OEKO-TEX')</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certificationStandardName) 1-1</p> <p>(XPath SEpreliminaryinformation/certificate/certificationStandardName) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certificationStandardName) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certificationStandardName) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certificationStandardName) 1-1</p>
@characterSet	<p>set di caratteri dell'oggetto binario (esempi UTF-8, UTF-16, Windows-1252, ISO-8859-7,..)</p> <p>- tipo base: normalizedString,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@characterSet) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>certificate/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@c harterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bi naryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/binaryObject/@characterSet) [Optional]</p>
characterSetCode	<p>il set di caratteri del documento esterno (ad esempio UTF-8, UTF-16, Windows-1252, I SO-8859-7,...) - tipo base: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/characterSetCod e) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalRef erence/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/chara cterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/e xternalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReferenc e/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/characterSetCode) 0-1</p>
city	<p>nome della città</p> <p>- tipo base: string, lunghezza max: 40,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityLocation/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/city) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty</p>

	<p>/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/city) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/city) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/city) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/city) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/city) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/city) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p>
@codeList	<p>specifica l'indirizzo di rete (URL) dove si trova la lista di codici usati per istanziare l'elemento - tipo base: string, lunghezza max: 255, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/art/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/certificate/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/</p>
--	--

	<p>productComponent/selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/pattern/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p>
--	--

	<p><i>ingOrg"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "<i>numberingOrg</i>" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "<i>numberingOrg</i>" (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "<i>numberingOrg</i>" (XPath SEpreliminaryinformation/ProductIdentification/ note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "<i>numberingOrg</i>" (XPath SEpreliminaryinformation/SRVheader/platformServiceReference/serviceRequestedAction/@codeList) [Optional] - nota: Inserire URL della code list delle azioni dei servizi disponibili (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/fabric/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "<i>numberingOrg</i>" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "<i>noteLabel</i>" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/fabric/@codeList) [Optional]</p>
--	---

	<p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/SRVheader/platformServiceReference/platformServiceCode/@codeList) [Optional]</p> <p>- nota: indica URL della piattaforma che fornisce il servizio (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/texCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional]</p>
--	---

	<p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/size/@codeList) [Optional]</p>
--	---

	<p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/</p>
--	---

	<p style="text-align: center;">ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i> (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/season/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p>
color	<p>codice della variante colore, quando non incluso nel codice modello o tessuto</p> <p>- tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/color) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification</p>

	<p>ication/garmentPartCode/color) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/color) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/texCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/color) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/acsCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/color) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/rawCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/color) 0-1</p>
country	<p>codice della nazione - tipo base: string, tabella cod.: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/count ry) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/country) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/cou ntry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/c ountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/country) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/country) 0- 1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/country) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty</p>
--	--

	<p>/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/country) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/country) 0-1</p>
--	--

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/country) 0-1</p>
@dateForm	<p>formato in cui è espressa la data - tipo base: string, tabella cod.: NT29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityEnd/@ dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityStart/ @dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docDate/@dateForm) [Optio nal] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Opt ional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/validityStart/@dateForm) [Op tional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityStart/@dateForm) [O ptional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityEnd/@dateForm) [Op tional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docDate/@da teForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityExtensionDate/@date Form) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityEnd/@dateForm) [Option al] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewDate/ @dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/docDate/@dateForm) [Optional]</p>

	<p>socialAndEthicalSpecificInformation/certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/SRVheader/msgDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewDate/@dateForm) [Optional]</p>
--	---

	<p>(XPath SEpreliminaryinformation/certificate/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/validityEnd/@dateForm) [Optional]</p>
declaredQty	<p>quantita' netta dichiarata (riferibile ad un anno; potrebbe essere misurata, stimata o derivata da letteratura o altra sorgente, come specificato dall'apposito attributo)</p> <p>- tipo base: , min incluso: 0, cifre decimali: 2,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo se le unita' di misura sono diverse</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty) 0-9</p> <p>- note: <i>quantita' di acqua necessaria per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di acque reflue prodotte per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di emissione risultante per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di rifiuti prodotti per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i></p>
dept	<p>nome o codice di una unità (Divisione, Ufficio, Stabilimento)</p> <p>- tipo base: string, lunghezza max: 40,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/dept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/dept) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/dept) 0-1</p>
--	--

	<p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p>
description	<p>descrizione in testo libero. Il contenuto dell'elemento deve essere unico, eventualmente e tradotto e ripetuto in più lingue (quindi ogni istanza ha lingua differente).</p> <p>- tipo base: string, lunghezza max: 250,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di qu</i></p>

	<p>este elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di qu este elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/descriptio n) 0-9</p> <p>- note: Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di qu este elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/description) 0-99</p> <p>- note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/description) 0-unbounded</p> <p>- note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua) (XPath SEpreliminaryinformation/certificate/certifiedEntity/description) 0-9</p> <p>- note: Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di qu este elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/description) 0-unbounded</p> <p>- note: Descrizione riferita alla parte (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di qu este elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energySupplyDescriptor/description) 0-99</p> <p>- note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua) (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/description) 0-9</p> <p>- note: Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di qu este elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/description) 1-99</p> <p>- note: nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard d i asserzione, come la ISO14021.</p> <p>.</p> <p>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/description) 1-99</p> <p>- note: nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard d</p>
--	---

	<p><i>i asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/description) 0-99</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita alla parte</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al materiale</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/selfAssertion/description) 1-99</p> <p>- note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard d i asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/ garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /description) 1-99</p> <p>- note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard d i asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/description) 0-unbounded</p>
--	--

- note: *Descrizione riferita al materiale*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/selfAssertion/description) 1-99

- note: *nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard d
i asserzione, come la ISO14021.*

.

Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect
Emissions/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin
gua)*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description)
0-unbounded

- note: *Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin
gua)*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/description) 0-unbounded

- note: *Descrizione riferita alla parte*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/certificate/certifiedEntity/description) 0-9

- note: *Denominazione o breve descrizione testuale dell'entità'. Una sola istanza di qu
este elemento per ogni diverso valore dell'attributo 'In' (lingua)*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/rawCode/description) 0-unbounded

- note: *Descrizione riferita al materiale*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg
y/energyConsumptionDescriptor/description) 1-1

- note: *Nella descrizione indicare anche se è utilizzato da sistemi ausiliari o direttamen
te dal processo o entrambi*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description) 0-
9

- note: *Denominazione o breve descrizione testuale dell'entità'. Una sola istanza di qu
este elemento per ogni diverso valore dell'attributo 'In' (lingua)*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/garmentPartCode/description) 0-unbounded

- note: *Descrizione riferita alla parte*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/description) 0-9

- note: *Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin
gua)*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/garmentCode/garmentCodeB/description) 0-unbounded

- note: *Descrizione riferita al prodotto*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeA/description) 0-unbounded

- note: *Descrizione riferita al prodotto*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description) 0-un
bounded

- note: *Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin
gua)*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg
y/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin
gua)*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste
Water/wasteWaterDescriptor/description) 1-99

- note: *Ad esempio acqua o fango... e indicare l'operazione che lo sta producendo. Un
a sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)*
(XPath SEpreliminaryinformation/organisationDescriptor/

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/description) 0-9</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al materiale</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/description) 1-99</p> <p>- note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/description) 0-9</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al materiale</i> (XPath SEpreliminaryinformation/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/</p>
--	---

	<p>ication/texCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/description) 0-9 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/description) 0-unbounded - note: <i>Descrizione riferita alla parte</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/selfAssertionEntity/description) 0-9 - note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/description) 0-2 (XPath SEpreliminaryinformation/ProductIdentification/description) 0-9 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i></p>
directEmissionType	<p>tipo di emissione diretta generata per la realizzazione del prodotto (esempi: in aria CO₂, NO_x, PO₄, PM₁₀, PM_{2.5}; in acqua SO₂; nel suolo PO₄...) - tipo base: string, lunghezza max: 40, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/directEmissionType) 1-1</p>
@disclosureLevel	<p>indica il livello di divulgazione consentito alle informazioni a cui è associato - tipo base: decimal, tabella cod.: NT311 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/@disclosureLevel) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/selfAssertion/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/processStepsList/@disclosureLevel) [Required]</p> <p>] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/@disclosureLevel) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/@disclosureLevel) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@disclosureLevel) [Optional]</p>
docDate	<p>data di emissione del documento in oggetto, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy</p>

	<p>y/externalRefDoc/docDate) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docDate) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docDate) 1-1</p>
docID	<p>numero identificativo del documento referenziato - tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/docID) 0-1 (XPath SEpreliminaryinformation/certificate/docID) 1-1 - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/docID) 1-2 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fDirectEmissions/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docID) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWaste/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWasteWater/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docID) 1-1 - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docID) 1-1 - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fEnergy/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfA ssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/docID) 1-1 - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docID) 1-1 - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/exter nalRefDoc/docID) 1-1</p>
@docStatusCode	<p>stato attuale del documento - tipo base: decimal, tabella cod.: NT313 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/@docStatus Code) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/@docStatusCode) [Required]</p>
@docType	<p>tipo del documento cui si fa riferimento - tipo base: string, tabella cod.: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/@docType) [Required]</p>
documentType	<p>tipo del documento - tipo base: string, tabella cod.: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/documentType) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/documentType) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/documentTy pe) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/documentType) 0-1</p>
@docValidity	<p>indicatore della validità attuale del documento</p>

	<p>- tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/certificate/@docValidity) [Required]</p>
drop	<p>codice drop del capo di confezione - tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1 - note: <i>Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1 - note: <i>Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1 - note: <i>Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.</i> (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1 - note: <i>Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/drop) 0-1 - note: <i>Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.</i></p>
@email	<p>indirizzo di posta elettronica di una persona contattata - tipo base: string, lunghezza max: 250, (XPath SEpreliminaryinformation/certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/SRVheader/senderParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/SRVheader/receiverParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/person/@email) [Op</p>
--	--

	<p> tional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ author/@email) [Optional] (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/certificate/issuerParty/ person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ person/@email) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] </p>
@encoding	<p> algoritmo di decodifica dell'oggetto binario - tipo base: normalizedString, (XPath SEpreliminaryinformation/certificate/attachment/ binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ </p>

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@encoding) [Optional]</p>
encodingCode	<p>l'algoritmo di codifica / decodifica utilizzato con l'oggetto esterno (ad esempio 'base64 Binary') - tipo base: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect</p>

	<p>Emissions/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/externalReference/encodingCode) 0-1</p>
energy	<p>Quantità di Energia misurata (prodotta o consumata, usare Wh oppure kWh) - tipo base: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i></p>
energySourceType	<p>tipo di sorgente di energia - tipo base: string, tabella cod.: NT320 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energySourceType) 0-1 - note: <i>specificare queste informazioni soprattutto per le fonti rinnovabili</i></p>
entityID	<p>numero identificativo univoco assegnato ad una entita'. - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityID) 1-3 - note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID) 1-3 - note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityID) 1-3 - note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/selfAssertionEntity/entityID) 1-3</p>

	<p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente) (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'</i>. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</p>
entityTypeCode	<p>codice che indica il tipo di entità a cui ci si riferisce</p> <p>- tipo base: string, tabella cod.: NT201 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity/entityTypeCode) 1-1</p>
evidenceValue	<p>valore dell'indicatore specificato che costituisce evidenza del criterio</p> <p>- tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/evidenceValue) 0-1</p> <p>- note: <i>l'eventuale unita' di misura e' indicata dalla socialAccountabilityEvidenceCategory</i></p>
EWCWasteCode	<p>codice del rifiuto secondo la classificazione del Catalogo Europeo dei Rifiuti (CER ovr</p>

	<p>ero EWC). Fare riferimento alla tabella NT315 o direttamente alla normativa se il codice cercato non è presente.</p> <p>- tipo base: string, lunghezza max: 9, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/EWCWasteCode) 1-1</p>
@exhaustiveInformation	<p>indica che le informazioni fornite sono garantite come esaurienti (tutte le informazioni sono citate – con le sole limitazioni dovute ai diritti di accesso-) o non esaustive (l'elenco contiene solo alcuni elementi): valore true=esaustivo</p> <p>- tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/billOfComponents/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste). (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p>
fabric	<p>codice tessuto del capo di confezione</p> <p>- tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/fabric) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric) 0-1</p>
@fax	<p>numero di fax di una persona contattata - tipo base: string, lunghezza max: 35, (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/certificate/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/SRVheader/receiverParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/SRVheader/senderParty/person/@fax) [Optional]</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ author/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ person/@fax) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@fax) [Optional]] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax)) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person/@fax) [Optional]</p>
fileName	<p>nome identificativo univoco del file - tipo base: string, lunghezza max: 255, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/fileName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/fi leName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/fileName) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/fileName) 0-1</p>
@format	<p>formato del contenido binario (ejemplo xml, pdf, doc,...) - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bi naryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binary Object/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/certificate/attachment/ binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@fo rmat) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binar yObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath</p>

	<p>SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@format) [Optional]</p>
formatCode	<p>il formato dell'oggetto esterno (esempio xml, pdf, doc,...) - tipo base: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/formatCode) 0-1</p>

	<p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/externalReference/formatCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/formatCode) 0-1</p>
@geoRefSystem	<p>sistema di georeferenziazione adottato per le coordinate (ad esempio wgs84, con gradi decimali o minuti e secondi)</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p>

	<p>al]</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/ geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geo RefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC oordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/ @geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/ geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi nates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g eoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRef System) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p>
gPart	<p>codice che specifica il tipo di componente o parte di un prodotto fashion (manica, collo, ...) - tipo base: string, tabella cod.: T48 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p>
hashFootprint	<p>impronta ottenuta applicando un algoritmo di hash - tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/hashFootprint) 0-1</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1</p>
<p>@hashMethod</p>	<p>tipo algoritmo hashing utilizzato - tipo base: string, lunghezza max: 80, tabella cod.: NT333 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/hashFootprint/@hashMethod) [Required]</p>
@hazardous	<p>qualifica di 'pericoloso' per l'oggetto a cui si riferisce (se true è pericoloso)</p> <p>- tipo base: boolean,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/@hazardous) [Required]</p>
id	<p>codice identificativo primario di una Parte; si consiglia di utilizzare un numero EORI (con @numberingOrg= "EO") o il formato: codice nazione (ISO 3166) + codice tributario nazionale (ad es. partita IVA) con @numberingOrg= "MF"</p> <p>- tipo base: string, lunghezza max: 15,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/id) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/id) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf</p>

	<p>ormation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/id) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/id) 0- 1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/id) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/id)</p>
--	--

	<p>1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/id) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p>
@idQualifier	<p>Qualificatore che distingue l'identificativo. - tipo base: string, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/additionalIdentifier/@idQualifier) [Optional] - nota: questo attributo va utilizzato nel caso che numberingOrg non sia sufficiente o a deguato a indicare la natura dell'identificatore</p>
@indirectIncluded	<p>indica che sono stati considerati anche i consumi o le emissioni o gli impatti indiretti (a d esempio i consumi energetici dei sistemi ausiliari). Valore false= solo impatti diretti, v alore true anche impatti indiretti. - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy consumptionDescriptor/@indirectIncluded) [Required]</p>
@internalEnergyProduction	<p>indica se l'energia è fornita da una produzione di energia interna (TRUE) o da una font e esterna (ad esempio rete elettrica) - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy supplyDescriptor/@internalEnergyProduction) [Required]</p>
@internallyPerformed	<p>indica che operazione è svolta internamente (valore TRUE) all'organizzazione e non p</p>

	<p>resso terzista o altro soggetto (valore FALSE) - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/@internallyPerf ormed) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/@internallyPerformed) [Required] - nota: <i>informazione relativa all'intero componente</i></p>
@isElectric	<p>indica se si tratta di energia elettrica (valore 'true') o termica (valore 'false'). Se assent e ci si sta riferendo a entrambe. - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/@isElectric) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ auxSystemsConsumptionPerc/@isElectric) [Optional]</p>
@isStudyDataset	<p>se 'true' l'elemento a cui e' associato e' il dataset di uno studio da trattare come dataset binario, altrimenti e' un report - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/@isStudyDataset) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/@isStudyDataset) [Required] (XPath SEpreliminaryinformation/assessmentStudyDocument/@isStudyDataset) [Required]</p>
issuerAccreditationInfo	<p>informazioni di accreditamento dell'emittente del documento - tipo base: string, (XPath SEpreliminaryinformation/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/issuer AccreditationInfo) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/issue rAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/issuerAccreditationInf o) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/issuerAccreditati onInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/i ssuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy</p>

	<p>y/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/issuerAccr editationInfo) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/is suerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/issuerAccreditati onInfo) 0-1</p>
@isURL	<p>indica se l'elemento a cui si riferisce e' un URL (true) oppure no (false) - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/exter nalReference/uri/@isURL) [Optional] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/certificate/attachment/ blockChainReference/uri/@isURL) [Optional] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/uri/@isURL) [Option al] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference/uri/@isURL) [Opti onal] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/uri/@isURL) [Option al] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Defau lt= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChain Reference/uri/@isURL) [Optional] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true] - nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/certificate/attachment/</p>

	<p>externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Opti onal] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/e xternalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReferenc e/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/uri/@isURL) [Opti onal] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Defa ult= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bl ockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/block ChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalRef erence/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainRefer ence/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Defa ult= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato</p>
itemID	<p>numero che contraddistingue la riga/item del documento in oggetto</p> <p>- tipo base: string, lunghezza max: 40, (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/itemID) 0-1</p>

legalName	<p>ragione sociale - tipo base: string, lunghezza max: 250, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/legalName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/le galName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /legalName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>
-----------	---

	<p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/legalName) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1</p>
<i>@limitedByDisclosureIndicator</i>	<p>indica se il contenuto è stato limitato dalla applicazione di diritti di accessibilità (cioè potrebbe non essere completo): true=limitato, false= non limitato - tipo base: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@limitedByDisclosureIndicator) [Optional]</p>

	<p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito è solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/billOfComponents/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato</p>
@listName	<p>il nome della lista di codici usati per istanziare l'elemento (può avere intento descrittivo , p.es. 'tecnologie di stampa', oppure non averlo, ad es. 'T264')</p> <p>- tipo base: string, lunghezza max: 40, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ rawCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>

	<p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
--	--

	<p>rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/artGroup/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/drop/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p>
--	---

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/drop/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/artGroup/@listName) [Optio nal] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/color/@listName) [Optional]</p>
--	--

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/
@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/ProductIdentification/
acsCode/color/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/color/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/mod/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/yarnCode/art/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/drop/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/
@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/fabric/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/mod/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Opti
onal]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/color/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/size/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/art/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/pattern/@listName) [Optional]

- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO
rg"

	<p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/season/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
--	--

	<p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
--	--

	<p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
--	---

	<p><i>rg</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/color/@listName) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>"</p>
<p><i>@listVersion</i></p>	<p>specifica la versione della lista di codici usati per istanziare l'elemento - tipo base: string, lunghezza max: 6, (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO <i>rg</i>" e "<i>listName</i>" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p>

	<p>rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/mod/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/pattern/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/size/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/size/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeA/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/drop/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/season/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName"</p>
--	--

	<p>rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/pattern/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Opti onal] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optiona l] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Option al] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/size/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/pattern/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/fabric/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/drop/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p>
--	---

	<p>rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/fabric/@listVersion) [Optiona l] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/size/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/mod/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/ @listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/size/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/drop/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ texCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/ @listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/art/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/fabric/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/pattern/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/color/@listVersion) [Optional] - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/</p>
--	---

	<p style="text-align: center;">ProductIdentification/texCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion) [Optional]</p>
--	---

	<p>]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optiona l]</p> <p>]]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Op tional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType /@listVersion) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName" (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p>
@In	<p>Codice lingua. - tipo base: string, tabella cod.: NT60 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/description/@In) [Optional] (XPath SEpreliminaryinformation/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: indica la lingua usata nel testo (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/title/@In) [Optional]] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText/@In) [Optional] - nota: <i>indica la lingua usata nel testo</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/sustainabilityCharacteristicText/@In) [Optional] - nota: <i>indica la lingua usata nel testo</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description/@In) [Optional] (XPath SEpreliminaryinformation/selfAssertion/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/description/@In) [Optional] (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText/@In) [Optional] - nota: <i>indica la lingua usata nel testo</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/title/@In) [Optional]</p>
--	---

	<p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/certificate/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableAbstract/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description/@In) [Optional]</p>
--	--

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/publishableAbstract/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/description/@In) [Optional]</p>
--	--

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/description/@In) [Optional]</p>
--	---

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/description/@ln) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/description/@ln) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/description/@ln) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedEntity/description/@ln) [Optional]</p>
location	<p>specificazione di luogo. Può essere rappresentato da un codice identificativo (preferibile) o un breve testo (sconsigliato). Ad esempio un codice GS1-GLN, che richiede di assegnare il valore "GLN" all'attributo @LRI. - tipo base: string, lunghezza max: 128, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/location) 1-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/location) 1-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/location) 1-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/location) 1-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/location) 0-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location) 1-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location) 1-1 - note: Usa questo elemento solo per indicare un codice identificativo di questo luogo.</p>
@logo	<p>logo aziendale (URL dell'immagine in formato jpg o gif). Si raccomanda che l'immagine non ecceda i 640 pixel di larghezza. - tipo base: string, lunghezza max: 255, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/@logo) [Optional]</p>
@LRI	<p>emittente dell'identificatore (o sistema di identificazione) di una località. - tipo base: string, tabella cod.: NT3 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/location/@LRI) [Optional]</p>

manufacturingOperationCode	<p>tipo di singola operazione manifatturiera - tipo base: string, tabella cod.: T305 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/manufacturingO perationCode) 1-1</p>
@mime	<p>tipo mime dell'oggetto binario - tipo base: normalizedString, (XPath SEpreliminaryinformation/certificate/attachment/ binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@m ime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObje ct/@mime) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binar yObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bi naryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@mim e) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binary Object/@mime) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/binaryObject/@mime) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@mime) [O ptional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject/@mime) [Optional]</p>
mimeCode	<p>tipo mime dell'oggetto esterno - tipo base: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef</p>

	<p>Doc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/mimeType) 0-1 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/mimeType) 0-1 Best Practice</p>
mod	<p>codice modello del capo di confezione - tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod) 1-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap</p>

	<p><i>o intero</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod) 1-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap o intero (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/mod) 1-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap o intero (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/mod) 1-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap o intero (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/mod) 1-1 - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap o intero (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/ garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/mod) 1-1</p>
msgDate	<p>data di emissione del presente messaggio (documento xml), espressa in uno dei form ati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana) - tipo base: string, (XPath SEpreliminaryinformation/SRVheader/msgDate) 0-1</p>
msgID	<p>chiave identificativa univoca del documento di business nel sistema informativo della P arte emittente. Mantiene il medesimo valore In caso di più spedizioni del medesimo do cumento di business. - tipo base: string, lunghezza max: 35, (XPath SEpreliminaryinformation/SRVheader/msgID) 0-1</p>
note	<p>nota in testo libero o strutturata (computer processing). Per strutturare la nota si devon o usare gli attributi "noteLabel" e "codelist" - tipo base: string, lunghezza max: 350, (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati</p>

	<p>on/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/note) 0-9 (XPath SEpreliminaryinformation/certificate/note) 0-99 (XPath SEpreliminaryinformation/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/note) 0-99 (XPath SEpreliminaryinformation/ProductIdentification/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/note) 0-99 (XPath SEpreliminaryinformation/assessmentStudyDocument/note) 0-99 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energySupplyDescriptor/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/note) 0-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/note) 0-99</p>
@noteLabel	<p>qualificatore dell'argomento di una nota - tipo base: string, lunghezza max: 35, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/note/@noteLabel) [Optional]</p>

- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect
Emissions/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@noteL
abel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/certificate/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/certificate/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/certificate/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@note
Label) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed
Water/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed
Water/externalRefDoc/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste
Water/wasteWaterDescriptor/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy
/energyConsumptionDescriptor/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef
Doc/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/ProductIdentification/
note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect
Emissions/externalRefDoc/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/
wasteDescriptor/note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath SEpreliminaryinformation/organisationDescriptor/
note/@noteLabel) [Optional]
- nota: *deve usarsi per qualificare l'argomento della nota*
(XPath
SEpreliminaryinformation/selfAssertion/externalRefDoc/note/@noteLabel) [Opti
onal]
- nota: *deve usarsi per qualificare l'argomento della nota*

	<p>(XPath SEpreliminaryinformation/certificate/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energySupplyDescriptor/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/note/@noteLabel) [Optional] - nota: deve usarsi per qualificare l'argomento della nota</p>
@numberingOrg	organizzazione che ha creato la codifica o immatricolazione in oggetto

	<p>- tipo base: string, tabella cod.: NT6 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/id/@ numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/@numberingOrg) [Optional] [Default= CL]</p>
--	--

	<p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/ texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/season/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/</p>
--	--

	<p>productComponent/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/additionalIdentifier/@numberingOrg) [Optional]</p> <p>- nota: qui deve specificarsi il soggetto che ha assegnato il codice (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/certificate/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/</p>
--	--

	<p>garmentPartCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/certificate/issuerParty/ id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/certificate/certifiedParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in</p>
--	--

	<p><i>n "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/fileName/@numberingOrg) [Optional]] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel" (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/size/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p>
--	---

	<p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL] (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p>
--	--

	<p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ texCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/@numberingOrg) [Optional] [Default= CL] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/certificate/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p>
--	---

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ rawCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/ id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p>
--	---

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p>
--	--

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@numb eringOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docID/@num beringOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/fileName/@numberi ngOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@num beringOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</p>
--	---

	<p><i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID/@nu mberingOrg) [Optional] - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento (</i> <i>es.: del Cliente, del Fornitore, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/note/@numberingOrg) [Optional] - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i</i> <i>n "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento (</i> <i>es.: del Cliente, del Fornitore, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docID/@numberingOrg) [Option al] - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento (</i> <i>es.: del Cliente, del Fornitore, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</i> <i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</i> <i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/rawCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</i> <i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/note/@numberingOrg) [Optional] - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i</i> <i>n "noteLabel"</i> (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/color/@numberingOrg) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</i> <i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/docID/@numberingOrg) [Optional] - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento (</i> <i>es.: del Cliente, del Fornitore, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/color/@numberingOrg) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</i> <i>listName</i>" e "<i>listVersion</i>" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p>
--	--

	<p>ication/rawCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/filename/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p>
objectTypeCode	<p>codice che identifica il tipo di oggetto - tipo base: string, tabella cod.: T302 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/objectTypeCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/objectTypeCode) 0-1</p>
@part	<p>frazione percentuale - tipo base: decimal, min incluso: 1, max incluso: 100, cifre decimali: 2, (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/@part) [Optional] [Default= 100]</p> <p>- nota: <i>percentuale di attivita' svolte presso la location</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part) [Optional]</p> <p>- nota: <i>Indica la quota di acque reflue in percentuale destinata a questo trattamento (rif erita a unita' misura di relatedQuantity), se assente si assume sia 100%</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part) [Optional]</p> <p>- nota: <i>Indica la quota di rifiuto in percentuale destinata a questo trattamento (riferita a unita' misura di relatedQuantity), se assente si assume sia 100%.</i></p>
pattern	<p>codice del disegno, quando non incluso nel codice articolo</p> <p>- tipo base: string, lunghezza max: 15,</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/pattern) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p>
@percSourcesRenewable	<p>indica la percentuale di sorgenti rinnovabili</p> <p>- tipo base: decimal,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable) [Optional]</p> <p>- nota: <i>percentuale di energia rinnovabile calcolata sul totale di energia dell'elemento e energySupplyDescriptor a cui appartiene</i></p>
person	<p>nome di una persona (ad esempio persona di riferimento all'interno di una organizzazione)</p> <p>- tipo base: string, lunghezza max: 40,</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy</p>

	<p>y/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/person) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/per son) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/perso n) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/person) 1-99 (XPath SEpreliminaryinformation/certificate/certifiedParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/p erson) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/person) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/person) 0-1</p>
@phone	<p>numero di telefono di una persona contattata - tipo base: string, lunghezza max: 35, (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/certificate/certifiedParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/billOfComponents/</p>

	<p>productComponent/supplier/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/SRVheader/receiverParty/ person/@phone) [Optional] (XPath SEpreliminaryinformation/certificate/issuerParty/ person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person/@p hone) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@ph one) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@phone) [Opti onal] (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>selfAssertion/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/perso n/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/SRVheader/senderParty/ person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@phone) [Opt ional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ author/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@phone) [Option al]</p>
platformServiceCode	<p>codice del servizio disponibile - tipo base: string, tabella cod.: TRK01 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml (XPath SEpreliminaryinformation/SRVheader/platformServiceReference/platformServiceCode) 1-1</p>
postCode	<p>codice postale - tipo base: string, lunghezza max: 10, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/p ostCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/postC ode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/postCode) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/pos tCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p>
--	--

	<p>externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ postCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/post Code) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/postCode) 0-1</p>
--	--

	(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/postCode) 0-1
processStepID	identificatore interno della singola operazione manifatturiera necessaria per produrre il prodotto - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/processStepID) 1-1 - note: <i>identificatore interno della singola operazione manifatturiera</i>
productReferenceQty	quantità netta di riferimento del prodotto - tipo base: decimal, min incluso: 0, cifre decimali: 2, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty) 0-1 Best Practice - note: <i>quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodotto/materiale</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteWaterDescriptor/productReferenceQty) 0-1 - note: <i>questo elemento puo' essere omesso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/productReferenceQty) 0-1 - note: <i>questo elemento puo' essere omesso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/productReferenceQty) 0-1 - note: <i>questo elemento puo' essere omesso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty) 0-1 - note: <i>questo elemento puo' essere omesso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty) 0-1 - note: <i>questo elemento puo' essere omesso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet) o e' riferito ad una facility</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty) 0-1 Best Practice - note: <i>quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodotto/materiale</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty) 0-1 Best Practice - note: <i>quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodotto/materiale</i> (XPath SEpreliminaryinformation/billOfComponents/productReferenceQty) 0-1 - note: <i>se indicato, tutte le quantita' indicate in productComponent sono relative alla realizzazione di questa quantita' di prodotto.</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty) 0-1 Best Practice - note: <i>quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodotto/materiale</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty) 0-1 Best Practice - note: <i>quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodotto/materiale</i>
@progr	numero progressivo nella sequenza - tipo base: positiveInteger, min incluso: 1, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/@progr) [Required]

	- nota: <i>Indica la sequenza di operazioni necessarie a realizzare il prodotto. Nel caso di operazioni ripetute assegnare valori diversi di progr.</i>
publishableAbstract	<p>sommario pubblicabile dello studio</p> <p>- tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/publishableAbstract) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableAbstract) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i></p>
qty	<p>quantità netta dell'articolo o dell'oggetto correlato, qualificata dalla funzione del documento e dal contesto</p> <p>- tipo base: decimal, min incluso: 0, cifre decimali: 2, (XPath SEpreliminaryinformation/billOfComponents/productComponent/qty) 0-2</p> <p>- note: <i>tale valore è riferito all'unità di misura del prodotto dichiarato in billOfcomponents</i></p>
@recyclingProcessEfficiency	<p>valore di efficienza del processo di riciclaggio (percentuale calcolata sul peso)</p> <p>- tipo base: decimal, min incluso: 0, max incluso: 100, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency) [Optional]</p> <p>- nota: <i>Indica efficienza del processo di riciclaggio del rifiuto</i></p>
@referenceYear	<p>anno di riferimento per l'elemento a cui è associato</p> <p>- tipo base: positiveInteger, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@referenceYear) [Optional]</p>
@releasedOn	<p>indica le possibili destinazioni delle emissioni dirette a cui è associato</p> <p>- tipo base: string, tabella cod.: NT317 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/@releasedOn) [Required]</p> <p>- nota: <i>quando si utilizza l'attributo considerare il valore 'terreno' solo per Fibre animali,</i></p>

	<i>Fibre vegetali, Fibre sintetiche</i>
reviewDate	<p>data di completamento della review del documento, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)</p> <p>- tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewDate) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewDate) 0-1</p>
@role	<p>qualificatore del ruolo della Terza Parte</p> <p>- tipo base: string, tabella cod.: NT2 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml (XPath SEpreliminaryinformation/SRVheader/receiverParty/@role) [Optional]</p> <p>- nota: L'uso di questo attributo è obbligatorio quando l'elemento a cui e' associato ha come padre TRCHeader. (XPath SEpreliminaryinformation/SRVheader/senderParty/@role) [Optional]</p> <p>- nota: L'uso di questo attributo è obbligatorio quando l'elemento a cui e' associato ha come padre TRCHeader</p>
routeLength	<p>lunghezza di un percorso</p> <p>- tipo base: decimal, min incluso: 0, cifre decimali: 2, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength) 0-1</p> <p>- note: lunghezza del percorso effettuato per portare al trattamento finale il rifiuto (preferibile unita' di misura in chilometri)</p>
@schemeID	<p>identificatore di uno schema di identificazione</p> <p>- tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certificateID/@schemeID) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..) (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..) (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</p>

	<p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/activityStatisticalCode/@schemeID) [Optional] [Default= NACE]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID) [Required]</p>
--	---

	<p>- nota: <i>indica la classificazione adottata, consigliabile un URI</i> (XPath SEpreliminaryinformation/certificate/attachment/ hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hash Footprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/h ashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityID/ @schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath SEpreliminaryinformation/certificate/certifiedEntity/entityID/@schemeID) [Required]</p>
season	<p>stagione di vendita, composta da: stagione (1 crt) + anno (4 crt) - stagione: P/E=1 A/I=2 P=3-E=4 A=5 I=6; per più di quattro stagioni usare sequenza alfabetica: 1a stagione =A 2a stagione=B etc.etc.</p> <p>- tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/season) 0-1</p> <p>- note: <i>qui indica la stagione a cui appartiene il documento in oggetto</i></p>
@sender	<p>qualificatore che distingue la Parte che spedisce il documento</p> <p>- tipo base: boolean, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/@sender) [Optional]</p> <p>- nota: <i>L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET</i> (XPath SEpreliminaryinformation/SRVheader/receiverParty/@sender) [Optional]</p> <p>- nota: <i>L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET.</i> (XPath SEpreliminaryinformation/SRVheader/senderParty/@sender) [Optional]</p> <p>- nota: <i>L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET.</i></p>
serviceRequestedAction	azione richiesta al servizio

	<p>- tipo base: string, tabella cod.: TRK02 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml (XPath SEpreliminaryinformation/SRVheader/platformServiceReference/serviceRequestedAction) 1-1</p>
serviceTicketID	<p>identificatore del ticket relativo al servizio - tipo base: string, (XPath SEpreliminaryinformation/SRVheader/platformServiceReference/serviceTicketID) 0-1 - note: <i>obbligatorio dopo attivazione</i></p>
signatureTypeCode	<p>indicatore della esistenza e del tipo di firma presente - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1</p>
size	<p>codice taglia del prodotto fashion (maglieria, confezione, ..) - tipo base: string, lunghezza max: 15, (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/size) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p>

	<p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1</p>
socialAccountabilityEvidenceCategory	<p>Categoria dei requisiti di responsabilità sociale (secondo la descrizione SA8000)</p> <p>- tipo base: string, tabella cod.: NT326</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/socialAccountabilityEvidenceCategory) 1-1</p>
@socialAccountabilityMethod	<p>metodo di valutazione della responsabilità sociale applicato (potrebbe essere SA8000 o una sua specializzazione/adattamento)</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/@socialAccountabilityMethod) [Optional]</p>
@standardOwner	<p>proprietario dello standard è l'organizzazione che possiede e gestisce le specifiche standard (ad esempio Textile exchange o OEKO-TEX)</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certificationStandardName/@standardOwner) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certificationStandardName/@standardOwner) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certificationStandardName/@standardOwner) [Required]</p> <p>(XPath SEpreliminaryinformation/certificate/certificationStandardName/@standardOwner) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certificationStandardName/@standardOwner) [Required]</p>
@storageAction	<p>indica le modalità di inserimento in un archivio delle informazioni a cui si riferisce, specificando anche che cosa debba avvenire delle informazioni pre-esistenti.</p> <p>- tipo base: string, tabella cod.: NT312</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/@storageAction) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy</p>

	<p>y/@storageAction) [Required] (XPath SEpreliminaryinformation/billOfComponents/@storageAction) [Required]</p>
street	<p>via e numero civico di una locazione - tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/street) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/street) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	---

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/street) 0-1</p>
subCountry	<p>sigla o codice della provincia (sub-country) - tipo base: string, lunghezza max: 9, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/subCountry) 0-1</p>
--	--

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1</p>
subDept	<p>nome o codice di una unità (Divisione, Ufficio, Stabilimento)</p> <p>- tipo base: string, lunghezza max: 40,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/subDept) 0-1</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/subDept) 0-1</p>
--	--

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p>
sustainabilityCharacteristicText	<p>testo che descrive una singola caratteristica di sostenibilità (ad esempio un claim). Il contenuto dell'elemento deve essere unico, può essere tradotto e ripetuto in più lingue (quindi non più di un'istanza per ogni lingua).</p> <p>- tipo base: string, lunghezza min: 1,</p> <p>(XPath SEpreliminaryinformation/certificate/sustainabilityCharacteristicText) 0-99</p> <p>(XPath SEpreliminaryinformation/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i></p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i></p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText) 0-99</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/sustainabilityCharacteristicText) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/sustainabilityCharacteristicText) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i></p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i></p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i></p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i></p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText) 0-99</p>
timeDuration	<p>tempo di durata in giorni, ore, eventualmente anche indicando anche minuti e secondi (formato nnnD:nnnH:nnM:nnS)</p> <p>- tipo base: duration,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/timeDuration) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/timeDuration) 1-1</p>
title	<p>titolo di un documento</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title) 0-unbounded</p> <p>d</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/title) 0-unbounded</p> <p>nded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath SEpreliminaryinformation/billOfComponents/</p>
--	--

	<p>productComponent/selfAssertion/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i></p>
transactionReceipt	<p>ricevuta di transazione in blockchain - tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/certificate/attachment/ blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/blockChainReference/transactionReceipt)</p>

	<p>ceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p>
typeOfEnergyVector	<p>tipo di vettore energetico - tipo base: string, tabella cod.: NT319 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/typeOfEnergyVector) 1-1</p>
@uid	<p>identificatore elemento, univoco all'interno del documento xml - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/@uid) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/@uid) [Optional]</p>
@um	<p>unità di misura fisica</p> <ul style="list-style-type: none"> - tipo base: string, tabella cod.: NT7 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/qty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DE GD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geo Coordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@u m) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/SRVheader/receiverParty/ geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina tes/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= D EGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi nates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati</p>
--	---

	<p>on/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/billOfComponents/@um) [Required] - nota: <i>tale unità di misura è l'unità di riferimento per le quantità di ciascuna componente; se vale 'pezzo', ogni quantità è riferita alla quantità del componente necessaria per 1 pezzo.</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p>
--	--

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty/@um) [Required]
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/evidenceValue/@um) [Optional]
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower/@um) [Required]
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty/@um) [Required]
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty/@um) [Required]
 (XPath SEpreliminaryinformation/SRVheader/senderParty/
 geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@um) [Required]
 (XPath SEpreliminaryinformation/billOfComponents/
 productReferenceQty/@um) [Required]
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/productReferenceQty/@um) [Required]
 (XPath SEpreliminaryinformation/organisationDescriptor/

	<p>listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /energyConsumptionDescriptor/activePower/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC oordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/productReferenceQty/@um) [Required]</p>
uniqueProductID	<p>Identificatore unico di prodotto. Identifica il prodotto in maniera completa, differenziand o eventuali varianti, taglie, colori ecc. Dovrebbe essere univo lungo tutta la catena del valore. (Può essere il GTIN)</p> <p>- tipo base: string, lunghezza max: 80, (XPath SEpreliminaryinformation/ProductIdentification/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/uniqueProductID) 1-1</p>
uri	<p>URI (Uniform Resource Identifier) che identifica l'oggetto esterno come una risorsa Int ernet</p> <p>- tipo base: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri) 1- 1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/block ChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri) 1-1 - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1</p>
--	---

	<p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReferenc e/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bl ockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainRefer ence/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/extern alReference/uri) 1-1 (XPath SEpreliminaryinformation/certificate/attachment/ blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata</i> (p.es. url https://etherscan.io/ di ethereum) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/uri) 1-1</p>
usedWaterType	<p>origine dell'acqua utilizzata - tipo base: string, tabella cod.: NT318 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/usedWaterType) 1-1</p>
@useProfile	<p>profilo uso al quale il presente documento è conforme nel caso sia stato definito tra le parti. Preferibile sia un URI con nome aziende o eventualmente un URL con link al profilo. - tipo base: string, (XPath SEpreliminaryinformation/@useProfile) [Optional]</p>
@validationMethod	<p>tipo di metodo utilizzato per validare la grandezza a cui si riferisce. Ad esempio indica se sia stata misurata sul campo, stimata per via indiretta, approvata da un esperto o tratta da letteratura. - tipo base: string, tabella cod.: NT329 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/declaredQty/@validationMethod) [Optional]</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/wasteWaterDescriptor/declaredQty/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@validationMethod) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@validationMethod) [Optional]</p>
validityEnd	<p>data di fine della validità, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/selfAssertion/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityEnd) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityEnd) 0-1</p>
validityExtensionDate	<p>data di fine della validità risultante da estensione, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana) - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/selfAssertion/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/certificate/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityExtensionDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityExtensionDate) 0-1</p>
validityStart	<p>data di inizio della validità, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana) - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/validityStart) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityStart) 0-1</p>

	<p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityStart) 0-1</p>
variantCode	<p>Codice di variante utilizzata per prodotto fashion.</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p>
variantType	<p>Tipo di variante utilizzata per prodotto fashion (esempi 'trattamento', 'tipo lavaggio', "classe di misure", ...)</p> <p>- tipo base: string,</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1</p>
@version	<p>Versione del dizionario da cui è creata l'istanza</p> <p>- tipo base: string, tabella cod.: NT100</p>

	<p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml (XPath SEpreliminaryinformation/@version) [Optional] [Default= draft]</p>
wasteFinalTreatmentType	<p>indica il trattamento finale del rifiuto (tutto o in parte) - tipo base: string, tabella cod.: NT316 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/wasteFinalTreatmentType) 0-9</p>
wasteTypeCode	<p>indica un codice del tipo di rifiuto secondo una classificazione che può essere di varia natura, solitamente di maggior dettaglio rispetto a quella CER; la classificazione è in individuata da SchemeID - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/wasteTypeCode) 0-9</p>
wasteWaterContaminantType	<p>tipo di contaminante nelle acque reflue prodotte (esempi tessile e pelle: BOD, solids, sulfates and chromium; altri settori: Chlorinated organic compounds, COD, mineral oils, phenols, organic chemicals, heavy metals, SS, cyanide, Fluorine) - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/wasteWaterContaminantType) 0-99 - note: <i>indica la presenza di contaminante nel flusso di acque reflue descritto da elemento corrente</i></p>
wasteWaterFinalTreatmentType	<p>tipo di trattamento finale delle acque reflue prodotte (esempi: nessuno, fossa settica, trattamento a fanghi attivi, ecc.) - tipo base: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/wasteWaterFinalTreatmentType) 0-9</p>
xGeoCoord	<p>coordinata geografica x, corrispondente a latitudine - tipo base: decimal, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/ geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/ /issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath</p>

	<p>SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty</p>
--	--

	<p>/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina tes/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g eoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/ xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/xGeoCo ord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/xGeo Coord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoor d) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoor d) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/xGeoCoord) 1- 1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p>
year	<p>anno di riferimento - tipo base: integer, min incluso: 1800, max incluso: 2100, (XPath SEpreliminaryinformation/assessmentStudyDocument/year) 0-1 - note: <i>indicare l'anno a cui si riferisce lo studio</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ year) 0-1</p>

	<p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/year) 0-1</p> <p>- note: <i>indicare l'anno a cui si riferisce lo studio</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/year) 0-1</p> <p>- note: <i>anno di produzione a cui si riferisce il dato</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/year) 0-1</p> <p>- note: <i>indicare l'anno a cui si riferisce lo studio</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p>
yGeoCoord	<p>coordinata geografica y, corrispondente a longitudine</p> <p>- tipo base: decimal, (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeo Coord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g eoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/yGeoCoord) 1- 1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoor d) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/ yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/y GeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/yGeoCo ord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/</p>

	<p>productComponent/certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/ yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ Water/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ Water/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/ /geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCo ordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC ordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi nates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geo Coordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/ yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/yGeo Coord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/yGeo oCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p>
zGeoCoord	<p>coordinata geografica z, corrispondente ad altitudine - tipo base: decimal, (XPath SEpreliminaryinformation/SRVheader/senderParty/ geoCoordinates/zGeoCoord) 0-1 - note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeo Coord) 0-1 - note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates/zGeoCoord) 0-1</p>

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/z
GeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/
zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty
/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf
ormation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/zG
eoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g
eoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion
/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/
geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor
mation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion
/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/selfAssertion/externalRefDoc/signatureInformation/signator
yParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed
Water/facilityLocation/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste
Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoor
d) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/
zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed
Water/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/supplier/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
(XPath
SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/zGeoCoord)
0-1

- note: *altitudine puo' essere omessa*
(XPath SEpreliminaryinformation/organisationDescriptor/

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p>
--	---

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/
 geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 selfAssertion/externalRefDoc/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef
 Doc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/SRVheader/receiverParty/
 geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect
 Emissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef
 Doc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/zGeoCo
 ord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect
 Emissions/facilityLocation/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 reviewerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat
 ion/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath
 SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi
 nates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath
 SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si
 gnatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC
 oordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 organisationAddress/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/zGeo
 Coord) 0-1

- note: *altitudine puo' essere omessa*
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*

	<p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/zGeoCoord) 0-1 - note: <i>altitudine puo' essere omessa</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1 - note: <i>altitudine puo' essere omessa</i></p>
--	--

2.3 Best practice suggerite

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

SEpreliminaryinformation/billOfComponents/

productComponent/refDoc/docID (numero identificativo del documento referenziato)

con numberingOrg va indicato chi ha assegnato l'identificatore al documento (è possibile indicarne due -p.es. cliente e fornitore- con due elementi docID dotati di numberingOrg differente)

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/billOfComponents/

productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/billOfComponents/

productComponent/refDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/certificate/attachment/

externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/certificate/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

certificate/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/assessmentStudyDocument/

attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/billOfComponents/

productComponent/certificate/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty
(quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

2.4 Tabelle di codifica utilizzate

Elenco delle tabelle di enumerazione utilizzate nel documento XML. Tutte le tabelle e i relativi codici sono presenti all'indirizzo: <http://www.ebiz.enea.it/eBIZ/imple/eBIZTCU-draft.asp?lingua=it&pag=6>

NT100 - Versione eBIZ TCFUpstream
NT2 - qualificatore terzparte
NT201 - tipo di entita'
NT29 - formato data
NT3 - emittente dell'identificatore (o sistema di identificazione) di una località.
NT311 - livello di divulgazione delle informazioni
NT312 - azione di archiviazione
NT313 - stato del documento
NT316 - tipo di trattamento finale del rifiuto
NT317 - emissione verso
NT318 - tipo di acqua
NT319 - Tipo di vettore energetico
NT320 - tipo di sorgente di energia
NT323 - categoria dell'oggetto della dichiarazione
NT326 - Tipo di evidenza sui Requisiti di responsabilità sociale
NT329 - tipo di metodo di validazione della grandezza
NT333 - tipo algoritmo hashing
NT6 - ente codificatore
NT60 - lingua, codifiche da ISO 639-1 (sottoinsieme)
NT7 - unità di misura
T10 - ISO3166 - Nazione
T21 - tipo documento
T302 - tipo di oggetto
T305 - tabella dei tipi di operazioni manifatturiere
T44 - tipo codice addizionale
T48 - tipo di parte del capo confezionato
TRK01 - lista dei servizi disponibili
TRK02 - lista funzioni dei servizi

(le tabelle più rilevanti sono presentate anche negli annessi successivi)

RICONOSCIMENTO



Questa azione fa parte del progetto TRICK, che ha ricevuto finanziamenti dal programma Horizon 2020 contratto No. 958352 dell'Unione europea.




AVVERTENZA

Il contenuto di questo documento rappresenta solo il punto di vista degli autori ed è di loro esclusiva responsabilità; non si può ritenere che rifletta le opinioni della Commissione europea o qualsiasi altro organismo dell'Unione europea.

La Commissione europea non si assume alcuna responsabilità per l'uso che può essere fatto delle informazioni in esso contenute.


Allegato A

Immagini rappresentative della struttura dei principali elementi complessi.




energySupplyDescriptor

: descrittore di una quantità di energia fornita o prodotta con indicazione delle sue caratteristiche




facilityDescriptor

: descrittore di una facility aziendale




garmentPartCode


: codifica della componente o parte di un articolo fashion



organisationDescriptor
: descrizione di organizzazione







platformServiceReference
: istruzioni e riferimenti sul servizio




productComponent
: descrittore di uno degli elementi utilizzati per creare il prodotto, indica i codici del componente, la quantità per unità di prodotto finale, il fornitore e l'eventuale documentazione






wasteDescriptor

: descrive un tipo di rifiuto generato dalle attività a cui è associato e eventualmente la sua quantità in relazione a una quantità di riferimento di prodotto



wasteWaterDescriptor

: descrittore delle acque reflue prodotte (con indicazione della quantità, del loro trattamento e dell'eventuale presenza di contaminanti)



Allegato B

NT100 - Versione eBIZ TCFUpstream

versione dizionario

Agenzia: eBIZ

Tabella decodifica: NT100

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml

Codice	Descrizione	Note di adozione	Data di inserimento
2013-1	v2013-1		01/07/2013
2018-1	v2018-1		04/11/2018
draft	draft		08/09/2017

NT2 - qualificatore terzaparte

qualificatore del ruolo della Terza Parte

Agenzia: eBIZ

Tabella decodifica: NT2

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml

Codice	Descrizione	Note di adozione	Data di inserimento
AG	Agente		
AU	Auditor		08/04/2019
BU	Acquirente		13/06/2022
CE	Autorita' certificatrice		08/04/2019
CM	Committente		13/06/2022
CO	Collaudatore		
CU	Autorita' doganale		13/06/2022
DC	Destinatario Conferma		
DF	Destinatario Fattura		
DI	Destinatario per conoscenza (CC)		28/10/2014
DM	Destinatario Merce		
DP	Indirizzo consegna merce		
EX	Esperto		13/06/2022
IM	Importatore		
OR	Originatore (cliente finale)		10/09/2014
SC	Terzista		10/04/2019
SM	Gestore servizio/ePlatform		08/04/2019

SP	Spedizionario		
SU	Fornitore		13/06/2022
TL	Laboratorio di analisi o test		13/06/2022
TX	Autorita' fiscale		

NT201 - tipo di entita'

indica a il tipo di entità a cui ci si riferisce

Agenzia: eBIZ for TRICK

Tabella decodifica: NT201

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml

Codice	Descrizione	Note di adozione	Data di inserimento
FAC	Stabilimento o sede		03/06/2022
INS	Singola istanza di prodotto		03/06/2022
LOT	Lotto		03/06/2022
ORG	Organizzazione		03/06/2022
PRC	Processo produzione		03/06/2022
PRD	Prodotto		03/06/2022
PRO	Procedura organizzativa		03/06/2022
SHP	Spedizione		25/04/2023

NT29 - formato data

formato in cui è espressa la data

Agenzia: eBIZ

Tabella decodifica: NT29

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml

Codice	Descrizione	Note di adozione	Data di inserimento
D	AAAA-MM-GG		
M	AAAA-MM-GG:HH-MM (data e orario)		
S	AAAA-MM-GG:HH-MM-SS (data e orario con secondi)		13/06/2022
W	AAAA-SS (anno-settimana)		

NT3 - emittente dell'identificatore (o sistema di identificazione) di una località.

lista dei possibili emittenti dell'identificatore (o sistema di identificazione) di una località.

Agenzia: eBIZ

Tabella decodifica: NT3

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml

Codice	Descrizione	Note di adozione	Data di inserimento
EN4	GS1-GLN	obsolete	01/07/2013
GLN	GS1-GLN	equivalent to EN4	25/04/2023
MD	concordata tra le parti		
NCA	Autorita' doganale nazionale (magazzini doganli)	identifier of a bonded warehouse assigned by the custom authority	19/05/2023
PLA	Piattaforma	internal coding of the involved platform	14/05/2023
TRI	TRICK		14/05/2023

NT311 - livello di divulgazione delle informazioni

Agenzia: eBIZ for TRICK

Tabella decodifica: NT311

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml

Codice	Descrizione	Note di adozione	Data di inserimento
1	pubblico		22/07/2022
2	divulgato a qualsiasi partner coinvolto nella attivita'		22/07/2022
3	divulgato a categorie specifiche di partner coinvolti nella attivita'		22/07/2022
4	divulgato solo su specifica autorizzazione		22/07/2022
9	completamente confidenziale		22/07/2022

NT312 - azione di archiviazione

indica le modalità di inserimento in un archivio delle informazioni a cui si riferisce, specificando anche che cosa debba avvenire delle informazioni pre-esistenti.

Agenzia: eBIZ for TRICK

Tabella decodifica: NT312

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml

Codice	Descrizione	Note di adozione	Data di inserimento
AD	aggiungi solo nuovi elementi (senza sovrasc		22/07/2

	rivere quelli esistenti)		022
DW	cancellare gli elementi esistenti e scrivere nuovi dati	use this when it is necessary to reset a list of information	22/07/2022
NA	nessuna azione richiesta		22/07/2022
WU	aggiungere nuovi dati e aggiornare se necessario quelli esistenti	usually prefer this; it is necessary when an update of existing information is needed	22/07/2022

NT313 - stato del documento

sottinsieme della United Nations Code List (UNCL) 4405 code list di UNCEFACT

Agenzia: eBIZ for TRICK (elaboration on UNECE)

Tabella decodifica: NT313

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml

Altro link: <https://service.unece.org/trade/untdid/d21b/tred/tred4405.htm#>

Codice	Descrizione	Note di adozione	Data di inserimento
112	Incompleto		22/07/2022
21	Temporaneo		22/07/2022
39	Approvato		22/07/2022
40	Ritirato		22/07/2022
41	Respinto		22/07/2022
45	Nessuno Stato		22/07/2022
67	Preliminare		22/07/2022
70	Rilasciato		22/07/2022
73	Confermato (da revisore)		30/08/2022
74	Data di scadenza superata		22/07/2022
97	In attesa		22/07/2022

NT316 - tipo di trattamento finale del rifiuto

Agenzia: eBIZ for TRICK

Tabella decodifica: NT316

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml

Codice	Descrizione	Note di adozione	Data di inserimento
CHR	Riciclo chimico		26/07/2022
COM	Processo di compostaggio		01/09/2022

EZR	Riciclo enzimatico		01/09/2022
IER	Incenerimento con recupero energia		26/07/2022
IWE	Incenerimento senza recupero e energia		26/07/2022
LND	Discarica		26/07/2022
MCR	Riciclo meccanico		26/07/2022
OTH	altro		28/08/2022
RCY	Riciclaggio non meglio specificato	use this value if it is not possible to choose an appropriate type of recycling.	27/05/2023
REC	Recupero (di parti)		26/07/2022
REU	Riuso		26/07/2022
TMR	Riciclo termomeccanico		01/09/2022

NT317 - emissione verso

indica le possibili destinazioni delle emissioni descritte

Agenzia: eBIZ for TRICK

Tabella decodifica: NT317

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml

Codice	Descrizione	Note di adozione	Data di inserimento
AIR	aria		27/07/2022
SOI	suolo		27/07/2022
WAT	acqua		27/07/2022

NT318 - tipo di acqua

indica l'origine dell'acqua

Agenzia: eBIZ for TRICK

Tabella decodifica: NT318

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml

Codice	Descrizione	Note di adozione	Data di inserimento
DESA	Acqua dissalata		27/07/2022

GRND	Acque sotterranee (pozzo o simile)		27/07/2022
NETW	Rete di approvvigionamento idrico		27/07/2022
RAIN	Acqua piovana		27/07/2022
SURF	Acque superficiali (fiume,..)		02/09/2022
TREAT	Acque reflue trattate		27/07/2022
TRUCK	Fornito da autocisterna		27/07/2022

NT319 - Tipo di vettore energetico

Agenzia: eBIZ for TRICK

Tabella decodifica: NT319

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml

Codice	Descrizione	Note di adozione	Data di inserimento
BIOFUEL	biocombustibili		22/08/2022
BIOMASS	biomassa (legno)		22/08/2022
COAL	carbone		22/08/2022
DIESEL	diesel		22/08/2022
GAS	gas naturale		22/08/2022
GASOLINE	benzina		22/08/2022
GRID	rete elettrica		22/08/2022
HFO	olio combustibile pesante		22/08/2022
HYDR	idrogeno		22/08/2022
LFO	olio combustibile leggero		22/08/2022
LPG	GPL		22/08/2022
OTHER	altro		22/08/2022
SELF	auto produzione		22/08/2022
STEAM	vapore		22/08/2022
WATER	acqua calda		22/08/2022

NT320 - tipo di sorgente di energia

Agenzia: eBIZ for TRICK

Tabella decodifica: NT320

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml

Codice	Descrizione	Note di adozione	Data di inserimento
COG	cogenerazione		22/08/2022
FOSS	combustibili fossili		22/08/2022

GEO	geotermico		22/08/2022
HYDR	idroelettrico		02/09/2022
NUC	nucleare		22/08/2022
OTH	altro		22/08/2022
PV	fotovoltaico		22/08/2022
SOLC	collettore solare		22/08/2022
UNK	ignota		22/08/2022
WND	eolico		22/08/2022

NT323 - categoria dell'oggetto della dichiarazione

Agenzia: eBIZ

Tabella decodifica: NT323

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml

Codice	Descrizione	Note di adozione	Data di inserimento
ENV	ambiente (GEG, energia, acqua..)		30/08/2022
ETH	etica e sociale		30/08/2022
FIB	contenuto di fibre		30/08/2022
HLT	salute e prodotti chimici		30/08/2022
LOC	localizzazione		30/08/2022
ORG	origine		30/08/2022
OTH	altro		30/08/2022
PER	prestazione		30/08/2022
PRO	processi		30/08/2022
REC	riciclo e circolarità		30/08/2022

NT326 - Tipo di evidenza sui Requisiti di responsabilità sociale

Tipologie di evidenze sui Requisiti di responsabilità sociale (derivati da SA8000)

Tabella decodifica: NT326

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml

Altro link: <https://sa-intl.org/programs/sa8000/#>

Codice	Descrizione	Note di adozione	Data di inserimento
1.1	Minori impiegati, Maschi - Percentuale del personale maschile di età 7-14 anni (%)		05/09/2022
1.2	Minori impiegati, Femmine - Percentuale del personale femminile di età 7-14 anni (%)		05/09/2022

1.3	Minori impiegati, Totale - Percentuale di tutto il personale di età compresa tra 7 e 14 anni (%)		05/09/2022
2.1	Merci prodotte da lavoro forzato/obbligatorio - "Numero di merci che fanno parte del prodotto valutato"		05/09/2022
3.1	Tasso di infortuni sul lavoro - Casi per 100.000 dipendenti e anno (unità)		05/09/2022
3.2	Infortuni mortali sul lavoro - Casi per 100.000 dipendenti e anno (unità)		05/09/2022
3.3	Presenza di misure di sicurezza sufficienti - Altri casi HSE (ad es. basati su OSHA) ogni 100.000 dipendenti. *Dovrebbe essere combinato con un audit fisico per verificare tutti i restanti requisiti SA8000. (unità)		05/09/2022
4.1	Densità sindacale - % dei dipendenti organizzati in sindacati (%)		05/09/2022
4.2	Diritto di associazione - punteggio della scala ordinale 0-3 (0-3)		05/09/2022
4.3	Diritto di contrattazione collettiva - punteggio della scala ordinale 0-3 (0-3)		05/09/2022
5.1	Donne nel settore - Numero totale lavoratori donne e uomini (rapporto) (rapporto)		05/09/2022
5.2	Divario salariale di genere - Stipendio (medio) di uomini e donne per la stessa posizione (%)		05/09/2022
6	Pratiche disciplinari - Possono essere verificate attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
7	Orario di lavoro - Ore di lavoro per dipendente, per settimana (ore)		05/09/2022
8.1	Salario di sussistenza - Stipendio o busta paga (euro)		05/09/2022
8.2	Salario minimo - Stipendio o busta paga (euro)		05/09/2022
8.3	Media del settore - Stipendio o busta paga (euro)		05/09/2022
9.1	Politiche, procedure e registri - Possono essere verificati attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.1	Gestione dei fornitori e degli appaltatori - Può essere verificata attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.2	Social Performance Team - Può essere verificato attraverso un audit fisico presso i fornitori e un sondaggio/intervista (anonimo) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.3	Identificazione e valutazione dei rischi - Può essere verificata attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.4	Monitoraggio - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.5	Coinvolgimento interno e comunicazione - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.6	Gestione e risoluzione dei reclami - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente.		05/09/2022

	(s/n)		
9.7	Verifica esterna e coinvolgimento degli stakeholder - Può essere verificata attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.8	Azioni Correttive e Preventive - Possono essere verificate attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.9	Formazione e sviluppo delle capacità - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022

NT329 - tipo di metodo di validazione della grandezza

indica il tipo di metodo utilizzato per validazione e calcolare la grandezza a cui si riferisce; utilizzato per capirne affidabilità'.

Agenzia: eBIZ

Tabella decodifica: NT329

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml

Codice	Descrizione	Note di adozione	Data di inserimento
CER	verificato da certificazione parte terza		11/06/2023
EST	stima		12/05/2023
EXP	valore confermato da esperto		19/05/2023
LAB	test di laboratorio		11/06/2023
LIT	letteratura	refer to a literature analysis outcome	12/05/2023
MON	monitoraggio	refer to continuous measurement in field	12/05/2023
REV	valore confermato da review		11/06/2023
SAM	campionamento	refer to a sample measurement in field	12/05/2023
SUP	dichiarazione fornitore		11/06/2023

NT333 - tipo algoritmo hashing

tipo algoritmo hashing

Tabella decodifica: NT333

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml

Codice	Descrizione	Note di adozione	Data di inserimento
ADLER32	ADLER32		26/05/2023
HMAC	HMAC		26/05/2023
MD2	MD2		26/05/2023
MD4	MD4		26/05/2023

MD5	MD5		26/05/2023
MDC-2	MDC-2		26/05/2023
PANAMA	PANAMA		26/05/2023
RIPEMD-160	RIPEMD-160		26/05/2023
SHA-1	SHA-1		26/05/2023
SHA-2 256	SHA-2 256		26/05/2023
SHA-2 384	SHA-2 384		26/05/2023
SHA-2 512	SHA-2 512		26/05/2023
TIGER	TIGER		26/05/2023

NT6 - ente codificatore

organizzazione che ha creato e detiene il registro della codifica o immatricolazione a cui ci si riferisce

Agenzia: eBIZ

Tabella decodifica: NT6

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml

Codice	Descrizione	Note di adozione	Data di inserimento
CBR	Registro nazionale degli spedizionieri doganali		12/06/2023
CL	cliente		
CO	collaudo tessile		
DU	Registro D-U-N-S (Data Universal Numbering System)		04/05/2023
EB	eBIZ	replaces 'ML'	18/03/2019
EN	GS1 (gia' EAN-International)		
EO	Register of EORI (Economic Operators Registration and Identification number)		04/03/2023
ES	e-Stockflow	DEPRECATED	
FO	fornitore		
GS	GS1		01/07/2013
MF	autorità tributaria nazionale (es. registro codici IVA)		
ML	Moda-ML	DEPRECATED	
PL	Piattaforma applicativa		13/06/2022
REX	Sistema degli Esportatori Registrati (REX)		19/05/2023
SP	Service Provider		
SU	Enterprise Identification Number UID	Only switzerland	04/03/2023

NT60 - lingua, codifiche da ISO 639-1 (sottoinsieme)

Agenzia: eBIZ / ISO

Tabella decodifica: NT60

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml

Codice	Descrizione	Note di adozione	Data di inserimento
af	Afrikaans		31/01/2019
ar	Arabic		31/01/2019
be	Belarusian		31/01/2019
bg	Bulgarian		31/01/2019
bn	Bengali		31/01/2019
bo	Tibetan		31/01/2019
bs	Bosnian		31/01/2019
ca	Catalan, Valencian		31/01/2019
cs	Czech		31/01/2019
da	Danish		31/01/2019
de	German		31/01/2019
el	Greek, Modern (1453-)		31/01/2019
en	English		31/01/2019
eo	Esperanto		31/01/2019
es	Spanish, Castilian		31/01/2019
et	Estonian		31/01/2019
eu	Basque		31/01/2019
F	Femminile		15/04/2019
fa	Persian		31/01/2019
fi	Finnish		31/01/2019
fr	French		31/01/2019
ga	Irish		31/01/2019
gd	Gaelic, Scottish Gaelic		31/01/2019
gn	Guarani		31/01/2019
he	Hebrew		31/01/2019
hr	Croatian		31/01/2019
ht	Haitian, Haitian Creole		31/01/2019
hu	Hungarian		31/01/2019
hy	Armenian		31/01/2019
ia	Interlingua (International Auxiliary Language Association)		31/01/2019
id	Indonesian		31/01/2019
is	Icelandic		31/01/2019
it	Italian		31/01/2019
ja	Japanese		31/01/2019

jv	Javanese		31/01/2019
ka	Georgian		31/01/2019
km	Central Khmer		31/01/2019
ko	Korean		31/01/2019
ku	Kurdish		31/01/2019
lb	Luxembourgish, Letzeburgesch		31/01/2019
lo	Lao		31/01/2019
lt	Lithuanian		31/01/2019
lv	Latvian		31/01/2019
mg	Malagasy		31/01/2019
mk	Macedonian		31/01/2019
mn	Mongolian		31/01/2019
mt	Maltese		31/01/2019
nl	Dutch, Flemish		31/01/2019
no	Norwegian		31/01/2019
pl	Polish		31/01/2019
pt	Portuguese		31/01/2019
ro	Romanian, Moldavian, Moldovan		31/01/2019
ru	Russian		31/01/2019
se	Northern Sami		31/01/2019
sk	Slovak		31/01/2019
sl	Slovenian		31/01/2019
sm	Samoan		31/01/2019
so	Somali		31/01/2019
sq	Albanian		31/01/2019
sr	Serbian		31/01/2019
sv	Swedish		31/01/2019
sw	Swahili		31/01/2019
ta	Tamil		31/01/2019
th	Thai		31/01/2019
tr	Turkish		31/01/2019
uk	Ukrainian		31/01/2019
ur	Urdu		31/01/2019
uz	Uzbek		31/01/2019
vi	Vietnamese		31/01/2019
zh	Chinese		31/01/2019

unità di misura fisica, è sottoinsieme della tabella di codifiche delle unità di misura Unit of Measure Code - UN/ECE REC 20 prodotto dalla United Nations Economic Commission for Europe (UN/ECE)

Agenzia: eBIZ / UN/ECE

Tabella decodifica: NT7

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml

Altro link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

Codice	Descrizione	Note di adozione	Data di inserimento
CMK	centimetro quadro		20/12/2017
CMQ	centimetro cubo		20/12/2017
CMT	centimetro		
CNE	centiNewton		
CO2TON	tonnellate di CO2		10/09/2014
COUPLES	paia		
DAY	giorno		22/08/2022
DEGD	gradi decimali		04/07/2022
DEGMS	grado con minuti e secondi		01/07/2022
DMQ	decimetro cubo		
E37	pixel		11/04/2018
GRM	grammo		
HUR	ora		
INH	pollice		
KGM	kilogrammo		
KMT	kilometro		
KWH	kilowattora		10/09/2014
LBR	libbra		
MCG	microgrammo		23/08/2022
MG	milligrammo		23/08/2022
MIN	minuto		
MMK	millimetro quadro		20/12/2017
MONTH	mese		22/08/2022
MSEC	millisecondo (unità di tempo)		22/08/2022
MTK	metro quadro		20/12/2017
MTQ	metro cubo		
MTR	metro		
NMB	number		
ONZ	oncia		
P1	percentuale		

PPM	parti per milione		
PZ	pezzo o pezza		
RPM	giri per metro		
SEC	secondo (unità di tempo)		22/08/2022
YEAR	anno		22/08/2022
YRD	yarda		

T10 - ISO3166 - Nazione

codice della nazione

Agenzia: ISO

Tabella decodifica: T10

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml

Tabella non stampata: sono presenti 240 elementi, oltre il massimo previsto di 99 elementi.

T21 - tipo documento

tipo del documento cui si fa riferimento

Agenzia: eBIZ

Tabella decodifica: T21

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml

Codice	Descrizione	Note di adozione	Data di inserimento
BIL	Polizza di carico		07/03/2023
BOR	Ordine aperto		01/02/2018
CAT	Listino - scheda tecnica		
CEO	Certificato di origine		13/04/2018
CER	Certificato		13/04/2018
CMR	Lettera di Vettura Internazionale CMR		07/03/2023
COC	Cartella colore		
CRN	Nota di credito		08/09/2017
CTO	Disposizione controllo		01/07/2013
CTR	Contratto o capitolato		
CXF	File CxF3		01/07/2013
DAD	Disposizione rammendo		
DDT	Documento di trasporto		
DEA	Avviso spedizione		
DER	Richiesta spedizione		

DR	Richiesta documento		02/12/2014
EAD	Documento di accompagnamento all'esportazione (DAE)	adopted by European customs	12/05/2023
ECMR	Lettera di Vettura Internazionale CMR elettronica		07/03/2023
ECUS	EXPORT Dichiarazione doganale		07/03/2023
FOR	Previsione		02/12/2014
GSO	Offerta stock abbigliamento		
GSX	Modifica offerta stock abbigliamento		
ICUS	IMPORT Dichiarazione doganale		07/03/2023
INV	Fattura		
KCC	Disposizione Maglieria-Confezione		02/12/2014
KCI	Inventario Capi in Lavorazione		02/12/2014
LCA	Studio LCA		28/08/2022
LCAD	Dataset di studio LCA		28/08/2022
M2M	Ordine su misura		02/12/2014
MAS	Carta modello		
MCI	Istruzioni visual merchandising		13/04/2018
OCH	Modifica ordine		
OFF	Offerta		
ORD	Ordine acquisto		
ORP	Risposta ordine		
OSR	Richiesta avanzamento ordine		
OSS	Stato offerta		02/12/2014
OST	Avanzamento ordine		
OUR	ns. riferimento		
PCO	Certificato di origine preferenziale		07/03/2023
PEF	Studio PEF		28/08/2022
PEFD	Dataset di studio PEF		28/08/2022
PEFP	Profilo ambientale PEF		07/03/2023
QR	Report Qualita		02/12/2014
RAI	Inventario Materia Prima in Lavorazione		02/12/2014
RDC	Disposizione tintura materia prima		
RDH	Modifica disposizione tintura materia prima		
RDR	Risposta disposizione tintura materia prima		
REA	Avviso ricevimento		
REQ	Richiesta di Offerta		
RET	Ritorno merce		02/12/2014
RSC	Disposizione di filatura		
RSH	Modifica disposizione filatura		

RSR	Risposta disposizione filatura		
SAD	Documento Amministrativo Unico (DAU)	adopted by European customs	12/05/2023
SCL	Scheda lavorazione		
SDE	Autodichiarazione		07/03/2023
SDS	SDS - Scheda dati di sicurezza		07/03/2023
SLCA	Studio S-LCA		07/03/2023
SLCAD	Documentazione di studio S-LCA		07/03/2023
TFC	Disposizione tintura-finissaggio tessuto		
TFX	Modifica Disposizione Tintura-Finissaggio Tessuto		02/12/2014
TPC	Disposizione stampa tessuto		
TPX	Modifica Disposizione Stampa Tessuto		02/12/2014
TWI	Inventario tessuto in lavorazione		
VMI	istruzioni visual merchandising		01/02/2018
WAC	Disposizione orditura		
WAYB	Lettera di vettura		07/03/2023
WEC	Disposizione tessitura		
YDC	Disposizione tintura filato		
YDH	Modifica disposizione tintura filato		
YDR	Risposta disposizione tintura filato		
YTC	Disposizione ritorcitura		
YWI	Inventario filato in lavorazione		

T302 - tipo di oggetto

indica il tipo di oggetto. Indica la natura di un oggetto tracciabile (ad esempio carico di un camion)

Agenzia: eBIZ for TRICK

Tabella decodifica: T302

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml

Codice	Descrizione	Note di adozione	Data di inserimento
ACCE	accessorio		13/06/2022
CFBR	fibra (pettinata)		01/09/2022
FABR	tessuto (non maglia) (finito)	after any finishing or dyeing or darning	01/09/2022
FIL	filamento		01/09/2022
GARM	capo abbigliamento (finito)	garment ready fo use (sales, rent or anything el	13/06/2022

		se)	2
GRCO	componente di capo abbigliamento		13/06/2022
KNFA	tessuto maglia (finito)		01/09/2022
LFIB	fiocco		01/09/2022
PFBR	fibra trattata		01/07/2022
POLY	polimero		04/09/2022
PPFB	fibra (preprocessata)	might include washed fiber or dyed	01/09/2022
RAFA	tessuto grezzo (non maglia)		01/09/2022
RAFI	fibra (grezza)	before any kind of treatment or preprocessing	01/09/2022
RAGA	capo abbigliamento (non finito)		01/09/2022
RAKF	tessuto maglia (non finito)		01/09/2022
RAYA	filato (non finito)		13/06/2022
TOPS	nastro di carda (o tops)		23/03/2023
TRIM	guarnizioni		01/09/2022
WAC C	accessori per rifiuti		01/09/2022
WFFP	tessuto di scarto dalla produzione di tessuti		01/09/2022
WFGP	tessuto di scarto dalla produzione di abbigliamento		01/09/2022
WFYP	fibra di scarto dalla produzione di filati		01/09/2022
WGG P	indumenti di scarto dalla produzione di indumenti		01/09/2022
WPAC	accessori di scarto (Post-Consumo)		01/09/2022
WPFB	tessuto di scarto (Post-Consumo)		01/09/2022
WPG R	indumenti di scarto (Post-Consumo)		01/09/2022
WPTR	guarnizioni di scarto (Post-Consumo)		01/09/2022
WTR M	guarnizioni di scarto		01/09/2022
WYFP	filati di scarto dalla produzione di tessuti		01/09/2022

			2
WYYP	filati di scarto dalla produzione di filati		01/09/2022
YARN	filato (finito)		13/06/2022

T305 - tabella dei tipi di operazioni manifatturiere

Utilizzata in nei documenti relativi a tracciabilità e trasparenza per descrivere i trattamenti e le operazioni

Agenzia: eBIZ for TRICK

Tabella decodifica: T305

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml

Codice	Descrizione	Note di adozione	Data di inserimento
0	Produzione fibre		05/09/2022
0.1	Produzione di fibre animali	NACE equivalent: 01.4 Animal production	05/09/2022
0.2	Produzione di fibre vegetali	NACE equivalent: 01.16 Growing of fibre crops	05/09/2022
0.3	Produzione di filamenti e fibre artificiali	NACE equivalent: 20.60 Manufacture of man-made fibres	05/09/2022
0.3.1	Materie prime per fibre e filamenti artificiali	NACE equivalent: 20.60 Manufacture of man-made fibres	05/09/2022
0.3.2	Estrusori	NACE equivalent: 20.60 Manufacture of man-made fibres	05/09/2022
1	Produzione di filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1	Preparazione per la filatura delle fibre di cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.1	Apriballe per il cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.2	Cardatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.3	Stiratoi per il cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.4	Roccatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.5	Pettinatrici per il cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.6	Ritorcitura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2	Preparazione per la filatura delle fibre di lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.1	Apriballe per la lana grezza	NACE equivalent: 13.10 Preparation and spinning	05/09/2022

		of textile fibres	022
1.2.1 0	Impianti di controlavaggio	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.1 1	Banchi di finissaggio	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.1 2	Impianti di ritorcitura per filati pettinati	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.2	Impianti di lavatura della lana grezza	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.3	Impianti di carbonizzaggio	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.4	Apriballe per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.5	Cardatrici per lana pettinata	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.6	Cardatrici per lana semi-pettinata	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.7	Cardatrici per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.8	Stiratoi per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.2.9	Pettinatrici per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.3	Preparazione per la filatura di fibre miscelate	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.3.1	Miscelazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.3.2	Mechanical Blending	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4	Filatura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.1	Mechanical Spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.1. 1	Filatura ad anello	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.1. 2	Filatura compact	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.1. 3	Filatura rotor	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.1. 4	Filatura Air-jet	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.1. 99	Altri tipi di filatoi	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.2	Thermo-mechanical Filament spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.2. 1	Melt spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2 022
1.4.3	Chemical -Cotton Filament Spinning	NACE equivalent: 13.10 Preparation and spinning	05/09/2

		of textile fibres	022
1.4.3.1	Blending with wood pulp	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.3.2	Drying of pulp sheets	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.3.3	(Dry-jet) wet spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5	Roccatatura, aspatura e covering	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5.1	Roccatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5.2	Aspatoi	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5.3	Covering machines	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6	Finissaggio del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1	Vaporizzazione, finissaggio, umidificazione e spalmatura del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1.1	Autoclave per la vaporizzazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1.2	Impianti per il trattamento termico	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1.3	Impianti di umidificazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.2	Impianti per la spalmatura del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.2.1	Trattamento al plasma	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.3	Mercerizzazione del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.4	Lavaggio del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.5	Tintura in continuo del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.6	Tintura in matasse	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.7	Essiccatoi per il filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.7	Testurizzazione, bulking e aggraffatura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.7.1	Testurizzatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.7.2	Impianti per l'aggraffatura e bulking	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.8	Binatura e ritorcitura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.8.1	Macchine di binatura	NACE equivalent: 13.10 Preparation and spinning	05/09/2

		of textile fibres	022
1.8.2	Macchine di ritorcitura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
2	Manifattura di tessuti	NACE equivalent: 13. Manufacture of textiles	05/09/2022
2.1	Preparazione alla tessitura	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.1	Orditura a sezioni	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.2	Subbio dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.3	Stiratura dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.4	Macchine per avvolgere l'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.5	Apprettatura/produzione di ciniglia	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.6	Tintura con indaco dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.7	Purga (per seta)	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2	Tessitura	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.1	Tessitura con telaio rapier	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.1.1	Tessitura Jacquard	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.1.2	Tessitura rapier con dobby	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.2	Tessitura con telaio a proiettile	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.3	Tessitura a getto d'aria	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.4	Tessitura a getto d'acqua	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.5	Telai a spoletta volante	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.6	Tessitura con telaio circolare	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.7	Tessitura di tessuti stretti	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.3	Preparazione per maglieria	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.3.1	Subbio dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.3.2	Orditura a sezioni	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.4	Maglieria (tessuti)	NACE equivalent: 13.91 Manufacture of knitted and	05/09/2

		d crocheted fabrics	022
2.4.1	Macchine circolari per maglieria	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.2	Macchine rettilinee per maglieria	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.3	Macchine per maglieria del filo d'ordito	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.4	Macchine per maglieria per scopi speciali	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.99	Other fabric production technologies	NACE equivalent: 13.9 Manufacture of other textiles	05/09/2022
3	Finissaggio e tintura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1	Pretrattamento	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.1	Carbonizzaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.1.0	Macinatura/follatura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.1.1	Mercerizzazione del tessuto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.2	Bruciapelo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.3	Crabbing	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.4	Sbozzimatura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.5	Candeggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.6	Candeggio in continuo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.7	Lavaggio in corda	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.8	Lavaggio in largo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.9	Lavaggio in solvente	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2	Tintura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1	Tintura in fiocco della fibra	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1.1	Tintura fibra cellulosica	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1.2	Tintura fibra proteica	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1.3	Tintura fibra sintetica	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.2	Tintura in continuo del tessuto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022

			022
3.2.3	Autoclavi	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.4	Tintura a getto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.5	Tintura in overflow	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.6	Tintura in macchinari tipo winch	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.7	Tintura in macchinari tipo Jiggers	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.9 9	Altre macchine di tintura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3	Estrazione dell'acqua ed essiccazione	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.1	Idro-estrattori centrifughi	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.2	Rameuse	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.3	Essiccatoi per il tessuto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.4	Altri essiccatoi	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.5	Tumblers	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4	Macchine di finissaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1	Finissaggio meccanico	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1 0	Finissaggio impermeabile	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1 1	Finissaggio anti piega	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1 2	Finissaggio antimacchia	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1 3	Finissaggio ignifuga	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1 4	Finissaggio anti UV	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.2	Decatissaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.3	Calendre	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.4	Macchine bruciapelo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.5	Presse da stiro per maglieria	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.6	Tumblers	NACE equivalent: 13.30 Finishing of textiles	05/09/2

			022
3.4.7	Sanfor	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.8	Finissaggio antitarme	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.9	Finissaggio antiritiro	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.9 9	Altre macchine di finissaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.5	Stampa	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.5.1	Stampa di filati e top	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.5.2	Stampa tavolo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.5.3	Stampa rotativa	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.5.4	Stampa a getto d'inchiostro	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.5.9 9	Altre macchine da stampa	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
4	Manifattura abbigliamento	NACE equivalent: 14.1 Manufacture of wearing apparel, except fur apparel	05/09/2022
4.1	Taglio	NACE equivalent: 14.1 Manufacture of wearing apparel, except fur apparel	05/09/2022
4.2	Cucitura	NACE equivalent: 14.1 Manufacture of wearing apparel, except fur apparel	05/09/2022
4.3	Stiratura	NACE equivalent: 14.1 Manufacture of wearing apparel, except fur apparel	05/09/2022
4.4	Lavaggio (abbigliamento)	NACE equivalent: 14.1 Manufacture of wearing apparel, except fur apparel	05/09/2022
4.5	Tintura (abbigliamento)	NACE equivalent: 14.1 Manufacture of wearing apparel, except fur apparel	05/09/2022
4.6	Maglieria (calze)		05/09/2022
4.7	Impacchettamento		05/09/2022
4.99	Altro		05/09/2022
5	Distribuzione		05/09/2022
6	Uso		05/09/2022
7	Raccolta fine vita	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8	Riciclo	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1	Preliminary sorting and cleaning	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022

		als	022
8.1.1	Sorting	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1.2	Sanitation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1.3	Cleaning	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2	Disassembly/Pre-treatment	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.1	Removal of non textile (accessories) and coated/printed parts and labels	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.2	Cutting into batches of fabric	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.3	Washing/cleaning	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.4	Drying	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.5	Shredding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.6	Grinding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3	Material Recovery	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1	Mechanical Material Recovery	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.1	pre-opening	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.2	tearing	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.3	fine-opening	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.4	carding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.5	removal of short fibres and contaminations	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2	Thermo-mechanical material recovery	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2.1	Compounding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2.2	Regranulation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2.3	Solid state post-condensation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3	Chemical -Cotton material recovery - pulping	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3.1	Dyes removal/bleaching	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3.	Pulping	NACE equivalent: 38.32 Recovery of sorted materi	05/09/2

2		als	022
8.3.3.3	Removal of contaminants	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4	Chemical - PET and PA - depolymerisation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.1	Dissolution of polymers (hydrolysis, methanolysis, glycolysis, enzymatic)	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.2	Removal of contaminants	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.3	Removal of colorants	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.4	Separation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.5	Drying	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.4	Gasification	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.4.1	Air/steam gasification	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.4.2	Separation/purification	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022

T44 - tipo codice addizionale

qualificatore dell'elemento aggiuntivo di codifica di un prodotto

Agenzia: eBIZ

Tabella decodifica: T44

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml

Codice	Descrizione	Note di adozione	Data di inserimento
CC	cartella colori		
CL	collezione		
CO	codice identificativo azienda		08/09/2017
DY	numero bagno		
LT	numero lotto/partita		
MDI	Made in		08/09/2017
MS	stadio di lavorazione		
PKG	confezionamento		09/09/2014
PL	linea di prodotto		
RGB	valore RGB		
SE	codice cimossa		

T48 - tipo di parte del capo confezionato

codice che specifica il tipo di componente o parte di un articolo di maglieria/confezione (manica, collo, ...)

Agenzia: eBIZ

Tabella decodifica: T48

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml

Codice	Descrizione	Note di adozione	Data di inserimento
BB	bottom retro		01/08/2018
BF	bottom davanti		01/08/2018
CO	collare		01/08/2018
CU	polsino		01/08/2018
DV	davanti		
EM	ricamo		01/08/2018
OC	altro componente		01/08/2018
PO	tasca		01/08/2018
SC	schiena		
SL	manica		01/08/2018
TB	top retro		01/08/2018
TF	top davanti		01/08/2018

TRK01 - lista dei servizi disponibili

Agenzia: TRICK project

Tabella decodifica: TRK01

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml

Codice	Descrizione	Note di adozione	Data di inserimento
0	Tracciabilita'		07/09/2022
1	PCO, Preferential Origin certification		07/09/2022
2	Circular Manufacturing assessment		07/09/2022
3	PEF and environmental footprint		07/09/2022
4	Health protection assessment		07/09/2022
5	Social and Ethical protection assessment		07/09/2022

TRK02 - lista funzioni dei servizi

Agenzia: TRICK project

Tabella decodifica: TRK02

File lista codici (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml

Codice	Descrizione	Note di adozione	Data di inserimento
activate	attivazione servizio		07/09/2022
execution	esecuzione servizio		07/09/2022
getinfo	richiesta informazioni da servizio		07/09/2022
proposedreport	proposta report finale		07/09/2022
reportapproval	report finale approvato		07/09/2022
reportrejected	report finale rifiutato		07/09/2022
setinfo	invio informazioni al servizio		07/09/2022