



<http://www.ebiz-tcf.eu>

DRAFT

**GUIDA DI IMPLEMENTAZIONE  
TRANSAZIONE "INFORMAZIONI PEF E IMPRONTA  
AMBIENTALE"**

Versione: draft

Data di rilascio: 26/6/2023

Codice documento: TRC013

Documentazione Tecnica: <http://www.ebiz.enea.it>

Repository XML Schema: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Repository guide: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Nome file: TRC013-eBIZ-InformazioniPefElmprontaAmbientale.pdf

## 0. PREMESSA

Questo documento riporta una **proposta di aggiornamento** ed estensione delle specifiche eBIZ a partire dalla versione eBIZ 2018. Sotto la denominazione di 'versione Draft' viene infatti riportato il risultato di un ampio lavoro di analisi e consultazione finalizzato a sviluppare e mantenere le specifiche eBIZ.

In particolare il contenuto di questa proposta è il risultato di diverse attività, principalmente quelle svolte nel quadro del **progetto TRICK**, finanziato dalla Commissione Europea: grant agreement 958352, call H2020-LOW-CARBON-CIRCULAR-INDUSTRIES-2020 / H2020-LCCI-2020-EASME-twostage.

I contenuti tecnici sono retrocompatibili con l'ultima versione ufficiale pubblicata, con l'esclusione dei concetti totalmente nuovi aggiunti esplicitamente per la versione che sono inseriti come evoluzione incrementale della base di conoscenza. Ogni proposta aggiuntiva rispetto a quelle specifiche costituisce una proposta, non ancora una specifica accettata, ma verrà proposta nelle apposite sedi per essere accettata nelle future versioni eBIZ.


## 1. DESCRIZIONE DI BUSINESS

### 1.1 Scopo

Questa guida ha lo scopo di illustrare la forma standard XML del tipo documento "Informazioni PEF e impronta ambientale", fornendo le istruzioni per il suo impiego nel contesto di un SISTEMA DI TRASPARENZA che coinvolga Produttori Fashion, loro clienti, terze parti ed eventualmente autorità doganali, piattaforme di eBusiness ed eCommerce. Tutte le regole necessarie per la costruzione e la validazione del documento sono espresse mediante uno specifico schema XML, che è presentato in dettaglio nel paragrafo "Guida alla implementazione".

### 1.2. Scenario applicativo

S3.1 Esecuzione del servizio valutazione PEF e impatto ambientale





## 2. GUIDA ALLA IMPLEMENTAZIONE

### 2.1 Struttura generale del documento XML

Tutti i dati che possono essere scambiati tra le Parti con questa classe di documenti XML sono mostrati nella "Struttura del documento" (una visione semplificata dello schema) dove:

- i due numeri che seguono ciascun elemento indicano la sua "cardinalità" (numero minimo e massimo di ripetizioni ammesse); il numero minimo uguale a 0 indica un elemento opzionale, il numero minimo maggiore o uguale a 1 indica un elemento obbligatorio)
- il carattere grassetto denota gli elementi che sono "complessi semantici" ovvero aggregati di dati elementari costruiti ai fini della funzionalità e della riusabilità dell'informazione (gli elementi che sono contenuti in ogni elemento padre si individuano agevolmente per l'indentatura)
- il simbolo @ ed il carattere corsivo denotano un attributo dell'elemento che lo precede; qui la condizione d'uso (Required, Optional, ecc.) è indicata fra parentesi quadre

### Struttura del documento XML

#### **PEFInformationSupply**

@version [Optional] [Default= draft]

@useProfile [Optional]

@disclosureLevel [Optional]

@storageAction [Optional]

#### | **SRVheader 1-1**

| msgID 0-1

| msgDate 0-1

| @dateForm [Optional]

#### | **senderParty 1-1**

| @role [Optional]

| @sender [Optional]

| id 1-1

| @numberingOrg [Optional]

| legalName 0-1

| dept 0-1

| subDept 0-1

| person 0-1

| @email [Optional]

| @phone [Optional]

| @fax [Optional]

| street 0-1

| city 0-1

| subCountry 0-1

| country 0-1

| postCode 0-1

#### | **geoCoordinates 0-1**

| @um [Optional] [Default= DEGD]

| @geoRefSystem [Optional]

| | xGeoCoord 1-1

| | yGeoCoord 1-1

| | zGeoCoord 0-1

#### | **receiverParty 1-1**

| @role [Optional]

| @sender [Optional]

| id 1-1

| @numberingOrg [Optional]

| legalName 0-1

| dept 0-1

| subDept 0-1

| person 0-1

| @email [Optional]

| @phone [Optional]

| @fax [Optional]

| street 0-1

| city 0-1

| subCountry 0-1

- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | | @um [Optional] [Default= DEGD]
- | | | | @geoRefSystem [Optional]
- | | | | | xGeoCoord 1-1
- | | | | | yGeoCoord 1-1
- | | | | | zGeoCoord 0-1
- | | | **platformServiceReference 1-1**
- | | | | platformServiceCode 1-1
- | | | | | @codeList [Optional]
- | | | | serviceTicketID 0-1
- | | | | serviceRequestedAction 1-1
- | | | | | @codeList [Optional]

**TRCProductSimplifiedForPEF 1-unbounded**

@externaProviderIndicator [Optional]

**ProductIdentification 1-1**

- | | | uniqueProductID 1-1
- | | | | @schemeID [Required]
- | | | | objectTypeCode 1-1
- | | | | description 0-9
- | | | | | @ln [Optional]

- scegli -

**rawCode 0-2**

- | | | @numberingOrg [Optional]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | color 0-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | added 0-9
- | | | | | @numberingOrg [Optional]
- | | | | | @addType [Optional]
- | | | | description 0-unbounded
- | | | | | @ln [Optional]

- oppure -

**yarnCode 0-2**

- | | | @numberingOrg [Optional] [Default= CL]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | color 0-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | added 0-9
- | | | | | @numberingOrg [Optional]
- | | | | | @addType [Optional]
- | | | | description 0-unbounded
- | | | | | @ln [Optional]

- oppure -

**texCode 0-2**

- | | | @numberingOrg [Optional]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | | pattern 0-1

- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | color 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | added 0-9
- | | | @numberingOrg [Optional]
- | | | @addType [Optional]
- | | | description 0-unbounded
- | | | @ln [Optional]

- oppure -

- | | | **acsCode 1-2**
- | | | @numberingOrg [Optional]
- | | | art 1-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | pattern 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | color 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | added 0-9
- | | | @numberingOrg [Optional]
- | | | @addType [Optional]
- | | | description 0-unbounded
- | | | @ln [Optional]

- oppure -

- | | | **garmentPartCode 0-2**
- | | | @numberingOrg [Optional]
- | | | gPart 1-1
- | | | mod 1-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | fabric 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | color 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | added 0-19
- | | | @numberingOrg [Optional]
- | | | @addType [Optional]
- | | | size 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | | description 0-unbounded
- | | | @ln [Optional]

- oppure -

- | | | **garmentCode 0-2**

```

| | | @numberingOrg [Optional]
| | | - scegli -
| | | | garmentCodeB 1-1
| | | | @numberingOrg [Optional]
| | | | | mod 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | fabric 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | garmentVariant 0-9
| | | | | | variantType 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | variantCode 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | drop 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | size 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | artGroup 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | - oppure -
| | | | | garmentCodeA 1-1
| | | | | | art 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | description 0-unbounded
| | | | | | | @ln [Optional]
| | | | - fine scelta -
| | | - fine scelta -
| | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | billOfComponents 0-1
| | | | @um [Required]
| | | | @limitedByDisclosureIndicator [Optional]

```



```

| | @exhaustiveInformation [Required]
| | @disclosureLevel [Required]
| | @storageAction [Required]
| | productReferenceQty 0-1
| |   @um [Required]
| | | productComponent 0-unbounded
| | |   @internallyPerformed [Required]
| | |   | uniqueProductID 1-1
| | |   |   @schemeID [Required]
| | - scegli -
| | | rawCode 0-2
| | |   @numberingOrg [Optional]
| | |   | art 1-1
| | |   |   @numberingOrg [Optional]
| | |   |   @codeList [Optional]
| | |   |   @listName [Optional]
| | |   |   @listVersion [Optional]
| | |   color 0-1
| | |   | @numberingOrg [Optional]
| | |   | @codeList [Optional]
| | |   | @listName [Optional]
| | |   | @listVersion [Optional]
| | |   added 0-9
| | |   | @numberingOrg [Optional]
| | |   | @addType [Optional]
| | |   description 0-unbounded
| | |   @ln [Optional]
| | - oppure -
| | | yarnCode 0-2
| | |   @numberingOrg [Optional] [Default= CL]
| | |   | art 1-1
| | |   |   @numberingOrg [Optional]
| | |   |   @codeList [Optional]
| | |   |   @listName [Optional]
| | |   |   @listVersion [Optional]
| | |   color 0-1
| | |   | @numberingOrg [Optional]
| | |   | @codeList [Optional]
| | |   | @listName [Optional]
| | |   | @listVersion [Optional]
| | |   added 0-9
| | |   | @numberingOrg [Optional]
| | |   | @addType [Optional]
| | |   description 0-unbounded
| | |   @ln [Optional]
| | - oppure -
| | | texCode 0-2
| | |   @numberingOrg [Optional]
| | |   | art 1-1
| | |   |   @numberingOrg [Optional]
| | |   |   @codeList [Optional]
| | |   |   @listName [Optional]
| | |   |   @listVersion [Optional]
| | |   pattern 0-1
| | |   | @numberingOrg [Optional]
| | |   | @codeList [Optional]
| | |   | @listName [Optional]
| | |   | @listVersion [Optional]
| | |   color 0-1
| | |   | @numberingOrg [Optional]
| | |   | @codeList [Optional]
| | |   | @listName [Optional]
| | |   | @listVersion [Optional]
| | |   added 0-9
| | |   | @numberingOrg [Optional]
| | |   | @addType [Optional]
| | |   description 0-unbounded
| | |   @ln [Optional]

```

- oppure -

**acsCode 0-2**

| @numberingOrg [Optional]  
| art 1-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| pattern 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| color 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| added 0-9  
| | @numberingOrg [Optional]  
| | @addType [Optional]  
| description 0-unbounded  
| | @ln [Optional]

- oppure -

**garmentPartCode 0-2**

| @numberingOrg [Optional]  
| gPart 1-1  
| mod 1-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| fabric 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| color 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| added 0-19  
| | @numberingOrg [Optional]  
| | @addType [Optional]  
| size 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| description 0-unbounded  
| | @ln [Optional]

- oppure -

**garmentCode 0-2**

| @numberingOrg [Optional]

- scegli -

**garmentCodeB 1-1**

| @numberingOrg [Optional]  
| mod 1-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| fabric 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]

```

| | | | | color 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | | garmentVariant 0-9
| | | | | |   variantType 1-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | |   @codeList [Optional]
| | | | | | |   @listName [Optional]
| | | | | | |   @listVersion [Optional]
| | | | | |   variantCode 1-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | |   @codeList [Optional]
| | | | | | |   @listName [Optional]
| | | | | | |   @listVersion [Optional]
| | | | | drop 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | size 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | artGroup 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | added 0-9
| | | | |   @numberingOrg [Optional]
| | | | |   @addType [Optional]
| | | | | description 0-unbounded
| | | | |   @ln [Optional]
| | | | | - oppure -
| | | | | | garmentCodeA 1-1
| | | | | |   art 1-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | |   @codeList [Optional]
| | | | | | |   @listName [Optional]
| | | | | | |   @listVersion [Optional]
| | | | | |   description 0-unbounded
| | | | | |   @ln [Optional]
| | | | | - fine scelta -
| | | | | - fine scelta -
| | | | | | refDoc 0-9
| | | | | |   @docType [Required]
| | | | | |   docID 1-2
| | | | | | |   @numberingOrg [Optional]
| | | | | |   docDate 0-1
| | | | | | |   @dateForm [Optional]
| | | | | |   season 0-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | |   @codeList [Optional]
| | | | | | |   @listName [Optional]
| | | | | | |   @listVersion [Optional]
| | | | | |   itemID 0-1
| | | | | | | attachment 0-1
| | | | | | |   @uid [Optional]
| | | | | | | |   fileName 0-1
| | | | | | | | |   @numberingOrg [Optional]
| | | | | | | |   binaryObject 0-1
| | | | | | | | |   @format [Optional]
| | | | | | | | |   @mime [Optional]
| | | | | | | | |   @encoding [Optional]
| | | | | | | | |   @characterSet [Optional]

```

**externalReference 0-99**

| uri 1-1  
| @isURL [Optional] [Default= true]  
| mimeType 0-1  
| formatCode 0-1  
| encodingCode 0-1  
| characterSetCode 0-1

hashFootprint 0-1  
| @schemeID [Optional]  
| @hashMethod [Required]  
**blockChainReference 0-9**

| uri 1-1  
| @isURL [Optional] [Default= true]  
| transactionReceipt 1-9

**certificate 0-9**

@docStatusCode [Required]  
@docValidity [Required]

| docID 1-1  
| @numberingOrg [Optional]  
| certificateID 1-1  
| @schemeID [Optional]  
| certificationStandardName 1-1  
| @standardOwner [Required]  
| docDate 1-1  
| @dateForm [Optional]  
| title 0-unbounded  
| @ln [Optional]  
| description 0-unbounded  
| @ln [Optional]  
| validityStart 0-1  
| @dateForm [Optional]  
| validityEnd 0-1  
| @dateForm [Optional]  
| validityExtensionDate 0-1  
| @dateForm [Optional]  
| sustainabilityCharacteristicText 0-99  
| @ln [Optional]

**issuerParty 1-1**

| id 0-1  
| @numberingOrg [Optional]  
| legalName 0-1  
| dept 0-1  
| subDept 0-1  
| person 0-1  
| @email [Optional]  
| @phone [Optional]  
| @fax [Optional]  
| street 0-1  
| city 0-1  
| subCountry 0-1  
| country 0-1  
| postCode 0-1

**geoCoordinates 0-1**

@um [Optional] [Default= DEGD]  
@geoRefSystem [Optional]  
| xGeoCoord 1-1  
| yGeoCoord 1-1  
| zGeoCoord 0-1

| issuerAccreditationInfo 0-1

**certifiedParty 1-1**

| id 0-1  
| @numberingOrg [Optional]  
| legalName 0-1  
| dept 0-1  
| subDept 0-1  
| person 0-1  
| @email [Optional]  
| @phone [Optional]

| @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | **certifiedEntity 0-unbounded**  
 | entityID 1-3  
 | @schemeID [Required]  
 | entityTypeCode 1-1  
 | description 0-9  
 | @ln [Optional]  
 | **attachment 0-1**  
 | @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
 | **externalReference 0-99**  
 | | uri 1-1  
 | | @isURL [Optional] [Default= true]  
 | | mimeTypeCode 0-1  
 | | formatCode 0-1  
 | | encodingCode 0-1  
 | | characterSetCode 0-1  
 | hashFootprint 0-1  
 | @schemeID [Optional]  
 | @hashMethod [Required]  
 | **blockChainReference 0-9**  
 | | uri 1-1  
 | | @isURL [Optional] [Default= true]  
 | | transactionReceipt 1-9  
 | note 0-99  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
 | **selfAssertion 0-99**  
 | @disclosureLevel [Optional]  
 | @docStatusCode [Optional]  
 | sustainabilityCharacteristicText 0-99  
 | @ln [Optional]  
 | assertionCategory 1-1  
 | description 1-99  
 | @ln [Optional]  
 | **issuerParty 1-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
 issuerAccreditationInfo 0-1  
**selfAssertionEntity 0-unbounded**  
 entityID 1-3  
 @schemeID [Required]  
 entityTypeCode 1-1  
 description 0-9  
 @ln [Optional]  
**externalRefDoc 0-99**  
 docID 1-1  
 @numberingOrg [Optional]  
 docDate 0-1  
 @dateForm [Optional]  
 title 0-unbounded  
 @ln [Optional]  
 description 0-unbounded  
 @ln [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 documentType 0-1  
**issuerParty 0-1**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
 issuerAccreditationInfo 0-1  
**signatureInformation 0-1**  
 signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]

```

| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| | | | | attachment 0-1
| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | externalReference 0-99
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeTypeCode 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | blockChainReference 0-9
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | transactionReceipt 1-9
| | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | validityStart 0-1
| | | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | | @dateForm [Optional]
| | | | | validityExtensionDate 0-1
| | | | | | @dateForm [Optional]
| | | | | objectTypeCode 0-1
| | | | | qty 0-2
| | | | | | @um [Required]
| | | | | supplier 0-9
| | | | | | @logo [Optional]
| | | | | | @sender [Optional]
| | | | | | id 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | additionalIdentifier 0-9
| | | | | | | @numberingOrg [Optional]
| | | | | | | @idQualifier [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | @geoRefSystem [Optional]
| | | | | | | | xGeoCoord 1-1
| | | | | | | | yGeoCoord 1-1
| | | | | | | | zGeoCoord 0-1
| | | | | productCompos 0-1
| | | | | | percCompos 1-99

```

- | @fibre [Required]
- | @materialSource [Optional]
- | @recyclingProcessMethod [Optional]
- | @percSourcesRenewable [Optional]
- | @validationMethod [Optional]
- | @recyclingProcessEfficiency [Optional]
- processStepsList 0-1**
- | @limitedByDisclosureIndicator [Optional]
- | @exhaustiveInformation [Required]
- | @disclosureLevel [Required]
- | @storageAction [Required]
- | **processStep 1-unbounded**
- | | @progr [Required]
- | | @internallyPerformed [Optional]
- | | processStepID 1-1
- | | manufacturingOperationCode 1-1
- | | description 0-9
- | | @ln [Optional]
- | | **activityLocation 0-99**
- | | | @part [Optional] [Default= 100]
- | | | location 0-1
- | | | | @LRI [Optional]
- | | | legalName 0-1
- | | | dept 0-1
- | | | subDept 0-1
- | | | person 0-1
- | | | | @email [Optional]
- | | | | @phone [Optional]
- | | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | | @um [Optional] [Default= DEGD]
- | | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- certificate 0-unbounded**
- | @docStatusCode [Required]
- | @docValidity [Required]
- | docID 1-1
- | | @numberingOrg [Optional]
- | certificatelD 1-1
- | | @schemeID [Optional]
- | certificationStandardName 1-1
- | | @standardOwner [Required]
- | docDate 1-1
- | | @dateForm [Optional]
- | title 0-unbounded
- | | @ln [Optional]
- | description 0-unbounded
- | | @ln [Optional]
- | validityStart 0-1
- | | @dateForm [Optional]
- | validityEnd 0-1
- | | @dateForm [Optional]
- | validityExtensionDate 0-1
- | | @dateForm [Optional]
- | sustainabilityCharacteristicText 0-99
- | | @ln [Optional]
- | **issuerParty 1-1**



```

| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| certifiedParty 1-1
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| certifiedEntity 0-unbounded
| entityID 1-3
| @schemeID [Required]
| entityTypeCode 1-1
| description 0-9
| @ln [Optional]
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
| uri 1-1
| @isURL [Optional] [Default= true]
| mimeTypeCode 0-1
| formatCode 0-1
| encodingCode 0-1
| characterSetCode 0-1
| hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]
| blockChainReference 0-9

```

```

| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]
| selfAssertion 0-9
| | @disclosureLevel [Optional]
| | @docStatusCode [Optional]
| | sustainabilityCharacteristicText 0-99
| | | @ln [Optional]
| | assertionCategory 1-1
| | description 1-99
| | | @ln [Optional]
| | issuerParty 1-1
| | | id 0-1
| | | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | issuerAccreditationInfo 0-1
| | selfAssertionEntity 0-unbounded
| | | entityID 1-3
| | | | @schemeID [Required]
| | | entityTypeCode 1-1
| | | description 0-9
| | | | @ln [Optional]
| | externalRefDoc 0-99
| | | docID 1-1
| | | | @numberingOrg [Optional]
| | | docDate 0-1
| | | | @dateForm [Optional]
| | | title 0-unbounded
| | | | @ln [Optional]
| | | description 0-unbounded
| | | | @ln [Optional]
| | | validityStart 0-1
| | | | @dateForm [Optional]
| | | validityEnd 0-1
| | | | @dateForm [Optional]
| | | documentType 0-1
| | | issuerParty 0-1
| | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | street 0-1

```

city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
 issuerAccreditationInfo 0-1  
**signatureInformation 0-1**  
 signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
**attachment 0-1**  
 @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
**externalReference 0-99**  
 | uri 1-1  
 | @isURL [Optional] [Default= true]  
 | mimeTypeCode 0-1  
 | formatCode 0-1  
 | encodingCode 0-1  
 | characterSetCode 0-1  
 hashFootprint 0-1  
 @schemeID [Optional]  
 @hashMethod [Required]  
**blockChainReference 0-9**  
 | uri 1-1  
 | @isURL [Optional] [Default= true]  
 | transactionReceipt 1-9  
 note 0-99  
 @numberingOrg [Optional]  
 @codeList [Optional]  
 @noteLabel [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 validityExtensionDate 0-1  
 @dateForm [Optional]  
**assessmentStudyDocument 0-9**

| @disclosureLevel [Optional]  
| @docStatusCode [Optional]  
| @isStudyDataset [Required]

| docID 0-1  
| @numberingOrg [Optional]  
| docDate 0-1  
| @dateForm [Optional]

| **ProductIdentification 0-99**

| | uniqueProductID 1-1  
| | @schemeID [Required]  
| | objectTypeCode 1-1  
| | description 0-9  
| | @ln [Optional]

- scegli -

| **rawCode 0-2**

| @numberingOrg [Optional]  
| | art 1-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | color 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | added 0-9  
| | @numberingOrg [Optional]  
| | @addType [Optional]  
| | description 0-unbounded  
| | @ln [Optional]

- oppure -

| **yarnCode 0-2**

| @numberingOrg [Optional] [Default= CL]  
| | art 1-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | color 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | added 0-9  
| | @numberingOrg [Optional]  
| | @addType [Optional]  
| | description 0-unbounded  
| | @ln [Optional]

- oppure -

| **texCode 0-2**

| @numberingOrg [Optional]  
| | art 1-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | pattern 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | color 0-1  
| | @numberingOrg [Optional]  
| | @codeList [Optional]  
| | @listName [Optional]  
| | @listVersion [Optional]  
| | added 0-9

| | | | @numberingOrg [Optional]  
| | | | @addType [Optional]  
| | | | description 0-unbounded  
| | | | @ln [Optional]

- oppure -

| | | | **acsCode 1-2**

| | | | @numberingOrg [Optional]  
| | | | art 1-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | pattern 0-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | color 0-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | added 0-9  
| | | | @numberingOrg [Optional]  
| | | | @addType [Optional]  
| | | | description 0-unbounded  
| | | | @ln [Optional]

- oppure -

| | | | **garmentPartCode 0-2**

| | | | @numberingOrg [Optional]  
| | | | gPart 1-1  
| | | | mod 1-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | fabric 0-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | color 0-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | added 0-19  
| | | | @numberingOrg [Optional]  
| | | | @addType [Optional]  
| | | | size 0-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | description 0-unbounded  
| | | | @ln [Optional]

- oppure -

| | | | **garmentCode 0-2**

| | | | @numberingOrg [Optional]

- scegli -

| | | | **garmentCodeB 1-1**

| | | | @numberingOrg [Optional]  
| | | | mod 1-1  
| | | | @numberingOrg [Optional]  
| | | | @codeList [Optional]  
| | | | @listName [Optional]  
| | | | @listVersion [Optional]  
| | | | fabric 0-1

```

| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | garmentVariant 0-9
| | | | | | variantType 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | variantCode 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | drop 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | artGroup 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - oppure -
| | | | | garmentCodeA 1-1
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | | - fine scelta -
| | | | | - fine scelta -
| | | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | year 0-1
| | | | | title 0-unbounded
| | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | publishableAbstract 0-99
| | | | | @ln [Optional]
| | | | | author 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | reviewerParty 0-9
| | | | | | id 1-1

```

```

| | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | | reviewDate 0-1
| | | @dateForm [Optional]
| | | issuerParty 0-1
| | | | id 0-1
| | | | @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | issuerAccreditationInfo 0-1
| | | validityStart 0-1
| | | @dateForm [Optional]
| | | validityEnd 0-1
| | | @dateForm [Optional]
| | | signatureInformation 0-1
| | | | signatureTypeCode 1-1
| | | | signatoryParty 0-unbounded
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1

```

```

| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | attachment 0-1
| | @uid [Optional]
| | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | binaryObject 0-1
| | | | @format [Optional]
| | | | @mime [Optional]
| | | | @encoding [Optional]
| | | | @characterSet [Optional]
| | | externalReference 0-99
| | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | mimeTypeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | | | hashFootprint 0-1
| | | | | @schemeID [Optional]
| | | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | note 0-99
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @noteLabel [Optional]
| | PEFStudyDocument 0-9
| | | @disclosureLevel [Optional]
| | | @docStatusCode [Optional]
| | | @isStudyDataset [Required]
| | | docID 0-1
| | | | @numberingOrg [Optional]
| | | docDate 0-1
| | | | @dateForm [Optional]
| | | PEFLifeCyclePhase 0-6
| | | ProductIdentification 0-99
| | | | uniqueProductID 1-1
| | | | | @schemeID [Required]
| | | | | objectTypeCode 1-1
| | | | | description 0-9
| | | | | @ln [Optional]
| | - scegli -
| | | rawCode 0-2
| | | | @numberingOrg [Optional]
| | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | - oppure -
| | | yarnCode 0-2
| | | | @numberingOrg [Optional] [Default= CL]
| | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]

```



| | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | color 0-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | added 0-9  
 | | | | @numberingOrg [Optional]  
 | | | | @addType [Optional]  
 | | | | description 0-unbounded  
 | | | | @ln [Optional]

- oppure -

| | | | **texCode 0-2**  
 | | | | @numberingOrg [Optional]  
 | | | | art 1-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | pattern 0-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | color 0-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | added 0-9  
 | | | | @numberingOrg [Optional]  
 | | | | @addType [Optional]  
 | | | | description 0-unbounded  
 | | | | @ln [Optional]

- oppure -

| | | | **acsCode 1-2**  
 | | | | @numberingOrg [Optional]  
 | | | | art 1-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | pattern 0-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | color 0-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | added 0-9  
 | | | | @numberingOrg [Optional]  
 | | | | @addType [Optional]  
 | | | | description 0-unbounded  
 | | | | @ln [Optional]

- oppure -

| | | | **garmentPartCode 0-2**  
 | | | | @numberingOrg [Optional]  
 | | | | gPart 1-1  
 | | | | mod 1-1  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @listName [Optional]  
 | | | | @listVersion [Optional]  
 | | | | fabric 0-1

```

| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-19
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]

```

- oppure -

```

| | | | garmentCode 0-2
| | | | @numberingOrg [Optional]

```

- scegli -

```

| | | | garmentCodeB 1-1
| | | | @numberingOrg [Optional]
| | | | mod 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | fabric 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | garmentVariant 0-9
| | | | | variantType 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | variantCode 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | drop 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | artGroup 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | added 0-9
| | | | | @numberingOrg [Optional]

```

```

| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - oppure -
| | | | | garmentCodeA 1-1
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | | - fine scelta -
| | | | | - fine scelta -
| | | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | year 0-1
| | | | | title 0-unbounded
| | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | publishableAbstract 0-99
| | | | | @ln [Optional]
| | | | | author 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | reviewerParty 0-9
| | | | | | id 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | @um [Optional] [Default= DEGD]
| | | | | | @geoRefSystem [Optional]
| | | | | | | xGeoCoord 1-1
| | | | | | | yGeoCoord 1-1
| | | | | | | zGeoCoord 0-1
| | | | | reviewDate 0-1
| | | | | @dateForm [Optional]
| | | | | issuerParty 0-1
| | | | | | id 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1

```

| @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 validityStart 0-1  
 | @dateForm [Optional]  
 validityEnd 0-1  
 | @dateForm [Optional]  
**signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | | id 0-1  
 | | | @numberingOrg [Optional]  
 | | | legalName 0-1  
 | | | dept 0-1  
 | | | subDept 0-1  
 | | | person 0-1  
 | | | | @email [Optional]  
 | | | | @phone [Optional]  
 | | | | @fax [Optional]  
 | | | street 0-1  
 | | | city 0-1  
 | | | subCountry 0-1  
 | | | country 0-1  
 | | | postCode 0-1  
 | | **geoCoordinates 0-1**  
 | | | @um [Optional] [Default= DEGD]  
 | | | @geoRefSystem [Optional]  
 | | | | xGeoCoord 1-1  
 | | | | yGeoCoord 1-1  
 | | | | zGeoCoord 0-1  
 functionalUnitDescription 0-99  
 | @ln [Optional]  
 systemBoundariesDescription 0-99  
 | @ln [Optional]  
 limitationsDescription 0-99  
 | @ln [Optional]  
 allocationsDescription 0-99  
 | @ln [Optional]  
 dataQualityDescription 0-99  
 | @ln [Optional]  
**attachment 0-1**  
 | @uid [Optional]  
 | | fileName 0-1  
 | | | @numberingOrg [Optional]  
 | | | binaryObject 0-1  
 | | | | @format [Optional]  
 | | | | @mime [Optional]  
 | | | | @encoding [Optional]  
 | | | | @characterSet [Optional]  
 | | **externalReference 0-99**  
 | | | uri 1-1  
 | | | | @isURL [Optional] [Default= true]  
 | | | | mimeTypeCode 0-1  
 | | | | formatCode 0-1  
 | | | | encodingCode 0-1  
 | | | | characterSetCode 0-1  
 | | | hashFootprint 0-1  
 | | | | @schemeID [Optional]  
 | | | | @hashMethod [Required]  
 | | **blockChainReference 0-9**  
 | | | uri 1-1  
 | | | | @isURL [Optional] [Default= true]  
 | | | transactionReceipt 1-9  
 note 0-99  
 | @numberingOrg [Optional]

```

| | | @codeList [Optional]
| | | @noteLabel [Optional]
| | PEFSpecificInformation 0-1
| | | @limitedByDisclosureIndicator [Optional]
| | | @exhaustiveInformation [Required]
| | | @disclosureLevel [Required]
| | | @storageAction [Required]
| | | refProductFunctionalUnit 1-1
| | | | prodServName 0-1
| | | | description 0-99
| | | | | @ln [Optional]
| | | | | PEFRCRCategory 1-1
| | | | | PEFCRSubCategory 1-1
| | | | | productReferenceQty 1-1
| | | | | @um [Required]
| | | | | weight 1-1
| | | | | @um [Required]
| | | | | note 0-9
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | PEFStudyDocument 0-99
| | | | @disclosureLevel [Optional]
| | | | @docStatusCode [Optional]
| | | | @isStudyDataset [Required]
| | | | | docID 0-1
| | | | | @numberingOrg [Optional]
| | | | | docDate 0-1
| | | | | @dateForm [Optional]
| | | | | PEFLifeCyclePhase 0-6
| | | | ProductIdentification 0-99
| | | | | uniqueProductID 1-1
| | | | | | @schemeID [Required]
| | | | | | objectTypeCode 1-1
| | | | | | description 0-9
| | | | | | @ln [Optional]
| | | - scegli -
| | | | rawCode 0-2
| | | | | @numberingOrg [Optional]
| | | | | | art 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | color 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | added 0-9
| | | | | | | @numberingOrg [Optional]
| | | | | | | @addType [Optional]
| | | | | | description 0-unbounded
| | | | | | | @ln [Optional]
| | | - oppure -
| | | | yarnCode 0-2
| | | | | @numberingOrg [Optional] [Default= CL]
| | | | | | art 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | color 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | | @codeList [Optional]
| | | | | | | @listName [Optional]
| | | | | | | @listVersion [Optional]
| | | | | | added 0-9

```

| | | | | @numberingOrg [Optional]  
| | | | | @addType [Optional]  
| | | | | description 0-unbounded  
| | | | | @In [Optional]

- oppure -

| | | | | **texCode 0-2**

| | | | | @numberingOrg [Optional]  
| | | | | art 1-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | pattern 0-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | color 0-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | added 0-9  
| | | | | @numberingOrg [Optional]  
| | | | | @addType [Optional]  
| | | | | description 0-unbounded  
| | | | | @In [Optional]

- oppure -

| | | | | **acsCode 1-2**

| | | | | @numberingOrg [Optional]  
| | | | | art 1-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | pattern 0-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | color 0-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | added 0-9  
| | | | | @numberingOrg [Optional]  
| | | | | @addType [Optional]  
| | | | | description 0-unbounded  
| | | | | @In [Optional]

- oppure -

| | | | | **garmentPartCode 0-2**

| | | | | @numberingOrg [Optional]  
| | | | | gPart 1-1  
| | | | | mod 1-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | fabric 0-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]  
| | | | | @listVersion [Optional]  
| | | | | color 0-1  
| | | | | @numberingOrg [Optional]  
| | | | | @codeList [Optional]  
| | | | | @listName [Optional]

```

| | | | | @listVersion [Optional]
| | | | | added 0-19
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - oppure -
| | | | | | garmentCode 0-2
| | | | | | @numberingOrg [Optional]
| | | | | | - scegli -
| | | | | | garmentCodeB 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | mod 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | fabric 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | color 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | garmentVariant 0-9
| | | | | | variantType 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | variantCode 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | drop 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | size 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | artGroup 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | | added 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @addType [Optional]
| | | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | | | - oppure -
| | | | | | garmentCodeA 1-1
| | | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]

```

```

| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | - fine scelta -
- fine scelta -
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | year 0-1
| | | | | title 0-unbounded
| | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | publishableAbstract 0-99
| | | | | @ln [Optional]
| | | | | author 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | reviewerParty 0-9
| | | | | id 1-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| | | | | reviewDate 0-1
| | | | | @dateForm [Optional]
| | | | | issuerParty 0-1
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| | | | | issuerAccreditationInfo 0-1
| | | | | validityStart 0-1
| | | | | @dateForm [Optional]

```



validityEnd 0-1  
 @dateForm [Optional]  
**signatureInformation 0-1**  
 signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 xGeoCoord 1-1  
 yGeoCoord 1-1  
 zGeoCoord 0-1  
 functionalUnitDescription 0-99  
 @ln [Optional]  
 systemBoundariesDescription 0-99  
 @ln [Optional]  
 limitationsDescription 0-99  
 @ln [Optional]  
 allocationsDescription 0-99  
 @ln [Optional]  
 dataQualityDescription 0-99  
 @ln [Optional]  
**attachment 0-1**  
 @uid [Optional]  
 fileName 0-1  
 @numberingOrg [Optional]  
 binaryObject 0-1  
 @format [Optional]  
 @mime [Optional]  
 @encoding [Optional]  
 @characterSet [Optional]  
**externalReference 0-99**  
 uri 1-1  
 @isURL [Optional] [Default= true]  
 mimeTypeCode 0-1  
 formatCode 0-1  
 encodingCode 0-1  
 characterSetCode 0-1  
 hashFootprint 0-1  
 @schemeID [Optional]  
 @hashMethod [Required]  
**blockChainReference 0-9**  
 uri 1-1  
 @isURL [Optional] [Default= true]  
 transactionReceipt 1-9  
 note 0-99  
 @numberingOrg [Optional]  
 @codeList [Optional]  
 @noteLabel [Optional]  
**PEFProductionPrimaryDataSet 0-99**  
 PEFLifeCyclePhase 1-1  
**PEFCompilerParty 1-1**  
 legalName 0-1  
 dept 0-1  
 subDept 0-1

person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 year 1-1  
 | **dataSetFunctionalUnit 1-1**  
 | prodServName 0-1  
 | description 0-99  
 | | @ln [Optional]  
 | productReferenceQty 1-1  
 | @um [Required]  
 | weight 1-1  
 | @um [Required]  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
 | **coproduct 1-1**  
 | prodServName 1-1  
 | description 0-9  
 | | @ln [Optional]  
 | declaredQty 0-1  
 | @um [Required]  
 | @validationMethod [Optional]  
 | @referenceYear [Optional]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
 | **billOfTreatments 0-1**  
 | @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Required]  
 | @storageAction [Required]  
 | | **treatmentDescriptor 1-unbounded**  
 | | @internallyPerformed [Required]  
 | | | manufacturingOperationCode 1-1  
 | | | machineryName 1-1  
 | | | description 0-99  
 | | | | @ln [Optional]  
 | | | **certificate 0-9**  
 | | | | @docStatusCode [Required]  
 | | | | @docValidity [Required]  
 | | | | | docID 1-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | certificateID 1-1  
 | | | | | @schemeID [Optional]  
 | | | | | certificationStandardName 1-1  
 | | | | | @standardOwner [Required]  
 | | | | | docDate 1-1  
 | | | | | @dateForm [Optional]  
 | | | | | title 0-unbounded  
 | | | | | | @ln [Optional]  
 | | | | | description 0-unbounded  
 | | | | | | @ln [Optional]

validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 validityExtensionDate 0-1  
 @dateForm [Optional]  
 sustainabilityCharacteristicText 0-99  
 @In [Optional]  
**issuerParty 1-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
**certifiedParty 1-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
**certifiedEntity 0-unbounded**  
 | entityID 1-3  
 | @schemeID [Required]  
 | entityTypeCode 1-1  
 | description 0-9  
 | @In [Optional]  
**attachment 0-1**  
 @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
**externalReference 0-99**  
 | uri 1-1

- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | | **blockChainReference 0-9**
- | | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | | transactionReceipt 1-9
- | | | | note 0-99
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @noteLabel [Optional]
- | | | | **selfAssertion 0-99**
- | | | | @disclosureLevel [Optional]
- | | | | @docStatusCode [Optional]
- | | | | | sustainabilityCharacteristicText 0-99
- | | | | | @In [Optional]
- | | | | | assertionCategory 1-1
- | | | | | description 1-99
- | | | | | @In [Optional]
- | | | | | **issuerParty 1-1**
- | | | | | | id 0-1
- | | | | | | @numberingOrg [Optional]
- | | | | | | legalName 0-1
- | | | | | | dept 0-1
- | | | | | | subDept 0-1
- | | | | | | person 0-1
- | | | | | | @email [Optional]
- | | | | | | @phone [Optional]
- | | | | | | @fax [Optional]
- | | | | | | street 0-1
- | | | | | | city 0-1
- | | | | | | subCountry 0-1
- | | | | | | country 0-1
- | | | | | | postCode 0-1
- | | | | | | **geoCoordinates 0-1**
- | | | | | | @um [Optional] [Default= DEGD]
- | | | | | | @geoRefSystem [Optional]
- | | | | | | | xGeoCoord 1-1
- | | | | | | | yGeoCoord 1-1
- | | | | | | | zGeoCoord 0-1
- | | | | | | issuerAccreditationInfo 0-1
- | | | | | **selfAssertionEntity 0-unbounded**
- | | | | | | entityID 1-3
- | | | | | | @schemeID [Required]
- | | | | | | entityTypeCode 1-1
- | | | | | | description 0-9
- | | | | | | @In [Optional]
- | | | | | **externalRefDoc 0-99**
- | | | | | | docID 1-1
- | | | | | | @numberingOrg [Optional]
- | | | | | | docDate 0-1
- | | | | | | @dateForm [Optional]
- | | | | | | title 0-unbounded
- | | | | | | @In [Optional]
- | | | | | | description 0-unbounded
- | | | | | | @In [Optional]
- | | | | | | validityStart 0-1
- | | | | | | @dateForm [Optional]
- | | | | | | validityEnd 0-1
- | | | | | | @dateForm [Optional]
- | | | | | | documentType 0-1
- | | | | | | **issuerParty 0-1**
- | | | | | | | id 0-1

```

| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
| | uri 1-1
| | @isURL [Optional] [Default= true]
| | mimeTypeCode 0-1
| | formatCode 0-1
| | encodingCode 0-1
| | characterSetCode 0-1
| hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]
| blockChainReference 0-9
| | uri 1-1
| | @isURL [Optional] [Default= true]
| | transactionReceipt 1-9
note 0-99
| @numberingOrg [Optional]

```



| @listVersion [Optional]  
 | color 0-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | added 0-9  
 | @numberingOrg [Optional]  
 | @addType [Optional]  
 | description 0-unbounded  
 | @ln [Optional]

- oppure -

**acsCode 0-2**  
 | @numberingOrg [Optional]  
 | art 1-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | pattern 0-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | color 0-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | added 0-9  
 | @numberingOrg [Optional]  
 | @addType [Optional]  
 | description 0-unbounded  
 | @ln [Optional]

- oppure -

**garmentPartCode 0-2**  
 | @numberingOrg [Optional]  
 | gPart 1-1  
 | mod 1-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | fabric 0-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | color 0-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | added 0-19  
 | @numberingOrg [Optional]  
 | @addType [Optional]  
 | size 0-1  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @listName [Optional]  
 | @listVersion [Optional]  
 | description 0-unbounded  
 | @ln [Optional]

- oppure -

**garmentCode 0-2**  
 | @numberingOrg [Optional]

- scegli -

**garmentCodeB 1-1**





```

| @listVersion [Optional]
| itemID 0-1
| attachment 0-1
| @uid [Optional]
|   fileName 0-1
|     @numberingOrg [Optional]
|   binaryObject 0-1
|     @format [Optional]
|     @mime [Optional]
|     @encoding [Optional]
|     @characterSet [Optional]
|   externalReference 0-99
|     uri 1-1
|       @isURL [Optional] [Default= true]
|     mimeTypeCode 0-1
|     formatCode 0-1
|     encodingCode 0-1
|     characterSetCode 0-1
|   hashFootprint 0-1
|     @schemeID [Optional]
|     @hashMethod [Required]
|   blockChainReference 0-9
|     uri 1-1
|       @isURL [Optional] [Default= true]
|     transactionReceipt 1-9
| certificate 0-9
| @docStatusCode [Required]
| @docValidity [Required]
|   docID 1-1
|     @numberingOrg [Optional]
|   certificateID 1-1
|     @schemeID [Optional]
|   certificationStandardName 1-1
|     @standardOwner [Required]
|   docDate 1-1
|     @dateForm [Optional]
|   title 0-unbounded
|     @ln [Optional]
|   description 0-unbounded
|     @ln [Optional]
|   validityStart 0-1
|     @dateForm [Optional]
|   validityEnd 0-1
|     @dateForm [Optional]
|   validityExtensionDate 0-1
|     @dateForm [Optional]
|   sustainabilityCharacteristicText 0-99
|     @ln [Optional]
| issuerParty 1-1
|   id 0-1
|     @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1

```

```

| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| certifiedParty 1-1
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| certifiedEntity 0-unbounded
| entityID 1-3
| @schemeID [Required]
| entityTypeCode 1-1
| description 0-9
| @ln [Optional]
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
| uri 1-1
| @isURL [Optional] [Default= true]
| mimeTypeCode 0-1
| formatCode 0-1
| encodingCode 0-1
| characterSetCode 0-1
| hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]
| blockChainReference 0-9
| uri 1-1
| @isURL [Optional] [Default= true]
| transactionReceipt 1-9
| note 0-99
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]
| selfAssertion 0-99
| @disclosureLevel [Optional]
| @docStatusCode [Optional]
| sustainabilityCharacteristicText 0-99
| @ln [Optional]
| assertionCategory 1-1
| description 1-99
| @ln [Optional]
| issuerParty 1-1
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1

```

```

| dept 0-1
| subDept 0-1
| person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     | xGeoCoord 1-1
|     | yGeoCoord 1-1
|     | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| selfAssertionEntity 0-unbounded
|   entityID 1-3
|   @schemeID [Required]
|   entityTypeCode 1-1
|   description 0-9
|   @ln [Optional]
| externalRefDoc 0-99
|   docID 1-1
|   @numberingOrg [Optional]
|   docDate 0-1
|   @dateForm [Optional]
|   title 0-unbounded
|   @ln [Optional]
|   description 0-unbounded
|   @ln [Optional]
|   validityStart 0-1
|   @dateForm [Optional]
|   validityEnd 0-1
|   @dateForm [Optional]
|   documentType 0-1
|   issuerParty 0-1
|     | id 0-1
|     | @numberingOrg [Optional]
|     | legalName 0-1
|     | dept 0-1
|     | subDept 0-1
|     | person 0-1
|     |   @email [Optional]
|     |   @phone [Optional]
|     |   @fax [Optional]
|     | street 0-1
|     | city 0-1
|     | subCountry 0-1
|     | country 0-1
|     | postCode 0-1
|     | geoCoordinates 0-1
|     |   @um [Optional] [Default= DEGD]
|     |   @geoRefSystem [Optional]
|     |     | xGeoCoord 1-1
|     |     | yGeoCoord 1-1
|     |     | zGeoCoord 0-1
|     | issuerAccreditationInfo 0-1
|   signatureInformation 0-1
|     | signatureTypeCode 1-1
|     | signatoryParty 0-unbounded
|       | id 0-1
|       | @numberingOrg [Optional]
|       | legalName 0-1
|       | dept 0-1
|       | subDept 0-1

```

| person 0-1  
 | | @email [Optional]  
 | | @phone [Optional]  
 | | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | | **geoCoordinates 0-1**  
 | | | @um [Optional] [Default= DEGD]  
 | | | @geoRefSystem [Optional]  
 | | | | xGeoCoord 1-1  
 | | | | yGeoCoord 1-1  
 | | | | zGeoCoord 0-1  
 | | **attachment 0-1**  
 | | | @uid [Optional]  
 | | | | fileName 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | binaryObject 0-1  
 | | | | | @format [Optional]  
 | | | | | @mime [Optional]  
 | | | | | @encoding [Optional]  
 | | | | | @characterSet [Optional]  
 | | | | **externalReference 0-99**  
 | | | | | uri 1-1  
 | | | | | | @isURL [Optional] [Default= true]  
 | | | | | | mimeTypeCode 0-1  
 | | | | | | formatCode 0-1  
 | | | | | | encodingCode 0-1  
 | | | | | | characterSetCode 0-1  
 | | | | | hashFootprint 0-1  
 | | | | | | @schemeID [Optional]  
 | | | | | | @hashMethod [Required]  
 | | | | | **blockChainReference 0-9**  
 | | | | | | uri 1-1  
 | | | | | | | @isURL [Optional] [Default= true]  
 | | | | | | transactionReceipt 1-9  
 | | | note 0-99  
 | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @noteLabel [Optional]  
 | validityStart 0-1  
 | | @dateForm [Optional]  
 | validityEnd 0-1  
 | | @dateForm [Optional]  
 | validityExtensionDate 0-1  
 | | @dateForm [Optional]  
 | objectTypeCode 0-1  
 | qty 0-2  
 | | @um [Required]  
 | | **supplier 0-9**  
 | | | @logo [Optional]  
 | | | @sender [Optional]  
 | | | | id 1-1  
 | | | | | @numberingOrg [Optional]  
 | | | | additionalIdentifier 0-9  
 | | | | | @numberingOrg [Optional]  
 | | | | | @idQualifier [Optional]  
 | | | | legalName 0-1  
 | | | | dept 0-1  
 | | | | subDept 0-1  
 | | | | person 0-1  
 | | | | | @email [Optional]  
 | | | | | @phone [Optional]  
 | | | | | @fax [Optional]  
 | | | | street 0-1  
 | | | | city 0-1

- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
  - | xGeoCoord 1-1
  - | yGeoCoord 1-1
  - | zGeoCoord 0-1
- | **billOfChemical 0-1**
- | @limitedByDisclosureIndicator [Optional]
- | @exhaustiveInformation [Required]
- | @disclosureLevel [Optional]
- | @storageAction [Required]
  - | productReferenceQty 0-1
  - | @um [Required]
  - | year 0-1
- | **facilityLocation 0-1**
- | location 1-1
  - | @LRI [Optional]
- | street 0-1
- | city 0-1
- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
  - | xGeoCoord 1-1
  - | yGeoCoord 1-1
  - | zGeoCoord 0-1
- | **dyesDescriptor 0-unbounded**
- | dyesCategory 1-1
- | description 0-99
  - | @In [Optional]
- | note 0-9
  - | @numberingOrg [Optional]
  - | @codeList [Optional]
  - | @noteLabel [Optional]
- | **chemicalItem 0-unbounded**
- | CASCode 1-1
- | description 1-9
  - | @In [Optional]
- | **SDSDoc 0-1**
- | CASCode 1-1
- | **attachment 1-1**
- | @uid [Optional]
  - | fileName 0-1
    - | @numberingOrg [Optional]
  - | binaryObject 0-1
    - | @format [Optional]
    - | @mime [Optional]
    - | @encoding [Optional]
    - | @characterSet [Optional]
- | **externalReference 0-99**
- | uri 1-1
  - | @isURL [Optional] [Default= true]
- | mimeTypeCode 0-1
- | formatCode 0-1
- | encodingCode 0-1
- | characterSetCode 0-1
- | hashFootprint 0-1
  - | @schemeID [Optional]
  - | @hashMethod [Required]
- | **blockChainReference 0-9**
- | uri 1-1
  - | @isURL [Optional] [Default= true]
- | transactionReceipt 1-9

| note 0-9  
 |    @numberingOrg [Optional]  
 |    @codeList [Optional]  
 |    @noteLabel [Optional]

**externalRefDoc 0-99**  
 | docID 1-1  
 |    @numberingOrg [Optional]  
 | docDate 0-1  
 |    @dateForm [Optional]  
 | title 0-unbounded  
 |    @ln [Optional]  
 | description 0-unbounded  
 |    @ln [Optional]  
 | validityStart 0-1  
 |    @dateForm [Optional]  
 | validityEnd 0-1  
 |    @dateForm [Optional]  
 | documentType 0-1

**issuerParty 0-1**  
 | id 0-1  
 |    @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 |    @email [Optional]  
 |    @phone [Optional]  
 |    @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**geoCoordinates 0-1**  
 |    @um [Optional] [Default= DEGD]  
 |    @geoRefSystem [Optional]  
 |    | xGeoCoord 1-1  
 |    | yGeoCoord 1-1  
 |    | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1

**signatureInformation 0-1**  
 | signatureTypeCode 1-1

**signatoryParty 0-unbounded**  
 | id 0-1  
 |    @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 |    @email [Optional]  
 |    @phone [Optional]  
 |    @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**geoCoordinates 0-1**  
 |    @um [Optional] [Default= DEGD]  
 |    @geoRefSystem [Optional]  
 |    | xGeoCoord 1-1  
 |    | yGeoCoord 1-1  
 |    | zGeoCoord 0-1

**attachment 0-1**  
 | @uid [Optional]  
 | fileName 0-1  
 |    @numberingOrg [Optional]  
 | binaryObject 0-1

| @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
 | **externalReference 0-99**  
 | | uri 1-1  
 | | | @isURL [Optional] [Default= true]  
 | | | mimeTypeCode 0-1  
 | | | formatCode 0-1  
 | | | encodingCode 0-1  
 | | | characterSetCode 0-1  
 | | hashFootprint 0-1  
 | | | @schemeID [Optional]  
 | | | @hashMethod [Required]  
 | | **blockChainReference 0-9**  
 | | | uri 1-1  
 | | | | @isURL [Optional] [Default= true]  
 | | | transactionReceipt 1-9  
 | note 0-99  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]  
 | | @noteLabel [Optional]  
 | note 0-9  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]  
 | | @noteLabel [Optional]  
 | **billOfUsedWater 0-1**  
 | | @limitedByDisclosureIndicator [Optional]  
 | | @exhaustiveInformation [Required]  
 | | @disclosureLevel [Optional]  
 | | @storageAction [Required]  
 | | | productReferenceQty 0-1  
 | | | | @um [Required]  
 | | | year 0-1  
 | | **facilityLocation 0-1**  
 | | | location 1-1  
 | | | | @LRI [Optional]  
 | | | street 0-1  
 | | | city 0-1  
 | | | subCountry 0-1  
 | | | country 0-1  
 | | | postCode 0-1  
 | | **geoCoordinates 0-1**  
 | | | @um [Optional] [Default= DEGD]  
 | | | @geoRefSystem [Optional]  
 | | | | xGeoCoord 1-1  
 | | | | yGeoCoord 1-1  
 | | | | zGeoCoord 0-1  
 | **usedWaterDescriptor 0-99**  
 | | @indirectIncluded [Required]  
 | | | usedWaterType 1-1  
 | | | description 0-99  
 | | | | @In [Optional]  
 | | | declaredQty 0-9  
 | | | | @um [Required]  
 | | | | @validationMethod [Optional]  
 | | | | @referenceYear [Optional]  
 | | | productReferenceQty 0-1  
 | | | | @um [Required]  
 | | | note 0-9  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @noteLabel [Optional]  
 | **externalRefDoc 0-99**  
 | | docID 1-1  
 | | | @numberingOrg [Optional]  
 | | | docDate 0-1  
 | | | | @dateForm [Optional]

title 0-unbounded  
 @ln [Optional]  
 description 0-unbounded  
 @ln [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 documentType 0-1  
**issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
**signatureInformation 0-1**  
 | signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
**attachment 0-1**  
 @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
**externalReference 0-99**  
 | uri 1-1  
 | @isURL [Optional] [Default= true]  
 | mimeTypeCode 0-1  
 | formatCode 0-1







- | city 0-1
- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
- | | xGeoCoord 1-1
- | | yGeoCoord 1-1
- | | zGeoCoord 0-1
- | **attachment 0-1**
- | @uid [Optional]
- | | fileName 0-1
- | | @numberingOrg [Optional]
- | | binaryObject 0-1
- | | @format [Optional]
- | | @mime [Optional]
- | | @encoding [Optional]
- | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | | mimeTypeCode 0-1
- | | | formatCode 0-1
- | | | encodingCode 0-1
- | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | @schemeID [Optional]
- | | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | | note 0-9
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | **billOfWaste 0-1**
- | @limitedByDisclosureIndicator [Optional]
- | @exhaustiveInformation [Required]
- | @disclosureLevel [Optional]
- | @storageAction [Required]
- | | productReferenceQty 0-1
- | | @um [Required]
- | | year 0-1
- | **facilityLocation 0-1**
- | | location 1-1
- | | | @LRI [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **wasteDescriptor 0-99**
- | @indirectIncluded [Required]
- | | EWCWasteCode 1-1
- | | wasteTypeCode 0-9
- | | @schemeID [Required]

description 0-99  
 @ln [Optional]  
 declaredQty 0-1  
 @um [Required]  
 @validationMethod [Optional]  
 @referenceYear [Optional]  
 productReferenceQty 0-1  
 @um [Required]  
 routeLength 0-1  
 @um [Required]  
 wasteFinalTreatmentType 0-9  
 @part [Optional]  
 @recyclingProcessEfficiency [Optional]  
 note 0-9  
 @numberingOrg [Optional]  
 @codeList [Optional]  
 @noteLabel [Optional]

**externalRefDoc 0-99**

docID 1-1  
 @numberingOrg [Optional]  
 docDate 0-1  
 @dateForm [Optional]  
 title 0-unbounded  
 @ln [Optional]  
 description 0-unbounded  
 @ln [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 documentType 0-1  
**issuerParty 0-1**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 xGeoCoord 1-1  
 yGeoCoord 1-1  
 zGeoCoord 0-1  
 issuerAccreditationInfo 0-1

**signatureInformation 0-1**

signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1

- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | @um [Optional] [Default= DEGD]
- | @geoRefSystem [Optional]
  - | xGeoCoord 1-1
  - | yGeoCoord 1-1
  - | zGeoCoord 0-1
- | **attachment 0-1**
- | @uid [Optional]
  - | fileName 0-1
  - | @numberingOrg [Optional]
  - | binaryObject 0-1
  - | @format [Optional]
  - | @mime [Optional]
  - | @encoding [Optional]
  - | @characterSet [Optional]
  - | **externalReference 0-99**
    - | uri 1-1
    - | @isURL [Optional] [Default= true]
    - | mimeTypeCode 0-1
    - | formatCode 0-1
    - | encodingCode 0-1
    - | characterSetCode 0-1
  - | hashFootprint 0-1
  - | @schemeID [Optional]
  - | @hashMethod [Required]
  - | **blockChainReference 0-9**
    - | uri 1-1
    - | @isURL [Optional] [Default= true]
    - | transactionReceipt 1-9
- | note 0-99
  - | @numberingOrg [Optional]
  - | @codeList [Optional]
  - | @noteLabel [Optional]
- | note 0-9
  - | @numberingOrg [Optional]
  - | @codeList [Optional]
  - | @noteLabel [Optional]
- | **billOfWasteWater 0-1**
- | @limitedByDisclosureIndicator [Optional]
- | @exhaustiveInformation [Required]
- | @disclosureLevel [Optional]
- | @storageAction [Required]
  - | productReferenceQty 0-1
  - | @um [Required]
  - | year 0-1
- | **facilityLocation 0-1**
  - | location 1-1
  - | @LRI [Optional]
  - | street 0-1
  - | city 0-1
  - | subCountry 0-1
  - | country 0-1
  - | postCode 0-1
  - | **geoCoordinates 0-1**
  - | @um [Optional] [Default= DEGD]
  - | @geoRefSystem [Optional]
    - | xGeoCoord 1-1
    - | yGeoCoord 1-1
    - | zGeoCoord 0-1
- | **wasteWaterDescriptor 1-99**
- | @hazardous [Required]
- | @indirectIncluded [Required]
  - | description 1-99
  - | @ln [Optional]
  - | declaredQty 0-1
  - | @um [Required]

| @validationMethod [Optional]  
 | @referenceYear [Optional]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | wasteWaterFinalTreatmentType 0-9  
 | @part [Optional]  
 | wasteWaterContaminantType 0-99  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]

**externalRefDoc 0-99**

| docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @ln [Optional]  
 | description 0-unbounded  
 | @ln [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1

**issuerParty 0-1**

| id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**geoCoordinates 0-1**

| @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1

**signatureInformation 0-1**

| signatureTypeCode 1-1

**signatoryParty 0-unbounded**

| id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**geoCoordinates 0-1**

| @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1

```

| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| | fileName 0-1
| | | @numberingOrg [Optional]
| | binaryObject 0-1
| | | @format [Optional]
| | | @mime [Optional]
| | | @encoding [Optional]
| | | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | | @isURL [Optional] [Default= true]
| | | | mimeTypeCode 0-1
| | | | formatCode 0-1
| | | | encodingCode 0-1
| | | | characterSetCode 0-1
| | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | | blockChainReference 0-9
| | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | transactionReceipt 1-9
| | note 0-99
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @noteLabel [Optional]
| | note 0-9
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @noteLabel [Optional]
| billOfDirectEmissions 0-1
| @limitedByDisclosureIndicator [Optional]
| @exhaustiveInformation [Required]
| @disclosureLevel [Optional]
| @storageAction [Required]
| | productReferenceQty 0-1
| | | @um [Required]
| | year 0-1
| facilityLocation 0-1
| | location 1-1
| | | @LRI [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| directEmissionDescriptor 1-99
| @releasedOn [Required]
| @indirectIncluded [Required]
| | directEmissionType 1-1
| | description 0-99
| | | @In [Optional]
| | declaredQty 0-1
| | | @um [Required]
| | | @validationMethod [Optional]
| | | @referenceYear [Optional]
| | productReferenceQty 0-1
| | | @um [Required]
| | note 0-9

```





| @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
 | **externalReference 0-99**  
 | | uri 1-1  
 | | | @isURL [Optional] [Default= true]  
 | | | mimeTypeCode 0-1  
 | | | formatCode 0-1  
 | | | encodingCode 0-1  
 | | | characterSetCode 0-1  
 | | hashFootprint 0-1  
 | | | @schemeID [Optional]  
 | | | @hashMethod [Required]  
 | | **blockChainReference 0-9**  
 | | | uri 1-1  
 | | | | @isURL [Optional] [Default= true]  
 | | | | transactionReceipt 1-9  
 | | note 0-99  
 | | | @numberingOrg [Optional]  
 | | | @codeList [Optional]  
 | | | @noteLabel [Optional]  
 | | note 0-9  
 | | | @numberingOrg [Optional]  
 | | | @codeList [Optional]  
 | | | @noteLabel [Optional]  
 | | note 0-9  
 | | | @numberingOrg [Optional]  
 | | | @codeList [Optional]  
 | | | @noteLabel [Optional]  
 | **billOfMaterials 0-1**  
 | | @limitedByDisclosureIndicator [Optional]  
 | | @exhaustiveInformation [Required]  
 | | @disclosureLevel [Optional]  
 | | @storageAction [Required]  
 | | | productReferenceQty 0-1  
 | | | | @um [Required]  
 | | | year 0-1  
 | | **facilityLocation 0-1**  
 | | | location 1-1  
 | | | | @LRI [Optional]  
 | | | | street 0-1  
 | | | | city 0-1  
 | | | | subCountry 0-1  
 | | | | country 0-1  
 | | | | postCode 0-1  
 | | | **geoCoordinates 0-1**  
 | | | | @um [Optional] [Default= DEGD]  
 | | | | @geoRefSystem [Optional]  
 | | | | | xGeoCoord 1-1  
 | | | | | yGeoCoord 1-1  
 | | | | | zGeoCoord 0-1  
 | | **materialDescriptor 1-unbounded**  
 | | | prodServName 1-1  
 | | | description 0-99  
 | | | | @ln [Optional]  
 | | | | declaredQty 0-1  
 | | | | | @um [Required]  
 | | | | | @validationMethod [Optional]  
 | | | | | @referenceYear [Optional]  
 | | | | productReferenceQty 0-1  
 | | | | | @um [Required]  
 | | | | inputMaterialCategory 1-1  
 | | | **transportImpactPrimaryData 0-99**  
 | | | | @part [Optional] [Default= 100]  
 | | | | | description 0-99  
 | | | | | | @ln [Optional]  
 | | | | | | transMode 1-1  
 | | | | | | transMeans 1-1

| @propulsionSystemCode [Optional]  
 | routeLength 1-1  
 | @um [Required]  
 | transportMeansUtilisationPercentage 0-1  
 | emptyReturnForTruck 0-1  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
 | **packagingImpactPrimaryData 0-99**  
 | packageText 1-1  
 | weight 1-1  
 | @um [Required]  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
 | **externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @ln [Optional]  
 | description 0-unbounded  
 | @ln [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1  
 | **issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 | **signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1

- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
  - @um [Optional] [Default= DEGD]
  - @geoRefSystem [Optional]
    - xGeoCoord 1-1
    - yGeoCoord 1-1
    - zGeoCoord 0-1
- attachment 0-1**
  - @uid [Optional]
    - fileName 0-1
      - @numberingOrg [Optional]
    - binaryObject 0-1
      - @format [Optional]
      - @mime [Optional]
      - @encoding [Optional]
      - @characterSet [Optional]
  - externalReference 0-99**
    - uri 1-1
      - @isURL [Optional] [Default= true]
    - mimeCode 0-1
    - formatCode 0-1
    - encodingCode 0-1
    - characterSetCode 0-1
  - hashFootprint 0-1
    - @schemeID [Optional]
    - @hashMethod [Required]
  - blockChainReference 0-9**
    - uri 1-1
      - @isURL [Optional] [Default= true]
    - transactionReceipt 1-9
  - note 0-99
    - @numberingOrg [Optional]
    - @codeList [Optional]
    - @noteLabel [Optional]
  - note 0-9
    - @numberingOrg [Optional]
    - @codeList [Optional]
    - @noteLabel [Optional]
  - billOfChemical 0-1**
    - @limitedByDisclosureIndicator [Optional]
    - @exhaustiveInformation [Required]
    - @disclosureLevel [Optional]
    - @storageAction [Required]
      - productReferenceQty 0-1
        - @um [Required]
      - year 0-1
    - facilityLocation 0-1**
      - location 1-1
        - @LRI [Optional]
      - street 0-1
      - city 0-1
      - subCountry 0-1
      - country 0-1
      - postCode 0-1
      - geoCoordinates 0-1**
        - @um [Optional] [Default= DEGD]
        - @geoRefSystem [Optional]
          - xGeoCoord 1-1
          - yGeoCoord 1-1
          - zGeoCoord 0-1
      - dyesDescriptor 0-unbounded**
        - dyesCategory 1-1
        - description 0-99
          - @ln [Optional]
        - note 0-9
          - @numberingOrg [Optional]
          - @codeList [Optional]

```

| | | | | @noteLabel [Optional]
| | | | | chemicalItem 0-unbounded
| | | | | CASCode 1-1
| | | | | description 1-9
| | | | | @In [Optional]
| | | | | SDSDoc 0-1
| | | | | CASCode 1-1
| | | | | attachment 1-1
| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeTypeCode 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | | blockChainReference 0-9
| | | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | transactionReceipt 1-9
| | | | | note 0-9
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | externalRefDoc 0-99
| | | | | docID 1-1
| | | | | @numberingOrg [Optional]
| | | | | docDate 0-1
| | | | | @dateForm [Optional]
| | | | | title 0-unbounded
| | | | | @In [Optional]
| | | | | description 0-unbounded
| | | | | @In [Optional]
| | | | | validityStart 0-1
| | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | @dateForm [Optional]
| | | | | documentType 0-1
| | | | | issuerParty 0-1
| | | | | | id 0-1
| | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | @email [Optional]
| | | | | | @phone [Optional]
| | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | @um [Optional] [Default= DEGD]
| | | | | | @geoRefSystem [Optional]
| | | | | | | xGeoCoord 1-1
| | | | | | | yGeoCoord 1-1

```

| zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 | **signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | id 0-1  
 |    @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 |    @email [Optional]  
 |    @phone [Optional]  
 |    @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 |    @um [Optional] [Default= DEGD]  
 |    @geoRefSystem [Optional]  
 |    xGeoCoord 1-1  
 |    yGeoCoord 1-1  
 |    zGeoCoord 0-1  
 | **attachment 0-1**  
 |    @uid [Optional]  
 |    fileName 0-1  
 |    @numberingOrg [Optional]  
 |    binaryObject 0-1  
 |    @format [Optional]  
 |    @mime [Optional]  
 |    @encoding [Optional]  
 |    @characterSet [Optional]  
 | **externalReference 0-99**  
 |    uri 1-1  
 |    @isURL [Optional] [Default= true]  
 |    mimeCode 0-1  
 |    formatCode 0-1  
 |    encodingCode 0-1  
 |    characterSetCode 0-1  
 |    hashFootprint 0-1  
 |    @schemeID [Optional]  
 |    @hashMethod [Required]  
 | **blockChainReference 0-9**  
 |    uri 1-1  
 |    @isURL [Optional] [Default= true]  
 |    transactionReceipt 1-9  
 | note 0-99  
 |    @numberingOrg [Optional]  
 |    @codeList [Optional]  
 |    @noteLabel [Optional]  
 | note 0-9  
 |    @numberingOrg [Optional]  
 |    @codeList [Optional]  
 |    @noteLabel [Optional]  
 | **billOfUsedWater 0-1**  
 |    @limitedByDisclosureIndicator [Optional]  
 |    @exhaustiveInformation [Required]  
 |    @disclosureLevel [Optional]  
 |    @storageAction [Required]  
 |    productReferenceQty 0-1  
 |    @um [Required]  
 |    year 0-1  
 | **facilityLocation 0-1**  
 |    location 1-1  
 |    @LRI [Optional]  
 |    street 0-1

city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
**usedWaterDescriptor 0-99**  
 @indirectIncluded [Required]  
 usedWaterType 1-1  
 description 0-99  
 @In [Optional]  
 declaredQty 0-9  
 @um [Required]  
 @validationMethod [Optional]  
 @referenceYear [Optional]  
 productReferenceQty 0-1  
 @um [Required]  
 note 0-9  
 @numberingOrg [Optional]  
 @codeList [Optional]  
 @noteLabel [Optional]  
**externalRefDoc 0-99**  
 docID 1-1  
 @numberingOrg [Optional]  
 docDate 0-1  
 @dateForm [Optional]  
 title 0-unbounded  
 @In [Optional]  
 description 0-unbounded  
 @In [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 documentType 0-1  
**issuerParty 0-1**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
 issuerAccreditationInfo 0-1  
**signatureInformation 0-1**  
 signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1

- | subDept 0-1
- | person 0-1
- | | @email [Optional]
- | | @phone [Optional]
- | | @fax [Optional]
- | street 0-1
- | city 0-1
- | subCountry 0-1
- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | **attachment 0-1**
- | | @uid [Optional]
- | | fileName 0-1
- | | | @numberingOrg [Optional]
- | | binaryObject 0-1
- | | | @format [Optional]
- | | | @mime [Optional]
- | | | @encoding [Optional]
- | | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | mimeTypeCode 0-1
- | | | formatCode 0-1
- | | | encodingCode 0-1
- | | | characterSetCode 0-1
- | | hashFootprint 0-1
- | | | @schemeID [Optional]
- | | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | note 0-9
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **billOfEnergy 0-1**
- | | @limitedByDisclosureIndicator [Optional]
- | | @exhaustiveInformation [Required]
- | | @disclosureLevel [Optional]
- | | @storageAction [Required]
- | | productReferenceQty 0-1
- | | | @um [Required]
- | | year 0-1
- | | **facilityLocation 0-1**
- | | | location 1-1
- | | | | @LRI [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | | @um [Optional] [Default= DEGD]
- | | | | @geoRefSystem [Optional]
- | | | | | xGeoCoord 1-1
- | | | | | yGeoCoord 1-1





subDept 0-1  
 person 0-1  
   @*email* [Optional]  
   @*phone* [Optional]  
   @*fax* [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
   @*um* [Optional] [Default= DEGD]  
   @*geoRefSystem* [Optional]  
     xGeoCoord 1-1  
     yGeoCoord 1-1  
     zGeoCoord 0-1  
 issuerAccreditationInfo 0-1  
**signatureInformation 0-1**  
 signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
   id 0-1  
     @*numberingOrg* [Optional]  
   legalName 0-1  
   dept 0-1  
   subDept 0-1  
   person 0-1  
     @*email* [Optional]  
     @*phone* [Optional]  
     @*fax* [Optional]  
   street 0-1  
   city 0-1  
   subCountry 0-1  
   country 0-1  
   postCode 0-1  
   **geoCoordinates 0-1**  
     @*um* [Optional] [Default= DEGD]  
     @*geoRefSystem* [Optional]  
       xGeoCoord 1-1  
       yGeoCoord 1-1  
       zGeoCoord 0-1  
**attachment 0-1**  
   @*uid* [Optional]  
   fileName 0-1  
     @*numberingOrg* [Optional]  
   binaryObject 0-1  
     @*format* [Optional]  
     @*mime* [Optional]  
     @*encoding* [Optional]  
     @*characterSet* [Optional]  
**externalReference 0-99**  
   uri 1-1  
     @*isURL* [Optional] [Default= true]  
   mimeCode 0-1  
   formatCode 0-1  
   encodingCode 0-1  
   characterSetCode 0-1  
 hashFootprint 0-1  
   @*schemeID* [Optional]  
   @*hashMethod* [Required]  
**blockChainReference 0-9**  
   uri 1-1  
     @*isURL* [Optional] [Default= true]  
   transactionReceipt 1-9  
 note 0-99  
   @*numberingOrg* [Optional]  
   @*codeList* [Optional]  
   @*noteLabel* [Optional]  
 note 0-9

| @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]

**billOfWaste 0-1**  
 | @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Optional]  
 | @storageAction [Required]

| productReferenceQty 0-1  
 | @um [Required]

| year 0-1

**facilityLocation 0-1**  
 | location 1-1  
 | @LRI [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]

| xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1

**wasteDescriptor 0-99**  
 | @indirectIncluded [Required]

| EWCWasteCode 1-1  
 | wasteTypeCode 0-9  
 | @schemeID [Required]

| description 0-99  
 | @ln [Optional]

| declaredQty 0-1  
 | @um [Required]

| @validationMethod [Optional]

| @referenceYear [Optional]

| productReferenceQty 0-1  
 | @um [Required]

| routeLength 0-1  
 | @um [Required]

| wasteFinalTreatmentType 0-9  
 | @part [Optional]

| @recyclingProcessEfficiency [Optional]

| note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]

**externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]

| docDate 0-1  
 | @dateForm [Optional]

| title 0-unbounded  
 | @ln [Optional]

| description 0-unbounded  
 | @ln [Optional]

| validityStart 0-1  
 | @dateForm [Optional]

| validityEnd 0-1  
 | @dateForm [Optional]

| documentType 0-1

**issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]

| legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1

| @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 | **signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | | id 0-1  
 | | | @numberingOrg [Optional]  
 | | legalName 0-1  
 | | dept 0-1  
 | | subDept 0-1  
 | | person 0-1  
 | | | @email [Optional]  
 | | | @phone [Optional]  
 | | | @fax [Optional]  
 | | street 0-1  
 | | city 0-1  
 | | subCountry 0-1  
 | | country 0-1  
 | | postCode 0-1  
 | | **geoCoordinates 0-1**  
 | | | @um [Optional] [Default= DEGD]  
 | | | @geoRefSystem [Optional]  
 | | | | xGeoCoord 1-1  
 | | | | yGeoCoord 1-1  
 | | | | zGeoCoord 0-1  
 | **attachment 0-1**  
 | @uid [Optional]  
 | | fileName 0-1  
 | | | @numberingOrg [Optional]  
 | | binaryObject 0-1  
 | | | @format [Optional]  
 | | | @mime [Optional]  
 | | | @encoding [Optional]  
 | | | @characterSet [Optional]  
 | | **externalReference 0-99**  
 | | | uri 1-1  
 | | | | @isURL [Optional] [Default= true]  
 | | | mimeCode 0-1  
 | | | formatCode 0-1  
 | | | encodingCode 0-1  
 | | | characterSetCode 0-1  
 | | hashFootprint 0-1  
 | | | @schemeID [Optional]  
 | | | @hashMethod [Required]  
 | | **blockChainReference 0-9**  
 | | | uri 1-1  
 | | | | @isURL [Optional] [Default= true]  
 | | | transactionReceipt 1-9  
 | note 0-99  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]  
 | | @noteLabel [Optional]  
 | note 0-9  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]

| @noteLabel [Optional]  
**billOfWasteWater 0-1**  
 | @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Optional]  
 | @storageAction [Required]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | year 0-1  
**facilityLocation 0-1**  
 | location 1-1  
 | @LRI [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
**wasteWaterDescriptor 1-99**  
 | @hazardous [Required]  
 | @indirectIncluded [Required]  
 | description 1-99  
 | @ln [Optional]  
 | declaredQty 0-1  
 | @um [Required]  
 | @validationMethod [Optional]  
 | @referenceYear [Optional]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | wasteWaterFinalTreatmentType 0-9  
 | @part [Optional]  
 | wasteWaterContaminantType 0-99  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
**externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @ln [Optional]  
 | description 0-unbounded  
 | @ln [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1  
**issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1

| country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 | **signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | | id 0-1  
 | | | @numberingOrg [Optional]  
 | | legalName 0-1  
 | | dept 0-1  
 | | subDept 0-1  
 | | person 0-1  
 | | | @email [Optional]  
 | | | @phone [Optional]  
 | | | @fax [Optional]  
 | | street 0-1  
 | | city 0-1  
 | | subCountry 0-1  
 | | country 0-1  
 | | postCode 0-1  
 | | **geoCoordinates 0-1**  
 | | | @um [Optional] [Default= DEGD]  
 | | | @geoRefSystem [Optional]  
 | | | | xGeoCoord 1-1  
 | | | | yGeoCoord 1-1  
 | | | | zGeoCoord 0-1  
 | **attachment 0-1**  
 | @uid [Optional]  
 | | fileName 0-1  
 | | | @numberingOrg [Optional]  
 | | binaryObject 0-1  
 | | | @format [Optional]  
 | | | @mime [Optional]  
 | | | @encoding [Optional]  
 | | | @characterSet [Optional]  
 | **externalReference 0-99**  
 | | uri 1-1  
 | | | @isURL [Optional] [Default= true]  
 | | mimeTypeCode 0-1  
 | | formatCode 0-1  
 | | encodingCode 0-1  
 | | characterSetCode 0-1  
 | | hashFootprint 0-1  
 | | | @schemeID [Optional]  
 | | | @hashMethod [Required]  
 | **blockChainReference 0-9**  
 | | uri 1-1  
 | | | @isURL [Optional] [Default= true]  
 | | transactionReceipt 1-9  
 | note 0-99  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]  
 | | @noteLabel [Optional]  
 | note 0-9  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]  
 | | @noteLabel [Optional]  
 | **billOfDirectEmissions 0-1**  
 | | @limitedByDisclosureIndicator [Optional]  
 | | @exhaustiveInformation [Required]  
 | | @disclosureLevel [Optional]  
 | | @storageAction [Required]

productReferenceQty 0-1  
 @um [Required]  
 year 0-1  
**facilityLocation 0-1**  
 location 1-1  
 @LRI [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 xGeoCoord 1-1  
 yGeoCoord 1-1  
 zGeoCoord 0-1  
**directEmissionDescriptor 1-99**  
 @releasedOn [Required]  
 @indirectIncluded [Required]  
 directEmissionType 1-1  
 description 0-99  
 @In [Optional]  
 declaredQty 0-1  
 @um [Required]  
 @validationMethod [Optional]  
 @referenceYear [Optional]  
 productReferenceQty 0-1  
 @um [Required]  
 note 0-9  
 @numberingOrg [Optional]  
 @codeList [Optional]  
 @noteLabel [Optional]  
**externalRefDoc 0-99**  
 docID 1-1  
 @numberingOrg [Optional]  
 docDate 0-1  
 @dateForm [Optional]  
 title 0-unbounded  
 @In [Optional]  
 description 0-unbounded  
 @In [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 documentType 0-1  
**issuerParty 0-1**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 xGeoCoord 1-1  
 yGeoCoord 1-1  
 zGeoCoord 0-1

```

| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
|   fileName 0-1
|     @numberingOrg [Optional]
|   binaryObject 0-1
|     @format [Optional]
|     @mime [Optional]
|     @encoding [Optional]
|     @characterSet [Optional]
| externalReference 0-99
|   uri 1-1
|     @isURL [Optional] [Default= true]
|   mimeTypeCode 0-1
|   formatCode 0-1
|   encodingCode 0-1
|   characterSetCode 0-1
|   hashFootprint 0-1
|     @schemeID [Optional]
|     @hashMethod [Required]
| blockChainReference 0-9
|   uri 1-1
|     @isURL [Optional] [Default= true]
|   transactionReceipt 1-9
| note 0-99
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| note 0-9
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| PEFDistributionPrimaryDataSet 0-9
| PEFLifeCyclePhase 1-1
| PEFCompilerParty 1-1
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1

```

| country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | year 1-1  
 | **dataSetFunctionalUnit 1-1**  
 | prodServName 0-1  
 | description 0-99  
 | | @ln [Optional]  
 | productReferenceQty 1-1  
 | @um [Required]  
 | weight 1-1  
 | @um [Required]  
 | note 0-9  
 | | @numberingOrg [Optional]  
 | | @codeList [Optional]  
 | | @noteLabel [Optional]  
 | **listOfRoutes 0-1**  
 | | @limitedByDisclosureIndicator [Optional]  
 | | @exhaustiveInformation [Required]  
 | | @disclosureLevel [Optional]  
 | | @storageAction [Required]  
 | | productReferenceQty 0-1  
 | | @um [Required]  
 | | year 0-1  
 | | **facilityLocation 0-1**  
 | | | location 1-1  
 | | | | @LRI [Optional]  
 | | | street 0-1  
 | | | city 0-1  
 | | | subCountry 0-1  
 | | | country 0-1  
 | | | postCode 0-1  
 | | | **geoCoordinates 0-1**  
 | | | | @um [Optional] [Default= DEGD]  
 | | | | @geoRefSystem [Optional]  
 | | | | | xGeoCoord 1-1  
 | | | | | yGeoCoord 1-1  
 | | | | | zGeoCoord 0-1  
 | | **transportImpactPrimaryData 0-unbounded**  
 | | | @part [Optional] [Default= 100]  
 | | | description 0-99  
 | | | | @ln [Optional]  
 | | | transMode 1-1  
 | | | transMeans 1-1  
 | | | | @propulsionSystemCode [Optional]  
 | | | routeLength 1-1  
 | | | | @um [Required]  
 | | | transportMeansUtilisationPercentage 0-1  
 | | | emptyReturnForTruck 0-1  
 | | | note 0-9  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @noteLabel [Optional]  
 | | **externalRefDoc 0-99**  
 | | | docID 1-1  
 | | | | @numberingOrg [Optional]  
 | | | docDate 0-1  
 | | | | @dateForm [Optional]  
 | | | title 0-unbounded  
 | | | | @ln [Optional]  
 | | | description 0-unbounded  
 | | | | @ln [Optional]  
 | | | validityStart 0-1



```

| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
|   fileName 0-1
|   @numberingOrg [Optional]
|   binaryObject 0-1
|   @format [Optional]
|   @mime [Optional]
|   @encoding [Optional]
|   @characterSet [Optional]
| externalReference 0-99
|   uri 1-1
|   @isURL [Optional] [Default= true]
|   mimeTypeCode 0-1
|   formatCode 0-1
|   encodingCode 0-1
|   characterSetCode 0-1
| hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]

```



| @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 | **signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | | id 0-1  
 | | @numberingOrg [Optional]  
 | | legalName 0-1  
 | | dept 0-1  
 | | subDept 0-1  
 | | person 0-1  
 | | @email [Optional]  
 | | @phone [Optional]  
 | | @fax [Optional]  
 | | street 0-1  
 | | city 0-1  
 | | subCountry 0-1  
 | | country 0-1  
 | | postCode 0-1  
 | | **geoCoordinates 0-1**  
 | | @um [Optional] [Default= DEGD]  
 | | @geoRefSystem [Optional]  
 | | | xGeoCoord 1-1  
 | | | yGeoCoord 1-1  
 | | | zGeoCoord 0-1  
 | **attachment 0-1**  
 | @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]  
 | @characterSet [Optional]  
 | **externalReference 0-99**  
 | | uri 1-1  
 | | @isURL [Optional] [Default= true]  
 | | mimeTypeCode 0-1  
 | | formatCode 0-1  
 | | encodingCode 0-1  
 | | characterSetCode 0-1  
 | hashFootprint 0-1  
 | @schemeID [Optional]  
 | @hashMethod [Required]  
 | **blockChainReference 0-9**  
 | | uri 1-1  
 | | @isURL [Optional] [Default= true]  
 | | transactionReceipt 1-9  
 | note 0-99  
 | @numberingOrg [Optional]

```

| | @codeList [Optional]
| | @noteLabel [Optional]
| note 0-9
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]
| expectedUsagePerformance 0-1
| averageWashingNumber 0-9
| @um [Required]
| @validationMethod [Optional]
| @referenceYear [Optional]
| averageProductLifetime 0-9
| @um [Required]
| @validationMethod [Optional]
| @referenceYear [Optional]
| averageReferenceProductLifeTime 0-9
| @um [Required]
| @validationMethod [Optional]
| @referenceYear [Optional]
| externalRefDoc 0-99
| docID 1-1
| @numberingOrg [Optional]
| docDate 0-1
| @dateForm [Optional]
| title 0-unbounded
| @ln [Optional]
| description 0-unbounded
| @ln [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| | xGeoCoord 1-1
| | yGeoCoord 1-1
| | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1

```



```

description 0-9
  @ln [Optional]
productReferenceQty 0-1
  @um [Required]
wasteWaterPlantInputList 0-1
  | wasteWaterPlantInputDescriptor 0-99
  | @sharePerc [Optional]
  | wasteWaterProvenance 0-1
  | | materialDescriptor 0-99
  | | prodServName 1-1
  | | description 0-99
  | | @ln [Optional]
  | | declaredQty 0-1
  | | @um [Required]
  | | @validationMethod [Optional]
  | | @referenceYear [Optional]
  | | productReferenceQty 0-1
  | | @um [Required]
  | | inputMaterialCategory 1-1
  | | transportImpactPrimaryData 0-99
  | | @part [Optional] [Default= 100]
  | | description 0-99
  | | @ln [Optional]
  | | transMode 1-1
  | | transMeans 1-1
  | | @propulsionSystemCode [Optional]
  | | routeLength 1-1
  | | @um [Required]
  | | transportMeansUtilisationPercentage 0-1
  | | emptyReturnForTruck 0-1
  | | note 0-9
  | | @numberingOrg [Optional]
  | | @codeList [Optional]
  | | @noteLabel [Optional]
  | | packagingImpactPrimaryData 0-99
  | | packageText 1-1
  | | weight 1-1
  | | @um [Required]
  | | note 0-9
  | | @numberingOrg [Optional]
  | | @codeList [Optional]
  | | @noteLabel [Optional]
  | wasteWaterPlantOutputList 0-1
  | | wasteDescriptor 1-99
  | | @indirectIncluded [Required]
  | | EWCWasteCode 1-1
  | | wasteTypeCode 0-9
  | | @schemeID [Required]
  | | description 0-99
  | | @ln [Optional]
  | | declaredQty 0-1
  | | @um [Required]
  | | @validationMethod [Optional]
  | | @referenceYear [Optional]
  | | productReferenceQty 0-1
  | | @um [Required]
  | | routeLength 0-1
  | | @um [Required]
  | | wasteFinalTreatmentType 0-9
  | | @part [Optional]
  | | @recyclingProcessEfficiency [Optional]
  | | note 0-9
  | | @numberingOrg [Optional]
  | | @codeList [Optional]
  | | @noteLabel [Optional]
  | directEmissionDescriptor 0-99
  | @releasedOn [Required]
  | @indirectIncluded [Required]

```

- directEmissionType 1-1
- description 0-99
  - @ln [Optional]
- declaredQty 0-1
  - @um [Required]
  - @validationMethod [Optional]
  - @referenceYear [Optional]
- productReferenceQty 0-1
  - @um [Required]
- note 0-9
  - @numberingOrg [Optional]
  - @codeList [Optional]
  - @noteLabel [Optional]
- note 0-9
  - @numberingOrg [Optional]
  - @codeList [Optional]
  - @noteLabel [Optional]
- note 0-9
  - @numberingOrg [Optional]
  - @codeList [Optional]
  - @noteLabel [Optional]

#### organisationDescriptor 0-1

- id 1-1
  - @numberingOrg [Optional]
- legalName 1-1
- organisationAddress 1-1**
  - street 0-1
  - city 0-1
  - subCountry 0-1
  - country 0-1
  - postCode 0-1
  - geoCoordinates 0-1**
    - @um [Optional] [Default= DEGD]
    - @geoRefSystem [Optional]
      - xGeoCoord 1-1
      - yGeoCoord 1-1
      - zGeoCoord 0-1
- person 1-99
  - @email [Optional]
  - @phone [Optional]
  - @fax [Optional]
- activityStatisticalCode 0-1
  - @schemeID [Optional] [Default= NACE]
- certificate 0-99**
  - @docStatusCode [Required]
  - @docValidity [Required]
    - docID 1-1
      - @numberingOrg [Optional]
    - certificateID 1-1
      - @schemeID [Optional]
    - certificationStandardName 1-1
      - @standardOwner [Required]
    - docDate 1-1
      - @dateForm [Optional]
    - title 0-unbounded
      - @ln [Optional]
    - description 0-unbounded
      - @ln [Optional]
    - validityStart 0-1
      - @dateForm [Optional]
    - validityEnd 0-1
      - @dateForm [Optional]
    - validityExtensionDate 0-1
      - @dateForm [Optional]
    - sustainabilityCharacteristicText 0-99
      - @ln [Optional]
  - issuerParty 1-1**

```

| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
|   | xGeoCoord 1-1
|   | yGeoCoord 1-1
|   | zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| certifiedParty 1-1
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
|   | xGeoCoord 1-1
|   | yGeoCoord 1-1
|   | zGeoCoord 0-1
| certifiedEntity 0-unbounded
| entityID 1-3
| @schemeID [Required]
| entityTypeCode 1-1
| description 0-9
| @ln [Optional]
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
| uri 1-1
| @isURL [Optional] [Default= true]
| mimeTypeCode 0-1
| formatCode 0-1
| encodingCode 0-1
| characterSetCode 0-1
| hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]
| blockChainReference 0-9

```



```

| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]
| selfAssertion 0-99
| | @disclosureLevel [Optional]
| | @docStatusCode [Optional]
| | sustainabilityCharacteristicText 0-99
| | | @ln [Optional]
| | assertionCategory 1-1
| | description 1-99
| | | @ln [Optional]
| | issuerParty 1-1
| | | id 0-1
| | | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | issuerAccreditationInfo 0-1
| | selfAssertionEntity 0-unbounded
| | | entityID 1-3
| | | | @schemeID [Required]
| | | entityTypeCode 1-1
| | | description 0-9
| | | | @ln [Optional]
| | externalRefDoc 0-99
| | | docID 1-1
| | | | @numberingOrg [Optional]
| | | docDate 0-1
| | | | @dateForm [Optional]
| | | title 0-unbounded
| | | | @ln [Optional]
| | | description 0-unbounded
| | | | @ln [Optional]
| | | validityStart 0-1
| | | | @dateForm [Optional]
| | | validityEnd 0-1
| | | | @dateForm [Optional]
| | | documentType 0-1
| | | issuerParty 0-1
| | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | street 0-1

```

- city 0-1
- subCountry 0-1
- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
- @um [Optional] [Default= DEGD]
- @geoRefSystem [Optional]
- xGeoCoord 1-1
- yGeoCoord 1-1
- zGeoCoord 0-1
- issuerAccreditationInfo 0-1
- signatureInformation 0-1**
- signatureTypeCode 1-1
- signatoryParty 0-unbounded**
- id 0-1
- @numberingOrg [Optional]
- legalName 0-1
- dept 0-1
- subDept 0-1
- person 0-1
- @email [Optional]
- @phone [Optional]
- @fax [Optional]
- street 0-1
- city 0-1
- subCountry 0-1
- country 0-1
- postCode 0-1
- geoCoordinates 0-1**
- @um [Optional] [Default= DEGD]
- @geoRefSystem [Optional]
- xGeoCoord 1-1
- yGeoCoord 1-1
- zGeoCoord 0-1
- attachment 0-1**
- @uid [Optional]
- fileName 0-1
- @numberingOrg [Optional]
- binaryObject 0-1
- @format [Optional]
- @mime [Optional]
- @encoding [Optional]
- @characterSet [Optional]
- externalReference 0-99**
- uri 1-1
- @isURL [Optional] [Default= true]
- mimeTypeCode 0-1
- formatCode 0-1
- encodingCode 0-1
- characterSetCode 0-1
- hashFootprint 0-1
- @schemeID [Optional]
- @hashMethod [Required]
- blockChainReference 0-9**
- uri 1-1
- @isURL [Optional] [Default= true]
- transactionReceipt 1-9
- note 0-99
- @numberingOrg [Optional]
- @codeList [Optional]
- @noteLabel [Optional]
- validityStart 0-1
- @dateForm [Optional]
- validityEnd 0-1
- @dateForm [Optional]
- validityExtensionDate 0-1
- @dateForm [Optional]
- socialAndEthicalSpecificInformation 0-1**

| @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Required]  
 | @storageAction [Required]  
 | **certificate 0-99**  
 | | @docStatusCode [Required]  
 | | @docValidity [Required]  
 | | docID 1-1  
 | | | @numberingOrg [Optional]  
 | | certificateID 1-1  
 | | | @schemeID [Optional]  
 | | certificationStandardName 1-1  
 | | | @standardOwner [Required]  
 | | docDate 1-1  
 | | | @dateForm [Optional]  
 | | title 0-unbounded  
 | | | @ln [Optional]  
 | | description 0-unbounded  
 | | | @ln [Optional]  
 | | validityStart 0-1  
 | | | @dateForm [Optional]  
 | | validityEnd 0-1  
 | | | @dateForm [Optional]  
 | | validityExtensionDate 0-1  
 | | | @dateForm [Optional]  
 | | sustainabilityCharacteristicText 0-99  
 | | | @ln [Optional]  
 | | **issuerParty 1-1**  
 | | | id 0-1  
 | | | | @numberingOrg [Optional]  
 | | | legalName 0-1  
 | | | dept 0-1  
 | | | subDept 0-1  
 | | | person 0-1  
 | | | | @email [Optional]  
 | | | | @phone [Optional]  
 | | | | @fax [Optional]  
 | | | street 0-1  
 | | | city 0-1  
 | | | subCountry 0-1  
 | | | country 0-1  
 | | | postCode 0-1  
 | | | **geoCoordinates 0-1**  
 | | | | @um [Optional] [Default= DEGD]  
 | | | | @geoRefSystem [Optional]  
 | | | | | xGeoCoord 1-1  
 | | | | | yGeoCoord 1-1  
 | | | | | zGeoCoord 0-1  
 | | | issuerAccreditationInfo 0-1  
 | | **certifiedParty 1-1**  
 | | | id 0-1  
 | | | | @numberingOrg [Optional]  
 | | | legalName 0-1  
 | | | dept 0-1  
 | | | subDept 0-1  
 | | | person 0-1  
 | | | | @email [Optional]  
 | | | | @phone [Optional]  
 | | | | @fax [Optional]  
 | | | street 0-1  
 | | | city 0-1  
 | | | subCountry 0-1  
 | | | country 0-1  
 | | | postCode 0-1  
 | | | **geoCoordinates 0-1**  
 | | | | @um [Optional] [Default= DEGD]  
 | | | | @geoRefSystem [Optional]  
 | | | | | xGeoCoord 1-1

- | | yGeoCoord 1-1
- | | zGeoCoord 0-1
- | **certifiedEntity 0-unbounded**
- | | entityID 1-3
- | | @schemeID [Required]
- | | entityTypeCode 1-1
- | | description 0-9
- | | @ln [Optional]
- | **attachment 0-1**
- | | @uid [Optional]
- | | fileName 0-1
- | | @numberingOrg [Optional]
- | | binaryObject 0-1
- | | @format [Optional]
- | | @mime [Optional]
- | | @encoding [Optional]
- | | @characterSet [Optional]
- | **externalReference 0-99**
- | | uri 1-1
- | | @isURL [Optional] [Default= true]
- | | mimeTypeCode 0-1
- | | formatCode 0-1
- | | encodingCode 0-1
- | | characterSetCode 0-1
- | | hashFootprint 0-1
- | | @schemeID [Optional]
- | | @hashMethod [Required]
- | **blockChainReference 0-9**
- | | uri 1-1
- | | @isURL [Optional] [Default= true]
- | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **selfAssertion 0-99**
- | | @disclosureLevel [Optional]
- | | @docStatusCode [Optional]
- | | sustainabilityCharacteristicText 0-99
- | | @ln [Optional]
- | | assertionCategory 1-1
- | | description 1-99
- | | @ln [Optional]
- | **issuerParty 1-1**
- | | id 0-1
- | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | @email [Optional]
- | | @phone [Optional]
- | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | xGeoCoord 1-1
- | | yGeoCoord 1-1
- | | zGeoCoord 0-1
- | | issuerAccreditationInfo 0-1
- | **selfAssertionEntity 0-unbounded**
- | | entityID 1-3
- | | @schemeID [Required]

| entityTypeCode 1-1  
 | description 0-9  
 | @In [Optional]  
**| externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @In [Optional]  
 | description 0-unbounded  
 | @In [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1  
**| issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**| geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
**| signatureInformation 0-1**  
 | signatureTypeCode 1-1  
**| signatoryParty 0-unbounded**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**| geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
**| attachment 0-1**  
 | @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]

```

| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | | externalReference 0-99
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | mimeTypeCode 0-1
| | | | | | | formatCode 0-1
| | | | | | | encodingCode 0-1
| | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | | blockChainReference 0-9
| | | | | | | uri 1-1
| | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | transactionReceipt 1-9
| | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | validityStart 0-1
| | | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | | @dateForm [Optional]
| | | | | validityExtensionDate 0-1
| | | | | | @dateForm [Optional]
| | | | | assessmentStudyDocument 0-9
| | | | | | @disclosureLevel [Optional]
| | | | | | @docStatusCode [Optional]
| | | | | | @isStudyDataset [Required]
| | | | | | | docID 0-1
| | | | | | | | @numberingOrg [Optional]
| | | | | | | | docDate 0-1
| | | | | | | | @dateForm [Optional]
| | | | | | | ProductIdentification 0-99
| | | | | | | | uniqueProductID 1-1
| | | | | | | | | @schemeID [Required]
| | | | | | | | | objectTypeCode 1-1
| | | | | | | | | description 0-9
| | | | | | | | | @ln [Optional]
| | | | | - scegli -
| | | | | | rawCode 0-2
| | | | | | | @numberingOrg [Optional]
| | | | | | | | art 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | color 0-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | added 0-9
| | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | @addType [Optional]
| | | | | | | | | | | description 0-unbounded
| | | | | | | | | | | @ln [Optional]
| | | | | - oppure -
| | | | | | yarnCode 0-2
| | | | | | | @numberingOrg [Optional] [Default= CL]
| | | | | | | | art 1-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | @codeList [Optional]
| | | | | | | | | @listName [Optional]
| | | | | | | | | @listVersion [Optional]
| | | | | | | | | color 0-1

```

| | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | added 0-9  
 | | | | | @numberingOrg [Optional]  
 | | | | | @addType [Optional]  
 | | | | | description 0-unbounded  
 | | | | | @ln [Optional]

- oppure -

| | | | | **texCode 0-2**  
 | | | | | @numberingOrg [Optional]  
 | | | | | art 1-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | pattern 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | color 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | added 0-9  
 | | | | | @numberingOrg [Optional]  
 | | | | | @addType [Optional]  
 | | | | | description 0-unbounded  
 | | | | | @ln [Optional]

- oppure -

| | | | | **acsCode 1-2**  
 | | | | | @numberingOrg [Optional]  
 | | | | | art 1-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | pattern 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | color 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | added 0-9  
 | | | | | @numberingOrg [Optional]  
 | | | | | @addType [Optional]  
 | | | | | description 0-unbounded  
 | | | | | @ln [Optional]

- oppure -

| | | | | **garmentPartCode 0-2**  
 | | | | | @numberingOrg [Optional]  
 | | | | | gPart 1-1  
 | | | | | mod 1-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | fabric 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]

```

| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-19
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
- oppure -
| | | | | garmentCode 0-2
| | | | | @numberingOrg [Optional]
- scegli -
| | | | | garmentCodeB 1-1
| | | | | @numberingOrg [Optional]
| | | | | mod 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | fabric 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | garmentVariant 0-9
| | | | | variantType 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | variantCode 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | drop 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | size 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | artGroup 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]

```



```

- oppure -
| | | | | garmentCodeA 1-1
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
- fine scelta -
- fine scelta -
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | year 0-1
| | | | | title 0-unbounded
| | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | | | | publishableAbstract 0-99
| | | | | @ln [Optional]
| | | | | author 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | reviewerParty 0-9
| | | | | id 1-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | | reviewDate 0-1
| | | | | @dateForm [Optional]
| | | | | issuerParty 0-1
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1

```

- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | | issuerAccreditationInfo 0-1
- | validityStart 0-1
- | | @dateForm [Optional]
- | validityEnd 0-1
- | | @dateForm [Optional]
- | **signatureInformation 0-1**
- | | signatureTypeCode 1-1
- | | **signatoryParty 0-unbounded**
- | | | id 0-1
- | | | | @numberingOrg [Optional]
- | | | legalName 0-1
- | | | dept 0-1
- | | | subDept 0-1
- | | | person 0-1
- | | | | @email [Optional]
- | | | | @phone [Optional]
- | | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | | @um [Optional] [Default= DEGD]
- | | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | | **attachment 0-1**
- | | | @uid [Optional]
- | | | fileName 0-1
- | | | | @numberingOrg [Optional]
- | | | binaryObject 0-1
- | | | | @format [Optional]
- | | | | @mime [Optional]
- | | | | @encoding [Optional]
- | | | | @characterSet [Optional]
- | | | **externalReference 0-99**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | **blockChainReference 0-9**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **socialAccountabilityEvidence 1-unbounded**
- | | @socialAccountabilityMethod [Optional]
- | | socialAccountabilityEvidenceCategory 1-1
- | | description 0-99
- | | | @ln [Optional]
- | | evidenceValue 0-1
- | | | @um [Optional]
- | | **selfAssertion 0-99**
- | | | @disclosureLevel [Optional]
- | | | @docStatusCode [Optional]
- | | sustainabilityCharacteristicText 0-99

@In [Optional]  
 assertionCategory 1-1  
 description 1-99  
 @In [Optional]  
**issuerParty 1-1**  
 | id 0-1  
 |    @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 |    @email [Optional]  
 |    @phone [Optional]  
 |    @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 |    @um [Optional] [Default= DEGD]  
 |    @geoRefSystem [Optional]  
 |    | xGeoCoord 1-1  
 |    | yGeoCoord 1-1  
 |    | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
**selfAssertionEntity 0-unbounded**  
 | entityID 1-3  
 |    @schemeID [Required]  
 | entityTypeCode 1-1  
 | description 0-9  
 |    @In [Optional]  
**externalRefDoc 0-99**  
 | docID 1-1  
 |    @numberingOrg [Optional]  
 | docDate 0-1  
 |    @dateForm [Optional]  
 | title 0-unbounded  
 |    @In [Optional]  
 | description 0-unbounded  
 |    @In [Optional]  
 | validityStart 0-1  
 |    @dateForm [Optional]  
 | validityEnd 0-1  
 |    @dateForm [Optional]  
 | documentType 0-1  
**issuerParty 0-1**  
 | id 0-1  
 |    @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 |    @email [Optional]  
 |    @phone [Optional]  
 |    @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 |    @um [Optional] [Default= DEGD]  
 |    @geoRefSystem [Optional]  
 |    | xGeoCoord 1-1  
 |    | yGeoCoord 1-1  
 |    | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1

**signatureInformation 0-1**  
signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
id 0-1  
@numberingOrg [Optional]  
legalName 0-1  
dept 0-1  
subDept 0-1  
person 0-1  
@email [Optional]  
@phone [Optional]  
@fax [Optional]  
street 0-1  
city 0-1  
subCountry 0-1  
country 0-1  
postCode 0-1  
**geoCoordinates 0-1**  
@um [Optional] [Default= DEGD]  
@geoRefSystem [Optional]  
xGeoCoord 1-1  
yGeoCoord 1-1  
zGeoCoord 0-1  
**attachment 0-1**  
@uid [Optional]  
fileName 0-1  
@numberingOrg [Optional]  
binaryObject 0-1  
@format [Optional]  
@mime [Optional]  
@encoding [Optional]  
@characterSet [Optional]  
**externalReference 0-99**  
uri 1-1  
@isURL [Optional] [Default= true]  
mimeTypeCode 0-1  
formatCode 0-1  
encodingCode 0-1  
characterSetCode 0-1  
hashFootprint 0-1  
@schemeID [Optional]  
@hashMethod [Required]  
**blockChainReference 0-9**  
uri 1-1  
@isURL [Optional] [Default= true]  
transactionReceipt 1-9  
note 0-99  
@numberingOrg [Optional]  
@codeList [Optional]  
@noteLabel [Optional]  
validityStart 0-1  
@dateForm [Optional]  
validityEnd 0-1  
@dateForm [Optional]  
validityExtensionDate 0-1  
@dateForm [Optional]  
**externalRefDoc 0-99**  
docID 1-1  
@numberingOrg [Optional]  
docDate 0-1  
@dateForm [Optional]  
title 0-unbounded  
@ln [Optional]  
description 0-unbounded  
@ln [Optional]  
validityStart 0-1  
@dateForm [Optional]  
validityEnd 0-1

```

| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   | id 0-1
|   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   |   | @email [Optional]
|   |   |   | @phone [Optional]
|   |   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   | geoCoordinates 0-1
|   |   | @um [Optional] [Default= DEGD]
|   |   | @geoRefSystem [Optional]
|   |   |   | xGeoCoord 1-1
|   |   |   | yGeoCoord 1-1
|   |   |   | zGeoCoord 0-1
|   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   | signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   | id 0-1
|   |   |   | @numberingOrg [Optional]
|   |   |   | legalName 0-1
|   |   |   | dept 0-1
|   |   |   | subDept 0-1
|   |   |   | person 0-1
|   |   |   |   | @email [Optional]
|   |   |   |   | @phone [Optional]
|   |   |   |   | @fax [Optional]
|   |   |   | street 0-1
|   |   |   | city 0-1
|   |   |   | subCountry 0-1
|   |   |   | country 0-1
|   |   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   |   | @um [Optional] [Default= DEGD]
|   |   |   | @geoRefSystem [Optional]
|   |   |   |   | xGeoCoord 1-1
|   |   |   |   | yGeoCoord 1-1
|   |   |   |   | zGeoCoord 0-1
| attachment 0-1
|   | @uid [Optional]
|   |   | fileName 0-1
|   |   |   | @numberingOrg [Optional]
|   |   | binaryObject 0-1
|   |   |   | @format [Optional]
|   |   |   | @mime [Optional]
|   |   |   | @encoding [Optional]
|   |   |   | @characterSet [Optional]
|   | externalReference 0-99
|   |   | uri 1-1
|   |   |   | @isURL [Optional] [Default= true]
|   |   |   | mimeTypeCode 0-1
|   |   |   | formatCode 0-1
|   |   |   | encodingCode 0-1
|   |   |   | characterSetCode 0-1
|   | hashFootprint 0-1
|   |   | @schemeID [Optional]
|   |   | @hashMethod [Required]
| blockChainReference 0-9
|   | uri 1-1

```

```

| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | note 0-9
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | | listOfFacilities 0-1
| | | | | @limitedByDisclosureIndicator [Optional]
| | | | | @exhaustiveInformation [Required]
| | | | | @disclosureLevel [Required]
| | | | | @storageAction [Required]
| | | | | facilityDescriptor 0-unbounded
| | | | | facilityLocation 1-1
| | | | | location 1-1
| | | | | @LRI [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | | description 0-2
| | | | | @ln [Optional]
| | | | | processStepsList 0-1
| | | | | @limitedByDisclosureIndicator [Optional]
| | | | | @exhaustiveInformation [Required]
| | | | | @disclosureLevel [Required]
| | | | | @storageAction [Required]
| | | | | processStep 1-unbounded
| | | | | @progr [Required]
| | | | | @internallyPerformed [Optional]
| | | | | processStepID 1-1
| | | | | manufacturingOperationCode 1-1
| | | | | description 0-9
| | | | | @ln [Optional]
| | | | | activityLocation 0-99
| | | | | @part [Optional] [Default= 100]
| | | | | location 0-1
| | | | | @LRI [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | | note 0-99
| | | | | @numberingOrg [Optional]

```

```

| | | @codeList [Optional]
| | | @noteLabel [Optional]
| certificate 0-99
| @docStatusCode [Required]
| @docValidity [Required]
| docID 1-1
|   @numberingOrg [Optional]
| certificateID 1-1
|   @schemeID [Optional]
| certificationStandardName 1-1
|   @standardOwner [Required]
| docDate 1-1
|   @dateForm [Optional]
| title 0-unbounded
|   @ln [Optional]
| description 0-unbounded
|   @ln [Optional]
| validityStart 0-1
|   @dateForm [Optional]
| validityEnd 0-1
|   @dateForm [Optional]
| validityExtensionDate 0-1
|   @dateForm [Optional]
| sustainabilityCharacteristicText 0-99
|   @ln [Optional]
| issuerParty 1-1
|   id 0-1
|     @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| certifiedParty 1-1
|   id 0-1
|     @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|     @um [Optional] [Default= DEGD]
|     @geoRefSystem [Optional]
|       xGeoCoord 1-1
|       yGeoCoord 1-1
|       zGeoCoord 0-1

```

**certifiedEntity 0-unbounded**

entityID 1-3  
@schemeID [Required]  
entityTypeCode 1-1  
description 0-9  
@ln [Optional]

**attachment 0-1**

@uid [Optional]  
fileName 0-1  
@numberingOrg [Optional]  
binaryObject 0-1  
@format [Optional]  
@mime [Optional]  
@encoding [Optional]  
@characterSet [Optional]

**externalReference 0-99**

uri 1-1  
@isURL [Optional] [Default= true]  
mimeCode 0-1  
formatCode 0-1  
encodingCode 0-1  
characterSetCode 0-1

hashFootprint 0-1  
@schemeID [Optional]  
@hashMethod [Required]

**blockChainReference 0-9**

uri 1-1  
@isURL [Optional] [Default= true]  
transactionReceipt 1-9

note 0-99  
@numberingOrg [Optional]  
@codeList [Optional]  
@noteLabel [Optional]

**selfAssertion 0-99**

@disclosureLevel [Optional]  
@docStatusCode [Optional]  
sustainabilityCharacteristicText 0-99  
@ln [Optional]  
assertionCategory 1-1  
description 1-99  
@ln [Optional]

**issuerParty 1-1**

id 0-1  
@numberingOrg [Optional]  
legalName 0-1  
dept 0-1  
subDept 0-1  
person 0-1  
@email [Optional]  
@phone [Optional]  
@fax [Optional]  
street 0-1  
city 0-1  
subCountry 0-1  
country 0-1  
postCode 0-1

**geoCoordinates 0-1**

@um [Optional] [Default= DEGD]  
@geoRefSystem [Optional]  
xGeoCoord 1-1  
yGeoCoord 1-1  
zGeoCoord 0-1

issuerAccreditationInfo 0-1

**selfAssertionEntity 0-unbounded**

entityID 1-3  
@schemeID [Required]  
entityTypeCode 1-1  
description 0-9



| @In [Optional]  
 | **externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @In [Optional]  
 | description 0-unbounded  
 | @In [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1  
 | **issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | issuerAccreditationInfo 0-1  
 | **signatureInformation 0-1**  
 | signatureTypeCode 1-1  
 | **signatoryParty 0-unbounded**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
 | **geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | | xGeoCoord 1-1  
 | | yGeoCoord 1-1  
 | | zGeoCoord 0-1  
 | **attachment 0-1**  
 | @uid [Optional]  
 | fileName 0-1  
 | @numberingOrg [Optional]  
 | binaryObject 0-1  
 | @format [Optional]  
 | @mime [Optional]  
 | @encoding [Optional]









- | issuerAccreditationInfo 0-1
- | validityStart 0-1
- | @dateForm [Optional]
- | validityEnd 0-1
- | @dateForm [Optional]
- | **signatureInformation 0-1**
- | | signatureTypeCode 1-1
- | | **signatoryParty 0-unbounded**
- | | | id 0-1
- | | | @numberingOrg [Optional]
- | | | legalName 0-1
- | | | dept 0-1
- | | | subDept 0-1
- | | | person 0-1
- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | | **attachment 0-1**
- | | | @uid [Optional]
- | | | fileName 0-1
- | | | @numberingOrg [Optional]
- | | | binaryObject 0-1
- | | | @format [Optional]
- | | | @mime [Optional]
- | | | @encoding [Optional]
- | | | @characterSet [Optional]
- | | | **externalReference 0-99**
- | | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | | mimeTypeCode 0-1
- | | | | formatCode 0-1
- | | | | encodingCode 0-1
- | | | | characterSetCode 0-1
- | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | | **blockChainReference 0-9**
- | | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | transactionReceipt 1-9
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | | **facilityYearlyProductionMass 0-9**
- | | | objectTypeCode 0-1
- | | | declaredQty 0-2
- | | | @um [Required]
- | | | @validationMethod [Optional]
- | | | @referenceYear [Optional]
- | | | year 0-1
- | | **facilitySustainabilityCharacteristics 0-1**
- | | | **billOfUsedWater 0-9**
- | | | | @limitedByDisclosureIndicator [Optional]
- | | | | @exhaustiveInformation [Required]
- | | | | @disclosureLevel [Optional]
- | | | | @storageAction [Required]

productReferenceQty 0-1  
 @um [Required]  
 year 0-1  
**facilityLocation 0-1**  
 location 1-1  
 @LRI [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 xGeoCoord 1-1  
 yGeoCoord 1-1  
 zGeoCoord 0-1  
**usedWaterDescriptor 0-99**  
 @indirectIncluded [Required]  
 usedWaterType 1-1  
 description 0-99  
 @ln [Optional]  
 declaredQty 0-9  
 @um [Required]  
 @validationMethod [Optional]  
 @referenceYear [Optional]  
 productReferenceQty 0-1  
 @um [Required]  
 note 0-9  
 @numberingOrg [Optional]  
 @codeList [Optional]  
 @noteLabel [Optional]  
**externalRefDoc 0-99**  
 docID 1-1  
 @numberingOrg [Optional]  
 docDate 0-1  
 @dateForm [Optional]  
 title 0-unbounded  
 @ln [Optional]  
 description 0-unbounded  
 @ln [Optional]  
 validityStart 0-1  
 @dateForm [Optional]  
 validityEnd 0-1  
 @dateForm [Optional]  
 documentType 0-1  
**issuerParty 0-1**  
 id 0-1  
 @numberingOrg [Optional]  
 legalName 0-1  
 dept 0-1  
 subDept 0-1  
 person 0-1  
 @email [Optional]  
 @phone [Optional]  
 @fax [Optional]  
 street 0-1  
 city 0-1  
 subCountry 0-1  
 country 0-1  
 postCode 0-1  
**geoCoordinates 0-1**  
 @um [Optional] [Default= DEGD]  
 @geoRefSystem [Optional]  
 xGeoCoord 1-1  
 yGeoCoord 1-1  
 zGeoCoord 0-1  
 issuerAccreditationInfo 0-1

**signatureInformation 0-1**  
signatureTypeCode 1-1  
**signatoryParty 0-unbounded**  
id 0-1  
@numberingOrg [Optional]  
legalName 0-1  
dept 0-1  
subDept 0-1  
person 0-1  
@email [Optional]  
@phone [Optional]  
@fax [Optional]  
street 0-1  
city 0-1  
subCountry 0-1  
country 0-1  
postCode 0-1  
**geoCoordinates 0-1**  
@um [Optional] [Default= DEGD]  
@geoRefSystem [Optional]  
xGeoCoord 1-1  
yGeoCoord 1-1  
zGeoCoord 0-1  
**attachment 0-1**  
@uid [Optional]  
fileName 0-1  
@numberingOrg [Optional]  
binaryObject 0-1  
@format [Optional]  
@mime [Optional]  
@encoding [Optional]  
@characterSet [Optional]  
**externalReference 0-99**  
uri 1-1  
@isURL [Optional] [Default= true]  
mimeCode 0-1  
formatCode 0-1  
encodingCode 0-1  
characterSetCode 0-1  
hashFootprint 0-1  
@schemeID [Optional]  
@hashMethod [Required]  
**blockChainReference 0-9**  
uri 1-1  
@isURL [Optional] [Default= true]  
transactionReceipt 1-9  
note 0-99  
@numberingOrg [Optional]  
@codeList [Optional]  
@noteLabel [Optional]  
note 0-9  
@numberingOrg [Optional]  
@codeList [Optional]  
@noteLabel [Optional]  
**billOfEnergy 0-9**  
@limitedByDisclosureIndicator [Optional]  
@exhaustiveInformation [Required]  
@disclosureLevel [Optional]  
@storageAction [Required]  
productReferenceQty 0-1  
@um [Required]  
year 0-1  
**facilityLocation 0-1**  
location 1-1  
@LRI [Optional]  
street 0-1  
city 0-1  
subCountry 0-1





```

| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|   | @numberingOrg [Optional]
|   | legalName 0-1
|   | dept 0-1
|   | subDept 0-1
|   | person 0-1
|   | | @email [Optional]
|   | | @phone [Optional]
|   | | @fax [Optional]
|   | street 0-1
|   | city 0-1
|   | subCountry 0-1
|   | country 0-1
|   | postCode 0-1
|   | geoCoordinates 0-1
|   | | @um [Optional] [Default= DEGD]
|   | | @geoRefSystem [Optional]
|   | | | xGeoCoord 1-1
|   | | | yGeoCoord 1-1
|   | | | zGeoCoord 0-1
|   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
| | signatureTypeCode 1-1
| | signatoryParty 0-unbounded
| | | id 0-1
| | | | @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| attachment 0-1
| | @uid [Optional]
| | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | externalReference 0-99
| | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | mimeTypeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | blockChainReference 0-9
| | | uri 1-1

```

| | | @isURL [Optional] [Default= true]  
 | | | transactionReceipt 1-9  
 | note 0-99  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
**billOfWaste 0-9**  
 | @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Optional]  
 | @storageAction [Required]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | year 0-1  
**facilityLocation 0-1**  
 | location 1-1  
 | @LRI [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
**wasteDescriptor 0-99**  
 | @indirectIncluded [Required]  
 | EWCWasteCode 1-1  
 | wasteTypeCode 0-9  
 | @schemeID [Required]  
 | description 0-99  
 | @In [Optional]  
 | declaredQty 0-1  
 | @um [Required]  
 | @validationMethod [Optional]  
 | @referenceYear [Optional]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | routeLength 0-1  
 | @um [Required]  
 | wasteFinalTreatmentType 0-9  
 | @part [Optional]  
 | @recyclingProcessEfficiency [Optional]  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
**externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @In [Optional]  
 | description 0-unbounded  
 | @In [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1

```

issuerParty 0-1
| id 0-1
|   @numberingOrg [Optional]
legalName 0-1
dept 0-1
subDept 0-1
person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
|   | xGeoCoord 1-1
|   | yGeoCoord 1-1
|   | zGeoCoord 0-1
issuerAccreditationInfo 0-1
signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
|   | id 0-1
|   |   @numberingOrg [Optional]
legalName 0-1
dept 0-1
subDept 0-1
person 0-1
|   | @email [Optional]
|   | @phone [Optional]
|   | @fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1
|   | geoCoordinates 0-1
|   | @um [Optional] [Default= DEGD]
|   | @geoRefSystem [Optional]
|   |   | xGeoCoord 1-1
|   |   | yGeoCoord 1-1
|   |   | zGeoCoord 0-1
attachment 0-1
@uid [Optional]
| fileName 0-1
|   @numberingOrg [Optional]
binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
|   | uri 1-1
|   |   @isURL [Optional] [Default= true]
|   | mimeTypeCode 0-1
|   | formatCode 0-1
|   | encodingCode 0-1
|   | characterSetCode 0-1
hashFootprint 0-1
| @schemeID [Optional]
| @hashMethod [Required]
| blockChainReference 0-9
|   | uri 1-1
|   |   @isURL [Optional] [Default= true]
|   | transactionReceipt 1-9

```

| note 0-99  
 |   @numberingOrg [Optional]  
 |   @codeList [Optional]  
 |   @noteLabel [Optional]

| note 0-9  
 |   @numberingOrg [Optional]  
 |   @codeList [Optional]  
 |   @noteLabel [Optional]

**| billOfWasteWater 0-9**  
 | @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Optional]  
 | @storageAction [Required]

| productReferenceQty 0-1  
 |   @um [Required]

| year 0-1

**| facilityLocation 0-1**  
 | location 1-1  
 |   @LRI [Optional]

| street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1

**| geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]

|   xGeoCoord 1-1  
 |   yGeoCoord 1-1  
 |   zGeoCoord 0-1

**| wasteWaterDescriptor 1-99**  
 | @hazardous [Required]  
 | @indirectIncluded [Required]

| description 1-99  
 |   @In [Optional]

| declaredQty 0-1  
 |   @um [Required]  
 |   @validationMethod [Optional]  
 |   @referenceYear [Optional]

| productReferenceQty 0-1  
 |   @um [Required]

| wasteWaterFinalTreatmentType 0-9  
 |   @part [Optional]

| wasteWaterContaminantType 0-99

| note 0-9  
 |   @numberingOrg [Optional]  
 |   @codeList [Optional]  
 |   @noteLabel [Optional]

**| externalRefDoc 0-99**  
 | docID 1-1  
 |   @numberingOrg [Optional]

| docDate 0-1  
 |   @dateForm [Optional]

| title 0-unbounded  
 |   @In [Optional]

| description 0-unbounded  
 |   @In [Optional]

| validityStart 0-1  
 |   @dateForm [Optional]

| validityEnd 0-1  
 |   @dateForm [Optional]

| documentType 0-1

**| issuerParty 0-1**  
 | id 0-1  
 |   @numberingOrg [Optional]

| legalName 0-1  
 | dept 0-1  
 | subDept 0-1

```

| person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   signatureTypeCode 1-1
|   signatoryParty 0-unbounded
|     id 0-1
|     @numberingOrg [Optional]
|     legalName 0-1
|     dept 0-1
|     subDept 0-1
|     person 0-1
|     @email [Optional]
|     @phone [Optional]
|     @fax [Optional]
|     street 0-1
|     city 0-1
|     subCountry 0-1
|     country 0-1
|     postCode 0-1
|     geoCoordinates 0-1
|       @um [Optional] [Default= DEGD]
|       @geoRefSystem [Optional]
|         xGeoCoord 1-1
|         yGeoCoord 1-1
|         zGeoCoord 0-1
| attachment 0-1
|   @uid [Optional]
|   fileName 0-1
|   @numberingOrg [Optional]
|   binaryObject 0-1
|   @format [Optional]
|   @mime [Optional]
|   @encoding [Optional]
|   @characterSet [Optional]
|   externalReference 0-99
|     uri 1-1
|     @isURL [Optional] [Default= true]
|     mimeTypeCode 0-1
|     formatCode 0-1
|     encodingCode 0-1
|     characterSetCode 0-1
|   hashFootprint 0-1
|   @schemeID [Optional]
|   @hashMethod [Required]
|   blockChainReference 0-9
|     uri 1-1
|     @isURL [Optional] [Default= true]
|     transactionReceipt 1-9
| note 0-99
|   @numberingOrg [Optional]
|   @codeList [Optional]
|   @noteLabel [Optional]
| note 0-9
|   @numberingOrg [Optional]

```

| @codeList [Optional]  
 | @noteLabel [Optional]  
**billOfDirectEmissions 0-9**  
 | @limitedByDisclosureIndicator [Optional]  
 | @exhaustiveInformation [Required]  
 | @disclosureLevel [Optional]  
 | @storageAction [Required]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | year 0-1  
**facilityLocation 0-1**  
 | location 1-1  
 | @LRI [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1  
 | postCode 0-1  
**geoCoordinates 0-1**  
 | @um [Optional] [Default= DEGD]  
 | @geoRefSystem [Optional]  
 | xGeoCoord 1-1  
 | yGeoCoord 1-1  
 | zGeoCoord 0-1  
**directEmissionDescriptor 1-99**  
 | @releasedOn [Required]  
 | @indirectIncluded [Required]  
 | directEmissionType 1-1  
 | description 0-99  
 | @In [Optional]  
 | declaredQty 0-1  
 | @um [Required]  
 | @validationMethod [Optional]  
 | @referenceYear [Optional]  
 | productReferenceQty 0-1  
 | @um [Required]  
 | note 0-9  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]  
**externalRefDoc 0-99**  
 | docID 1-1  
 | @numberingOrg [Optional]  
 | docDate 0-1  
 | @dateForm [Optional]  
 | title 0-unbounded  
 | @In [Optional]  
 | description 0-unbounded  
 | @In [Optional]  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | documentType 0-1  
**issuerParty 0-1**  
 | id 0-1  
 | @numberingOrg [Optional]  
 | legalName 0-1  
 | dept 0-1  
 | subDept 0-1  
 | person 0-1  
 | @email [Optional]  
 | @phone [Optional]  
 | @fax [Optional]  
 | street 0-1  
 | city 0-1  
 | subCountry 0-1  
 | country 0-1





## 2.2 Descrizione di dettaglio degli elementi del documento

Nelle tabelle seguenti vengono presentati tutti gli elementi (complessi e semplici) utilizzati in questo documento. La descrizione comprende: 1) informazioni proprie dell'elemento: tag, nome dell'elemento, breve descrizione, tipo di dato e vincoli sintattici; 2) informazioni relative all'uso dell'elemento in una particolare collocazione nel documento: xpath ed eventuali note relative a tale uso.

### 2.2.1 Elementi complessi (Aggregate Business Information Entities)

Sono elementi complessi gli elementi il cui contenuto è costituito da altri elementi (figli). Gli elementi complessi sono ordinati alfabeticamente.

<p><b>acsCode</b></p>	<p>codifica che identifica un prodotto accessorio associato a capo o altro prodotto fashion  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode) 1-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode) 1-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/acsCode) 1-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode) 1-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode) 1-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode) 1-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
<p><b>activityLocation</b></p>	<p>dati relativi ad un luogo dove ha luogo l'attività (Indicare almeno identificatore location o un indirizzo, città e paese)  - tipo base: Nad,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation) 0-99  - note: Qui e' sufficiente indicare location, country e subcountry.  Se la attivita' viene svolta in piu' luoghi o stabilimenti indicare anche quale percentuale del totale viene svolta presso ciascuna. .  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation) 0-1  - note: Qui e' sufficiente indicare codice location, country e subcountry.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation)  0-99  - note: Qui e' sufficiente indicare location, country e subcountry.  Se la attivita' viene svolta in piu' luoghi o stabilimenti indicare anche quale percentuale</p>

	<i>del totale viene svolta presso ciascuna. .</i>
<b>assessmentStudyDocument</b>	<p>documento risultante di studio (ad esempio LCA). Può essere relativo a componente o prodotto. Può essere report o set di dati (in qualsiasi formato) a seconda del flag isStudyDataSet. Nel caso di studio PEF, se possibile preferire PEFStudyDocument.</p> <p>- tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument) 0-9</p> <p>- note: <i>eventuali studi pre-esistenti utili</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument) 0-9</p>
<b>attachment</b>	<p>un documento allegato. Un allegato può fare riferimento a un documento esterno o essere incluso nel documento scambiato</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i>  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p style="text-align: center;">socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment) 1-1</p> <p>- note: riferimento al document SDS (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/billOfComponents/productComponent/refDoc/attachment) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/att achment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment) 1-1</p> <p>- note: <i>referimento al document SDS</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la seconda opzione è sconsigliata per ragioni di praticità)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/attachment) 0-1</p> <p>- note: <i>indica dove reperire il documento oppure lo contiene come oggetto binario (la s</i></p>
--	--

	<p>econda opzione è sconsigliata per ragioni di praticità')  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s  econda opzione è sconsigliata per ragioni di praticità')  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s  econda opzione è sconsigliata per ragioni di praticità')  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s  econda opzione è sconsigliata per ragioni di praticità')  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/attachment) 0-1</p> <p>- note: indica dove reperire il documento oppure lo contiene come oggetto binario (la s  econda opzione è sconsigliata per ragioni di praticità')</p>
<b>billOfChemical</b>	<p>distinta dei prodotti chimici utilizzati per realizzare il prodotto</p> <p>- tipo base: ,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical) 0-1</p> <p>- note: <i>distinta relativa a questa sola fase di lavorazione o trattamento</i></p>
<b>billOfComponents</b>	<p>distinta dei componenti utilizzati per creare il prodotto</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents) 0-1</p> <p>- note: <i>distinta relativa a questa sola fase di lavorazione o trattamento</i></p>
<b>billOfDirectEmissions</b>	<p>distinta delle emissioni dirette generate per realizzare il prodotto, escluse le acque refl  ue, relativa a una quantità di prodotto di riferimento o a dati annuali di uno stabilimento  /impianto.</p> <p>- tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions) 0-9</p> <p>- note: <i>quantità riferita ai rilasci annuali della facility</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions) 0-1</p> <p>- note: <i>distinta relativa a questa sola fase di lavorazione o trattamento.  Se disponibili dati di anni diversi utilizzare elementi billOfxx diversi</i></p>
<b>billOfEnergy</b>	<p>distinta dell'energia consumata o prodotta relativi a una quantità di prodotto di riferime  nto o a dati annuali di uno stabilimento/impianto.</p> <p>- tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy)  0-9</p> <p>- note: <i>quantità riferite ai consumi annuali della facility</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy) 0-1</p> <p>- note: <i>distinta relativa a questa sola fase di lavorazione o trattamento.  Se disponibili dati di anni diversi utilizzare elementi billOfxx diversi</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy) 0-1</p>
<b>billOfMaterials</b>	<p>distinta (quantitativa) dei materiali utilizzati</p> <p>- tipo base: ,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials) 0-1
<b>billOfTreatments</b>	distinta dei trattamenti necessari per realizzare il prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments) 0-1
<b>billOfUsedWater</b>	distinta delle acque usate relativa a una quantità di prodotto di riferimento o a dati annuali di uno stabilimento/impianto. - tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater) 0-1 - note: <i>distinta relativa a questa sola fase di lavorazione o trattamento. Se disponibili dati di anni diversi utilizzare elementi billOfxx diversi</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater) 0-9 - note: <i>quantità riferite ai consumi annuali della facility</i>
<b>billOfWaste</b>	distinta dei rifiuti generati per realizzare il prodotto, escluse le acque reflue, relativi a una quantità di prodotto di riferimento o a dati annuali di uno stabilimento/impianto. - tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste) 0-1 - note: <i>distinta relativa a questa sola fase di lavorazione o trattamento. Se disponibili dati di anni diversi utilizzare elementi billOfxx diversi</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste) 0-9 - note: <i>quantità riferite ai rilasci annuali della facility</i>
<b>billOfWasteWater</b>	distinta delle acque reflue generate per realizzare il prodotto relativa a una quantità di prodotto di riferimento o a dati annuali di uno stabilimento/impianto. - tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater) 0-1 - note: <i>distinta relativa a questa sola fase di lavorazione o trattamento. Se disponibili dati di anni diversi utilizzare elementi billOfxx diversi</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater) 0-9 - note: <i>quantità riferite ai rilasci annuali della facility</i>
<b>blockChainReference</b>	riferimento in blockchain - tipo base: string, lunghezza max: 80, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/blockChainReference) 0-9 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference) 0-9

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/block</p>
--	---

	<p>ChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/blockChainReference  ) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/att  achment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReferenc  e) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  y/externalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exte  rnalRefDoc/attachment/blockChainReference) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bl  ockChainReference) 0-9</p>
<p><b>certificate</b></p>	<p>Riferimento e dettagli relativi ad un documento contenente una certificazione rilasciata da un soggetto terzo che e' intitolato a rilasciarlo  - tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/certificate) 0-99  - note: <i>certificati relativi all'intera organizzazione</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate) 0-9  - note: <i>certificato di scopo del componente</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate) 0-9  - note: <i>certificato di scopo del componente</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate) 0-unbounded  - note: <i>certificati relativi al prodotto in se'</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate) 0-99</p>



	- note: <i>certificati relativi alla facility</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate) 0-99
<b>certifiedEntity</b>	L'entità (organizzazione, processo, prodotto..) per la quale la certificazione è valida. - tipo base: , (XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedEntity) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity) 0-unbo unded (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedEntity) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/certifiedEntity) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedEntity) 0-unbounded (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedEntity) 0-unbounded
<b>certifiedParty</b>	l'identificazione e gli estremi del soggetto cui è stato rilasciato il certificato - tipo base: Nad, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/certifiedParty) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty) 1-1
<b>chemicalItem</b>	indica la presenza di un prodotto chimico ed eventualmente la sua quantità (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic alltem) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/chemicalItem) 0-unbounded
<b>coproduct</b>	co-prodotto del processo produttivo (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct) 1-1
<b>dataSetFunctionalUnit</b>	Unità Funzionale di Prodotto di riferimento per il data set a cui appartiene - tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit) 1-1 - note: <i>unita' funzionale di riferimento per questo dataset</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit) 1-1 - note: <i>unita' funzionale di riferimento per questo dataset</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit ) 1-1 - note: <i>unita' funzionale di riferimento per questo dataset</i>
<b>directEmissionDescriptor</b>	descrittore di una emissione diretta (emissioni che provengono da fonti possedute o co ntrollate dal produttore e generate dal processo manifatturiero)

	<p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor) 1-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor) 1-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor) 1-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor) 0-99  - note: <i>considerare solo emissione in acqua (@releadOn=WAT).</i>  <i>In directEmissionType considerare per esempio Ammonia (NH4+, NH3, as N), COD (Chemical Oxygen Demand), Nitrates (NO3-), Nitrites (NO2-), Nitrogenous Matter (unspecified, as N)</i></p>
<b>dyesDescriptor</b>	<p>descrittore del colorante  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDescriptor) 0-unbounded</p>
<b>energyConsumptionDescriptor</b>	<p>descrittore di una quantità di energia usata con indicazione delle sue caratteristiche  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor) 1-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor) 1-99  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor) 1-99</p>
<b>energySupplyDescriptor</b>	<p>descrittore di una quantità di energia fornita o prodotta con indicazione delle sue caratteristiche  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor) 1-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor) 1-99  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor) 1-99</p>
<b>expectedUsagePerformance</b>	<p>performance attese nell'uso del prodotto.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance) 0-1</p>
<b>externalRefDoc</b>	<p>documento esterno, per riportare generici documenti di ufficio (come pdf, docx, xls, ad esempio delle istruzioni per allestire una vetrina); può essere firmato digitalmente  - tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc) 0-99  - note: <i>any supporting information</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc) 0-99  - note: <i>Qualsiasi tipo di documentazione di supporto</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc) 0-99  - note: <i>any supporting information</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc) 0-99  - note: <i>documentazione di supporto</i></p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc) 0-99</p> <p>- note: <i>documentazione di supporto</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc) 0-99</p> <p>- note: <i>documenti a supporto</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc) 0-99</p>
--	---

	<p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc) 0-99</p> <p>- note: <i>any supporting information</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc) 0-99</p> <p>- note: <i>Qualsiasi tipo di documentazione di supporto</i></p>
<b>externalReference</b>	<p>informazioni su un oggetto esterno al documento, ad esempio un documento memorizzato in una locazione remota</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/externalReference) 0-99</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/externalReference) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/externalReference) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/externalReference) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/externalReference) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference) 0-99</p>
<b>facilityDescriptor</b>	<p>descrittore di una facility aziendale  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor) 0-unbounded</p>
<b>facilityLocation</b>	<p>dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo , città e paese)  - tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation) 0-1 Best Practice  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p><b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation) 0-1 Best Practice</b>  - note: se presente indica che i dati raccolti sono riferiti ad una specifica facility.</p>
<b>facilitySustainabilityCharacteristics</b>	<p>caratteristiche di sostenibilità della facility  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics) 0-1</b></p>
<b>facilityYearlyProductionMass</b>	<p>massa approssimativa di produzione (per tipo di prodotto) e non per singolo articolo in uno stabilimento specifico. Solitamente espresso come peso.  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilityYearlyProductionMass) 0-9</b>  - note: se sono presenti piu' istanze devono differire per il valore di object type code</p>
<b>garmentCode</b>	<p>codifica dell'articolo di abbigliamento  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>assessmentStudyDocument/ProductIdentification/garmentCode) 0-2</b>  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/  <b>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode) 0-2</b>  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode) 0-2</b>  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  <b>ProductIdentification/garmentCode) 0-2</b>  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>

	<p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
<b>garmentCodeA</b>	<p>codifica dell'articolo di abbigliamento - tipo A</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1  - note: qui deve indicarsi l'eventuale barcode EAN-13 o EAN-8</p>
<b>garmentCodeB</b>	<p>codifica dell'articolo di abbigliamento - tipo B</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB) 1-1  -1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>



	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1</p>
<b>garmentPartCode</b>	<p>codifica della componente o parte di un articolo fashion  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
<b>garmentVariant</b>	<p>variante prodotto abbigliamento  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9</p>
<b>geoCoordinates</b>	coordinate geografiche

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ organisationAddress/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates) 0-1</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/SRVheader/receiverParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/reviewerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/geoCoordinates) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/SRVheader/senderParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy</p>
--	---

	<p>y/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/geoCoordinates) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/geoCoordinates) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1</p>
--	--



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/issuerParty/geoCoordinates) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1</p>
<b>internalWastewaterTreatment Plant</b>	<p>descrittore dell'impianto interno di trattamento delle acque reflue. Indicare se serve l'intero ciclo produzione o solo alcune fasi.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant) 0-99</p>
<b>issuerParty</b>	<p>Dati del soggetto che ha emesso il documento.</p> <p>- tipo base: Nad,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p>

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter nalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicare almeno la denominazione</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/issuerParty) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty) 0-1 (XPath PEFInformationSupply/organisationDescriptor/certificate/issuerParty) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty) 0-1 (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty) 1-1 - note: <i>Indicare almeno la denominazione</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/issuerParty) 1-1 - note: <i>Indicare almeno la denominazione</i> (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty) 1-1</p>
<b>listOfFacilities</b>	<p>lista delle facility della organizzazione (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities) 0-1</p>
<b>listOfRoutes</b>	<p>lista dei percorsi di distribuzione. Preferibilmente suddivisi per tratte (caratterizzate da tipo di trasporto diverso, p.es. mare o terra..) e per frazione del totale del prodotto che viaggia effettivamente su quel percorso. - tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes) 0-1 - note: <i>elenco dei percorsi in fase di distribuzione (piu' rotte fisiche possono essere raggruppate per diverse tipologie di trasporto, es. mare o terra..)</i></p>
<b>materialDescriptor</b>	<p>descrittore di una quantità di materiale usato con indicazione delle sue caratteristiche (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor) 0-99 - note: <i>nella descrizione indicare contenuto e il tipo di input: considerare acque trattate, flocculanti, chimiche, energia</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor) 1-unbounded</p>
<b>organisationAddress</b>	<p>indirizzo sede legale dell'organizzazione - tipo base: , (XPath PEFInformationSupply/organisationDescriptor/organisationAddress) 1-1</p>
<b>organisationDescriptor</b>	<p>descrizione di organizzazione (XPath PEFInformationSupply/organisationDescriptor) 0-1</p>
<b>packagingImpactPrimaryData</b>	<p>dati primari sull'impatto dell'imballaggio (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/packagingImpactPrimaryData) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImpactPrimaryData) 0-99</p>
<b>PEFCompilerParty</b>	<p>PEF DataSet Compiler Party (la parte che compila questo set di dati e si assume la responsabilità della sua affidabilità) - tipo base: Nad, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty) 1-</p>

	<p>1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty) 1-1</p>
<b>PEFDistributionPrimaryDataSet</b>	<p>PEF Primary Dataset, contiene tutti i dati primari relativi alla fase di distribuzione per un prodotto specifico  - tipo base: ,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet) 0-9</p>
<b>PEFProductionPrimaryDataSet</b>	<p>PEF Primary Dataset, contiene tutti i dati primari relativi a una fase di produzione per un prodotto specifico  - tipo base: ,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet) 0-99</p>
<b>PEFSpecificInformation</b>	<p>Contenitore di informazioni specifiche sulla PEF  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation) 0-1</p>
<b>PEFStudyDocument</b>	<p>documento di studio PEF (potrebbe essere sia il dataset salvato da un tool di analisi che il report risultante redatto da un esperto, dipende da flag isStudyDataset)  - tipo base: ,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument) 0-9  - note: <i>puo' indicare studi pre-esistenti</i></p>
<b>PEFUsagePrimaryDataSet</b>	<p>PEF Primary Dataset, contiene tutti i dati primari relativi alla fase di uso per un prodotto specifico  - tipo base: ,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet) 0-99</p>
<b>platformServiceReference</b>	<p>istruzioni e riferimenti sul servizio  - tipo base: string,  (XPath PEFInformationSupply/SRVheader/platformServiceReference) 1-1</p>
<b>processStep</b>	<p>singola operazione manifatturiera necessaria per produrre il prodotto  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep) 1-unbounded  - note: <i>inserire nella sequenza corretta è raccomandabile</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep) 1-unbounded  - note: <i>inserire nella sequenza corretta è raccomandabile</i></p>
<b>processStepsList</b>	<p>Lista delle operazioni manifatturiere necessarie per produrre il prodotto  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList) 0-1  - note: <i>attività svolte presso la facility</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList) 0-1</p>
<b>productComponent</b>	<p>descrittore di uno degli elementi utilizzati per creare il prodotto, indica i codici del componente, la quantità per unità di prodotto finale, il fornitore e l' eventuale documentazione  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent) 0-unbounded</p>
<b>productCompos</b>	<p>Composizione quantitativa di un prodotto  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/productCompos) 0-1</p>
<b>ProductIdentification</b>	<p>Identifica il prodotto di cui si riportano le caratteristiche di trasparenza e sostenibilità  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification) 0-99  - note: <i>indica il prodotto/i a cui è relativo lo studio</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification) 1-1  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification) 0-99</p> <p>- note: indica il prodotto/i a cui è relativo lo studio (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification) 0-99</p> <p>- note: indica il prodotto/i a cui è relativo lo studio (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification) 0-99</p> <p>- note: indica il prodotto/i a cui è relativo lo studio (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification) 0-99</p> <p>- note: indica il prodotto/i a cui è relativo lo studio</p>
<b>rawCode</b>	<p>codifica completa di un articolo di materia prima (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode) 0-2</p> <p>- note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</p>
<b>receiverParty</b>	<p>Dati del soggetto che riceve il documento.</p> <p>- tipo base: Nad, (XPath PEFInformationSupply/SRVheader/receiverParty) 1-1</p>
<b>refDoc</b>	<p>identificazione di un documento di riferimento ed eventualmente di un suo item (riga) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/refDoc) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc) 0-9</p>
<b>refProductFunctionalUnit</b>	<p>Unità Funzionale di Prodotto di riferimento per la valutazione d'impatto</p> <p>- tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/refProductFunctionalUnit) 1-1</p>
<b>reviewerParty</b>	<p>Dati del soggetto che ha verificato la conformita' del metodo usato.</p> <p>- tipo base: Nad, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFStudyDocument/reviewerParty) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  ) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty) 0-9</p>
<b>SDSDoc</b>	<p>riferimento a SDS, Scheda di sicurezza, associata a una sostanza chimica secondo il regolamento REACH  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic  allItem/SDSDoc) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/chemicalItem/SDSDoc) 0-1</p>
<b>selfAssertion</b>	<p>Una autodichiarazione che l'emittente è in grado di supportare con descrizioni o documentazione dettagliate. Potrebbe essere conforme agli standard sulle asserzioni (è il caso ad esempio della ISO14021 per le asserzioni ambientali).  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion) 0-99  - note: <i>autodichiarazioni relative alla facility</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion) 0-9  (XPath PEFInformationSupply/organisationDescriptor/selfAssertion) 0-99  - note: <i>autodichiarazioni relative all'intera organizzazione</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  ) 0-99  - note: <i>asserzione/i a supporto</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion) 0-99  - note: <i>qualunque auto dichiarazione relativa a questa sola fase di lavorazione o trattamento</i>.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion) 0-99</p>
<b>selfAssertionEntity</b>	<p>L'entità (organizzazione, processo, prodotto..) a cui si riferisce la autodichiarazione  - tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /selfAssertionEntity) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/selfAssertionEntity) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/selfAssertionEntity) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/selfAssertionEntity) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity  ) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/selfAssertionEntity) 0-unbounded</p>

<b>senderParty</b>	<p>Dati del soggetto che invia il documento.  - tipo base: Nad,  (XPath PEFInformationSupply/SRVheader/senderParty) 1-1</p>
<b>signatoryParty</b>	<p>Dati del soggetto che ha firmato il documento.  - tipo base: Nad,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty) 0-unbounded (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded</p>
signatureInformation	<p>informazioni sulla firma del documento (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation) 0-1</p>
<b>socialAccountabilityEvidence</b>	<p>Evidenza della conformita' ai requisiti di responsabilita' sociale  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence) 1-unbounded</p>
<b>socialAndEthicalSpecificInformation</b>	<p>elenco di informazioni specifiche sulla responsabilita' sociale ed etica  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation) 0-1</p>
<b>SRVheader</b>	<p>testata dei documenti di supporto a Servizi di piattaforma  (XPath PEFInformationSupply/SRVheader) 1-1</p>
<b>supplier</b>	<p>dati del Fornitore (parte che fornisce il bene o il servizio oggetto del processo di collaborazione corrente)  - tipo base: Nad,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier) 0-9  - note: è fornitore dell'intero componente quando il valore di internallyPerformed=FALSO  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier) 0-9  - note: è fornitore dell'intero componente quando il valore di internallyPerformed=FALSO</p>
<b>texCode</b>	<p>codifica dell'articolo tessile  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode) 0-2  - note: questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode) 0-2</p>



	- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>
<b>transportImpactPrimaryData</b>	<p>dati primari sull'impatto del trasporto su una tratta (o di un gruppo di tratte assimilabili per tipo di trasporto di cui viene riportato il chilometraggio complessivo)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData) 0-99</p> <p>- note: <i>usare soltanto elementi transMode e routeLenght di transportImpactPrimaryData</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData) 0-99</p> <p>- note: <i>usare soltanto elementi transMode e routeLenght di transportImpactPrimaryData</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData) 0-unbounded</p> <p>- note: <i>tratte (caratterizzate da tipo di trasporto diverso, p.es. mare o terra.); il chilometraggio potrebbe essere anche la somma di più tratte fisiche dello stesso tipo.</i></p>
<b>TRCProductSimplifiedForPEF</b>	<p>Descrizione delle caratteristiche di trasparenza e sostenibilità di un prodotto semplificato per servizio PEF  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF) 1-unbounded</p>
<b>treatmentDescriptor</b>	<p>descrittore della singola fase di lavorazione (con l'indicazione della quantità e delle distinte ad essa associate)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor) 1-unbounded</p>
<b>usageDirectives</b>	<p>direttive sull'uso del prodotto.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives) 0-1</p>
<b>usedWaterDescriptor</b>	<p>descrittore delle acque utilizzate (con l'indicazione della quantità)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor) 0-99</p> <p>- note: <i>descrittori differenti debbono essere utilizzati per tipologie di acque differenti</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor) 0-99</p> <p>- note: <i>descrittori differenti debbono essere utilizzati per tipologie di acque differenti</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor) 0-99</p> <p>- note: <i>descrittori differenti debbono essere utilizzati per tipologie di acque differenti</i></p>
<b>wasteDescriptor</b>	<p>descrive un tipo di rifiuto generato dalle attività a cui è associato ed eventualmente la sua quantità in relazione a una quantità di riferimento di prodotto  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor) 1-99</p> <p>- note: <i>(esclusa l'acqua trattata finale)</i></p>
<b>wasteWaterDescriptor</b>	<p>descrittore delle acque reflue prodotte (con l'indicazione della quantità, del loro trattamento e dell'eventuale presenza di contaminanti)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor) 1-99</p>

	<p>- note: <i>descrittori differenti debbono essere utilizzati per tipologie di acque reflue differenti</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor) 1-99</p> <p>- note: <i>descrittori differenti debbono essere utilizzati per tipologie di acque reflue differenti</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor) 1-99</p> <p>- note: <i>descrittori differenti debbono essere utilizzati per tipologie di acque reflue differenti</i></p>
<b>wasteWaterPlantInputDescriptor</b>	<p>descrittore di un input dell'impianto di acque reflue. Indicare un solo descrittore per ciascuna fonte di acque reflue che confluisce nell'impianto  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor) 0-99</p> <p>- note: <i>Indicare un descrittore per ciascuna fonte di acque reflue che confluisce nell'impianto</i></p>
<b>wasteWaterPlantInputList</b>	<p>lista degli input dell'impianto di acque reflue (sono le diverse fonti di acque reflue che fluiscono nel medesimo impianto)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList) 0-1</p>
<b>wasteWaterPlantOutputList</b>	<p>lista degli output dell'impianto di acque reflue (esclusa l'acqua)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList) 0-1</p>
<b>yarnCode</b>	<p>codifica completa di un articolo di filato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode) 0-2</p> <p>-2</p> <p>- note: <i>questo elemento puo' avere due istanze solo nel caso di diversa numbering organisation</i></p>

## 2.2.2 Elementi semplici (Basic Business Information Entities)

Sono elementi semplici gli elementi il cui contenuto è caratterizzato da un data type e da un dominio di valori. Gli elementi semplici sono ordinati alfabeticamente.

activePower	<p>potenza attiva (consumata o prodotta; utilizzare kW oppure W)  - tipo base: ,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower) 1-1  - note: <i>quando manca una misura energetica precisa, qui potremmo dare una stima: in dicare la potenza prodotta media stimata relativa ad un periodo di durata. W oppure kW</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower) 1-1  - note: <i>quando manca una misura energetica precisa, dare una stima: indicare il carico medio stimato relativo ad un periodo di durata. Usare W oppure kW.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/activePower) 1-1  - note: <i>quando manca una misura energetica precisa, dare una stima: indicare il carico medio stimato relativo ad un periodo di durata. Usare W oppure kW.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/activePower) 1-1  - note: <i>quando manca una misura energetica precisa, qui potremmo dare una stima: in dicare la potenza prodotta media stimata relativa ad un periodo di durata. W oppure kW</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/activePower) 1-1  - note: <i>quando manca una misura energetica precisa, dare una stima: indicare il carico medio stimato relativo ad un periodo di durata. Usare W oppure kW.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/activePower) 1-1  - note: <i>quando manca una misura energetica precisa, qui potremmo dare una stima: in dicare la potenza prodotta media stimata relativa ad un periodo di durata. W oppure kW</i>  W</p>
activityStatisticalCode	<p>classificazione statistica dell'attività economica (si suggerisce NACE)  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/activityStatisticalCode) 0-1</p>
added	<p>elemento aggiuntivo di codifica, non includibile nei precedenti  - tipo base: string, lunghezza max: 80,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/on/acsCode/added) 0-9</p>

	<p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/a  dded) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/acsCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/rawCode/added) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/acsCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/rawCode/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/ad  ded) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/yarnCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/acsCode/added) 0-9</p> <p>- note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode</p>
--	--

	<p>B/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/yarnCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/acsCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/added) 0-9  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/added) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/added) 0-19  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/added) 0-9  - note: <i>qui puo' specificarsi un ulteriore codifica (vedere tabella T44)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/added) 0-9</p>
additionalIdentifier	<p>codice identificativo aggiuntivo della Parte in causa (Cliente, Fornitore, Destinatario merce ecc.), ad esempio per registri delle dogane o altri registri  - tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/additionalIdentifier) 0-9  - note: <i>identificatori ad esempio per registri esportazioni, come MID (Manufacturer Identification Code), REX (identificatore nel sistema europeo degli Esportatori registrati)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/supplier/additionalIdentifier) 0-9  - note: <i>identificatori ad esempio per registri esportazioni, come MID (Manufacturer Identification Code), REX (identificatore nel sistema europeo degli Esportatori registrati)</i></p>



@addType	<p>qualificatore dell'elemento aggiuntivo di codifica di un prodotto</p> <ul style="list-style-type: none"> <li>- tipo base: string, tabella cod.: T44  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/added/@addType)  [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</li> <li>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/added/@addType)</li> </ul>
----------	---

	<p>[Optional]  - nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/acsCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]  - nota: addType consente di indicare il significato dell'elemento added; si consiglia fortemente di utilizzarlo sempre.</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added</p>
--	---



	<p><i>/@addType</i>) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre. (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: <i>addType</i> consente di indicare il significato dell'elemento <i>added</i>; si consiglia fortemente di utilizzarlo sempre.</p>
allocationsDescription	<p>descrizione delle allocazioni dello studio</p> <p>- tipo base: string, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/allocationsDescription) 0-99</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/allocationsDescription) 0-99</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</p>
allowedTumbleDrying	<p>modalità asciugatura consentita, secondo BS EN 23758: 1994 Tessili - Codice di etichettatura per la cura tramite simboli</p> <p>- tipo base: string, tabella cod.: T311 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T311.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T311.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/allowedTumbleDrying) 0-1</p>
art	<p>codice articolo del prodotto</p> <p>- tipo base: string, lunghezza max: 80, (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art) 1-1 (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/art ) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/rawCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/acsCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeA/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/art ) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/rawCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/art) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-</i></p>
--	---

	<p><i>court (SKU)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/art) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/texCode/art) 1-1  - note: <i>puo' identificare sia l'articolo base (a meno di disegno/colore) sia l'articolo tout-court (SKU)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/art) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art) 1-1</p>
artGroup	<p>codice che identifica la famiglia del prodotto  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1</p>
assertionCategory	<p>categoria di asserzione, indica l'oggetto dell'asserzione  - tipo base: string, tabella cod.: NT323  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/assertionCategory) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/assertionCategory) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/assertionCategory) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/assertionCategory) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/assertionCategory) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/assertionCategory) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/assertionCategory) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/assertionCategory) 1-1</p>
author	<p>indicazione testuale degli autori, uno o piu' - tipo base: string, lunghezza max: 40, (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/author) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/author) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/author) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author) 0-1</p>
auxSystemsConsumptionPerc	<p>stima percentuale del consumo dei sistemi ausiliari sul consumo totale - tipo base: decimal, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/auxSystemsConsumptionPerc) 0-2 - note: <i>indicatore sintetico sull'intero bill of energy. Può essere riferito a sola energia elettrica o solo termica o entrambe se non specificato il valore isElectric</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc) 0-2 - note: <i>indicatore sintetico sull'intero bill of energy. Può essere riferito a sola energia elettrica o solo termica o entrambe se non specificato il valore isElectric</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/auxSystemsConsumptionPerc) 0-2 - note: <i>indicatore sintetico sull'intero bill of energy. Può essere riferito a sola energia elettrica o solo termica o entrambe se non specificato il valore isElectric</i></p>
averageProductLifetime	<p>tempo di vita medio del prodotto (nella fase di uso ordinario). - tipo base: , min incluso: 0, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageProductLifetime) 0-9 - note: <i>indicare piu' valori solo se originati da metodi di valutazione differenti (valori differenti di validationMethod).</i></p>
averageReferenceProductLifetime	<p>tempo di vita medio (nella fase di uso ordinario) di un prodotto di riferimento sul mercato, diverso dal prodotto in esame - tipo base: , min incluso: 0, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageReferenceProductLifetime) 0-9 - note: <i>indicare piu' valori solo se originati da metodi di valutazione differenti (valori differenti di validationMethod oppure indicare in note).</i></p>
averageWashingNumber	<p>media del numero atteso di lavaggi durante la vita prevista del prodotto - tipo base: , min incluso: 0, cifre decimali: 0, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageWashingNumber) 0-9 - note: <i>indicare piu' valori solo se originati da metodi di valutazione differenti (valori differenti di validationMethod).</i></p>

binaryObject	<p>Oggetto binario di grandi dimensioni contenente un documento allegato. E' raccomandata la codifica 'base64Binary'</p> <p>- tipo base: base64Binary,</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/binaryObject) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic</p>
--------------	--

	<p>allItem/SDSDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/att  achment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/  binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/attachment/binaryObj  ect) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  y/externalRefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/refDoc/attachment/binaryObject  ) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/attachment/binaryObject) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/attachment/binaryObject) 0-1</p>
CASCode	<p>codice CAS del prodotto chimico  - tipo base: string, lunghezza min: 1, lunghezza max: 10, tabella cod.: NT314  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT314.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT314.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic  allItem/SDSDoc/CASCode) 1-1  - note: <i>prodotto chimico a cui si riferisce il foglio SDS</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/CASCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/CASCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/CASCode) 1-1  - note: <i>prodotto chimico a cui si riferisce il foglio SDS</i></p>
certificateID	<p>Identificatore del certificato assegnato dall'emittente  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certificateID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certificateID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certificateID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certificateID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certificateID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certificateID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certificateID) 1-1</p>
certificationStandardName	<p>indica la specifica che è stata utilizzata come base normativa del certificato. (esempi: 'GRS – standard di riciclaggio globale' o 'Standard 100 OEKO-TEX')  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certificationStandardName) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certificationStandardName) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certificationStandardName) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certificationStandardName) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certificationStandardName) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certificationStandardName) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certificationStandardName) 1-1</p>
@characterSet	<p>set di caratteri dell'oggetto binario (esempi UTF-8, UTF-16, Windows-1252, ISO-8859-7,...)  - tipo base: normalizedString,  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p>
--	---



	<p>externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@characterSet) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@characterSet) [Optional]</p>
characterSetCode	<p>il set di caratteri del documento esterno (ad esempio UTF-8, UTF-16, Windows-1252, ISO-8859-7,...)  - tipo base: normalizedString,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p>

	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/c haracterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/characterS etCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/exter nalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalRefe rence/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen t/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/chara cterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/c haracterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/externalReference/ch aracterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment/externalReference/characterSetCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter</p>
--	---

	<p>nalRefDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/externalReference/ch  aracterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/e  xternalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/attachment/externalReference  /characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/characterSetCode  ) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/externalReference/c  haracterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/char  acterSetCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/extern  alReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic  allItem/SDSDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/chara  cterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/character  SetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/charact  erSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/att  achment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/attachment/externalReference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/attachment/externalR  eference/characterSetCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/attachment/externalReference/characterSetCode) 0-1</p>
--	---

city	<p>nome della città  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/facilityLocation/city) 0-1  (XPath PEFInformationSupply/SRVheader/receiverParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLo  cation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/  city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/ci  ty) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/city  ) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  /city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/city  ) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor  mation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  organisationAddress/city) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/city) 0-1</p>
------	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryPa rty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/c ity) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/supplier/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/city) 0-1</p>
--	---



	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityL ocation/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/cit y) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/facilityLocation/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryP arty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/supplier/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/city) 0- 1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/issuerParty/city) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/city) 0 -1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>billOfComponents/productComponent/selfAssertion/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/city)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilit  yLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/is  suerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL  ocation/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/facilityLocation/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati  on/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si  gnatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/facilityLocation/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/f  acilityLocation/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/issuerParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/certifiedParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/city) 0  -1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef</p>
--	--



	<p>Doc/signatureInformation/signatoryParty/city) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/city) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/  externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p>
@codeList	<p>specifica l'indirizzo di rete (URL) dove si trova la lista di codici usati per istanziare l'elemento</p> <ul style="list-style-type: none"> <li>- tipo base: string, lunghezza max: 255,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]</li> <li>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]</li> <li>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional]</li> <li>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional]</li> <li>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@codeList) [Optional]</li> <li>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</li> <li>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPart</li> </ul>

	<p>Code/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/rawCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/allItem/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p>
--	--

	<p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--



	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg"</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/drop/@codeList) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg"</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/used WaterDescriptor/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentPartCode/fabric/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/externalRefDoc/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentPartCode/color/@codeList) [Optional] - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/chemicalItem/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/refProductFunctionalUnit/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/note/@codeList) [Optional] - nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentPartCode/mod/@codeList) [Optional] - nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg"</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/note/@codeList) [Optional]</p>
--	---

	<p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/size/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/rawCode/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/texCode/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/art/@codeList) [Optional]</p> <p>- nota: <i>dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</i></p>
--	---

	<p><i>ingOrg</i>"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---



	<p>PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/season/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/</p>
--	---

	<p>@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeA/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p>
--	--

	<p><i>ingOrg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/SRVheader/platformServiceReference/serviceRequest/dAction/@codeList) [Optional]</p> <p>- nota: Inserire URL della code list delle azioni dei servizi disponibili</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p>
--	---



	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p>
--	--

	<p>ication/garmentCode/garmentCodeB/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/pattern/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/note</p>
--	--



	<p>/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/note/@c odeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/note/@code List) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/rawCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/size/@codeList) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/color/@codeList) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional ]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/SRV/header/platformServiceReference/platformService Code/@codeList) [Optional]</p> <p>- nota: indica URL della piattaforma che fornisce il servizio (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter nalRefDoc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/rawCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/art/@codeList) [Optional]</p> <p>- nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number ingOrg" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/note/@codeList) [Optional]</p> <p>- nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@codeList) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/texCode/pattern/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/note/@codeList) [Optional] - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional] - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/certificate/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@codeList  ) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/wasteDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/ar  t/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/rawCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/mod/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/yarnCode/color/@codeList) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/yarnCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/note/@codeList) [Optional]  - nota: deve usarsi per esplicitare (URL) la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/drop/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/size/@codeList) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/art/@codeList) [Optional]  - nota: dovrebbe essere sempre valorizzato almeno uno tra questo attributo e "number  ingOrg"</p>
color	<p>codice della variante colore, quando non incluso nel codice modello o tessuto  - tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode</p>

	<p>B/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/yarnCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/texCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/c  olor) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/color) 0-1  - note: <i>nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap  o intero</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/texCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/col  or) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/col  or) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/rawCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/rawCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/color) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentPartCode/color) 0-1  - note: <i>nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap  o intero</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/rawCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/color) 0-1  - note: <i>nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap  o intero</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod  e/garmentCodeB/color) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/yarnCode/color) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/color) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/acsCode/color) 0-1</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/color) 0-1  - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/color) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/color) 0-1  - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color) 0-1  - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/color) 0-1  - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/rawCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/color) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/color) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/yarnCode/color) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color) 0-1</p>
country	<p>codice della nazione  - tipo base: string, tabella cod.: T10  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/cou</p>
--	---

	<p>ntry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/country)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/count  ry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/co  untry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/c  ountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/facilityLocation/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si  gnatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryPa  rty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  organisationAddress/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/supplier/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL  ocation/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/facilityLocation/country) 0-1</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/reviewerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/country) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--



	<p>billOfComponents/productComponent/supplier/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/facilityLocation/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/  externalRefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInfor  mation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/country) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/countr  y) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati  on/signatoryParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy  /facilityLocation/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/c  ountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/cou  ntry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/certificate/certifiedParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/certificate/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/SRVheader/receiverParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>certificate/certifiedParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>certificate/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilityLocation/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>assessmentStudyDocument/issuerParty/country) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFStudyDocument/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>assessmentStudyDocument/signatureInformation/signatoryParty/country) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI</p>
--	---

	<p>nformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  facilityLocation/country) 0-1</p>
dataQualityDescription	<p>descrizione delle allocazioni dello studio  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/dataQualityDescription) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/dataQualityDescription) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i></p>
@dateForm	<p>formato in cui è espressa la data  - tipo base: string, tabella cod.: NT29  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe</p>

	<p>fDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/docDate/@dateForm) [Optional]</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docDate/@date Form) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityExtensionDate/@date Form) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityStart/ @dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityEnd/ @dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/docDate/ @dateForm) [Optional]</p>
--	--



	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/validityStart/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/validityExtensionDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/docDate/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/validityEnd/@dateForm) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/docDate/@dateForm) [Optional]</p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/va lidityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityEnd/@dateForm) [Optiona l]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/validityExtensionDate/@dateFor m) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/validityExtensionDate/@da teForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/va lidityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityEnd/@dat eForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityStart/@da teForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityEnd/@dateForm) [Option al]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityExtensionDate/@dateFor m) [Optional]</p>
--	---



	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/validitySta rt/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docDate/@dateF orm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/SRVheader/msgDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewDate/ @dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docDate/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/validityStart/@dateForm) [Opt ional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityStart/@dateForm) [Optio nal]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/docDate/@dateForm) [Option al]</p>
--	--

declaredQty	<p>quantita' netta dichiarata (riferibile ad un anno; potrebbe essere misurata, stimata o derivata da letteratura o altra sorgente, come specificato dall'apposito attributo)</p> <p>- tipo base: , min incluso: 0, cifre decimali: 2,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di materiale necessario per la quantita' di prodotto indicata in referenceProductQuantity. Utilizzare una unita' di misura di peso</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di rifiuti prodotti per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty) 0-9</p> <p>- note: <i>quantita' di acqua necessaria per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di acque reflue prodotte per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di emissione risultante per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/declaredQty) 0-9</p> <p>- note: <i>quantita' di acqua necessaria per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di emissione risultante per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di acque reflue prodotte per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di rifiuti prodotti per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di materiale necessario per la quantita' di prodotto indicata in referenceProductQuantity. Utilizzare una unita' di misura di peso</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di rifiuti prodotti per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/declaredQty) 0-1</p> <p>- note: <i>quantita' di coprodotto risultante per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/declaredQty) 0-1</p> <p>- note: <i>quantita' di emissione risultante per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
-------------	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/declaredQty) 0-1  - note: <i>quantita' di rifiuti prodotti per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/declaredQty) 0-1  - note: <i>quantita' di acque reflue prodotte per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/declaredQty) 0-1  - note: <i>quantita' di emissione risultante per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty) 0-2  - note: <i>questo elemento puo' avere due istanze solo se le unita' di misura sono diverse</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/declaredQty) 0-9  - note: <i>quantita' di acqua necessaria per ottenere la quantita' di prodotto indicata in referenceProductQuantity</i></p>
dept	<p>nome o codice di una unità (Divisione, Ufficio, Stabilimento)  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/dept) 0-1</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty/dept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion</p>
--	--

	<p>/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/dept) 0-  1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/dep  t) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/de  pt) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/dept)  0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/SRVheader/receiverParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI  nformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/dept)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/supplier/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/is</p>
--	---



	<p>suerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/dept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/dept) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/dept) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/dept) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/dept) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/dept) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p>
description	<p>descrizione in testo libero. Il contenuto dell'elemento deve essere unico, eventualmente e tradotto e ripetuto in più lingue (quindi ogni istanza ha lingua differente). - tipo base: string, lunghezza max: 250, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/description) 1-99 - note: nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021. . Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description) 0-unbounded - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/description) 0-unbounded - note: Descrizione riferita al prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/description) 0-9 - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/description) 0-unbounded - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al materiale</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/description) 1-99</p> <p>- note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeA/description) 0-unbounded</p>
--	--



	<p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita alla parte</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/description) 1-9</p> <p>- note: <i>dare una indicazione di massima della tipologia di prodotto chimico</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/description) 0-9</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p>
--	---

- note: *Descrizione riferita al materiale*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 billOfComponents/productComponent/certificate/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/description) 1-1

- note: *Nella descrizione indicare anche se è utilizzato da sistemi ausiliari o direttamente dal processo o entrambi*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/description) 0-99

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/description) 0-9

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded

- note: *Descrizione riferita alla parte*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/description) 0-99

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 billOfComponents/productComponent/acsCode/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/texCode/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/processStepsList/processStep/description) 0-9

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/description) 0-2  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
selfAssertion/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/rawCode/description) 0-unbounded

- note: *Descrizione riferita al materiale*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  
externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/description) 1-99

- note: *nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di affermazione, come la ISO14021.*

.

*Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/selfAssertionEntity/description) 0-9

- note: *Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/description) 0-unbounded

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  
directEmissionDescriptor/description) 0-99

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/yarnCode/description) 0-unbounded

- note: *Descrizione riferita al prodotto*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
selfAssertion/selfAssertionEntity/description) 0-9

- note: *Denominazione o breve descrizione testuale dell'entità. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description) 0-99

- note: *Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)*

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentPartCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita alla parte</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al materiale</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/description) 1-99</p> <p>- note: <i>Ad esempio acqua o fango... e indicare l'operazione che lo sta producendo. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description) 1-1</p> <p>- note: <i>Nella descrizione indicare anche se è utilizzato da sistemi ausiliari o direttamente dal processo o entrambi</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/description) 1-9</p> <p>- note: <i>dare una indicazione di massima della tipologia di prodotto chimico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/description) 1-99</p>
--	--

	<p>- note: nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021.</p> <p>.</p> <p>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al materiale (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/description) 0-9</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/description) 0-unbounded</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/description) 0-unbounded</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/description) 0-9</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description) 0-99</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/description) 0-unbounded</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al materiale (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/description) 0-9</p> <p>- note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al prodotto (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: Descrizione riferita al materiale</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/description) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode A/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/description) 1-99 - note: <i>Ad esempio acqua o fango... e indicare l'operazione che lo sta producendo. Un a sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/description) 0-unbounded - note: <i>Descrizione riferita alla parte</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/des cription) 0-99 - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/description) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/description) 0-unbounded - note: <i>Descrizione riferita alla parte</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/acsCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeA/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/description) 0 -unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/description) 1-99</p> <p>- note: <i>Ad esempio acqua o fango... e indicare l'operazione che lo sta producendo. Un a sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/description) 0-9</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al materiale</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/organisationDescriptor/ certificate/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/description) 1-99</p> <p>- note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard d i asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/refProductFunctionalUnit/description) 0-99</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i> (XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedEntity/description) 0-9</p>
--	--

	<p>- note: <i>Denominazione o breve descrizione testuale dell'entità'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/description)  0-9</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/description) 1-1</p> <p>- note: <i>Nella descrizione indicare anche se è utilizzato da sistemi ausiliari o direttamente dal processo o entrambi</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita alla parte</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita alla parte</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: <i>Descrizione riferita al prodotto</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/description) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Denominazione o breve descrizione testuale dell'entità'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p>
--	--



	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedEntity/description) 0-9 - note: <i>Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/description) 0-99 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/description) 0-99 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/description) 1-99 - note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/description) 0-99 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/description) 0-99 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded - note: <i>Descrizione riferita al prodotto</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description) 0-9 - note: <i>Denominazione o breve descrizione testuale dell'entita'. Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/description) 0-unbounded - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/description) 1-99 - note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021.</i></p> <p>.</p> <p><i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/description) 0-9 - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p>
--	---

	<p><i>gua</i>)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/description) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  <i>gua</i>)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/description) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  <i>gua</i>)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded  - note: <i>Descrizione riferita alla parte</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCodeB/description) 0-unbounded  - note: <i>Descrizione riferita al prodotto</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/description) 1-99  - note: <i>nel caso inserire qui il riferimento a standard/certificazioni esistenti o standard di asserzione, come la ISO14021.</i>  .  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/description) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  <i>gua</i>)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/description) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/description) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  <i>gua</i>)</p>
directEmissionType	<p>tipo di emissione diretta generata per la realizzazione del prodotto (esempi: in aria CO<sub>2</sub>, NO<sub>x</sub>, PO<sub>4</sub>, PM<sub>10</sub>, PM<sub>2.5</sub>; in acqua SO<sub>2</sub>; nel suolo PO<sub>4</sub>... )  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/directEmissionType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/directEmissionType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/directEmissionType) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/directEmissionType) 1-1</p>
@disclosureLevel	<p>indica il livello di divulgazione consentito alle informazioni a cui è associato  - tipo base: decimal, tabella cod.: NT311  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  @disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/@disclosureLevel)  [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/@disclosureLevel) [Required]  ]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/@disclosureLevel)  [Optional]  (XPath PEFInformationSupply/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@disclosureLevel) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/@disclosureLevel) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/@disclosureLevel) [Optional]</p>
docDate	<p>data di emissione del documento in oggetto, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/docDate) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/docDate) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>certificate/docDate) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/docDate) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/docDate) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/docDate) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/docDate) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/docDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/docDate) 0-1</p>
docID	<p>numero identificativo del documento referenziato  - tipo base: string, lunghezza max: 80,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/do  cID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/docID) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/docID) 1-1  - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/docID) 1-1  - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/docID) 1-1  - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/docID) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/docID) 1-1  - note: <i>referimento al certificato interno ai sistemi dei partecipanti alla filiera</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa</p>



	<p>IRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID) 1-2 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/docID) 1-1  - note: riferimento al certificato interno ai sistemi dei partecipanti alla filiera  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/docID) 1-2 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/docID) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/docID) 1-1  - note: riferimento al certificato interno ai sistemi dei partecipanti alla filiera  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/docID) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/docID) 1-1  - note: riferimento al certificato interno ai sistemi dei partecipanti alla filiera  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docID) 1-1</p>
@docStatusCode	<p>stato attuale del documento  - tipo base: decimal, tabella cod.: NT313  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  certificate/@docStatusCode) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>selfAssertion/@docStatusCode) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/@docStatus  Code) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/@docStatusCode) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/@docStatusCode) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/@docStatusCode) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/@docStatusCode) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/@docStatusCode) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/@docStatusCode)  [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/@docStatusCode) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/@docStatusCode) [Option  al]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/@docStatusCode)  [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/@docStatusCode) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/@docStatusCode) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/@docStatusCode) [R  equired]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/@docStatusCode) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /@docStatusCode) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/@docStatusCode) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/@docStatusCode) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/@docStatusCode) [Optional]</p>
@docType	<p>tipo del documento cui si fa riferimento  - tipo base: string, tabella cod.: T21  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/refDoc/@docType) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/@docType) [Required]</p>
documentType	<p>tipo del documento  - tipo base: string, tabella cod.: T21  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/documentTy  pe) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/do  cumentType) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/documentType) 0-1  (XPath PEFInformationSupply/organisationDescriptor/</p>



	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/documentType) 0 -1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/externalRefDoc/documentType) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/documentType) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/documentType) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/documentType) 0-1</p>
@docValidity	<p>indicatore della validità attuale del documento  - tipo base: boolean,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/@docValidity) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/@docValidity) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/@docValidity) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/@docValidity) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/@docValidity) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/@docValidity) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/@docValidity) [Required]</p>
drop	<p>codice drop del capo di confezione  - tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1  - note: Indicare il drop qui se è unico per tutte le taglie del modello. Altrimenti indicarlo all'interno dell'elemento csRange.</p>

dyesCategory	<p>categoria di coloranti  - tipo base: integer, tabella cod.: T312  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T312.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T312.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/dyesCategory) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDescriptor/dyesCategory) 1-1</p>
@email	<p>indirizzo di posta elettronica di una persona contattata  - tipo base: string, lunghezza max: 250,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/person/@email) [Optional]</p>

	<p>(XPath PEFInformationSupply/organisationDescriptor/certificate/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/reviewerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/activityLocation/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/SRVheader/receiverParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/author/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/issuerParty/person/@email) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR</p>
--	---

	<p>efDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/author/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/person/@email) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/author/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/person/@email) [Optional]</p>
--	--



	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/InternalWastewaterTreatmentPlant/activityLocation/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@email) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty/person/@email) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/person/@email) [Optional]</p>
emptyReturnForTruck	<p>ritorno vuoto per il trasporto di camion - tipo base: boolean, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/emptyReturnForTruck) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/emptyReturnForTruck) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/emptyReturnForTruck) 0-1</p>
@encoding	<p>algoritmo di decodifica dell'oggetto binario  - tipo base: normalizedString,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/binaryObject/@encoding) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p>
encodingCode	<p>l'algoritmo di codifica / decodifica utilizzato con l'oggetto esterno (ad esempio 'base64 Binary')</p> <p>- tipo base: normalizedString,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/encodingCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/externalReference/encodingCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p>
energy	<p>Quantità di Energia misurata (prodotta o consumata, usare Wh oppure kWh) - tipo base: , (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/energy) 1-1 - note: <i>quando utilizzato per descrivere l'energia relativa a un impianto, fare riferimento alla produzione annua del medesimo. Usare Wh oppure kWh</i></p>
energySourceType	<p>tipo di sorgente di energia - tipo base: string, tabella cod.: NT320 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml</a> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energySourceType) 0-1 - note: <i>specificare queste informazioni soprattutto per le fonti rinnovabili</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/energySourceType) 0-1 - note: <i>specificare queste informazioni soprattutto per le fonti rinnovabili</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/energySourceType) 0-1 - note: <i>specificare queste informazioni soprattutto per le fonti rinnovabili</i></p>

entityID	<p>numero identificativo univoco assegnato ad una entita'.</p> <p>- tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityID)  1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity  /entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/entityID  ) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID  ) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: <i>Identificatore dell'entita'. Sono ammessi piu' valori purché riferiti alla medesima entita' secondo schemi di identificazione differenti (valore di schemeID differente)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/selfAssertionEntity/entityID) 1-3</p>
----------	--



	- note: <i>Identificatore dell'entità'. Sono ammessi piu' valori purché riferiti alla medesima entità' secondo schemi di identificazione differenti (valore di schemeID differente)</i>
entityTypeCode	<p>codice che indica il tipo di entità a cui ci si riferisce</p> <p>- tipo base: string, tabella cod.: NT201  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml</a></p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/certifiedEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/certifiedEntity/entityTypeCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/entityTypeCode) 1-1</p>
evidenceValue	<p>valore dell'indicatore specificato che costituisce evidenza del criterio</p> <p>- tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/evidenceValue) 0-1</p> <p>- note: <i>l'eventuale unità' di misura e' indicata dalla socialAccountabilityEvidenceCategory</i></p>
EWCWasteCode	<p>codice del rifiuto secondo la classificazione del Catalogo Europeo dei Rifiuti (CER ovvero EWC). Fare riferimento alla tabella NT315 o direttamente alla normativa se il codice cercato non è presente.</p> <p>- tipo base: string, lunghezza max: 9,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/EWCWasteCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/EWCWasteCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/EWCWasteCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p style="text-align: center;"><b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/EWCWasteCode) 1-1</b></p>
<p><b>@exhaustiveInformation</b></p>	<p>indica che le informazioni fornite sono garantite come esaurienti (tutte le informazioni sono citate – con le sole limitazioni dovute ai diritti di accesso-) o non esaustive (l'elenco contiene solo alcuni elementi): valore true=esaustivo</p> <p>- tipo base: boolean,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le i</p>

	<p>informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le i</p>
--	--



	<p>informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/@exhaustiveInformation) [Required]</p> <p>- nota: Se VERO il mittente garantisce come esaurienti le informazioni fornite (tutte le informazioni sono esplicitate – con le sole limitazioni dovute ai diritti di accesso-) Se FA LSO, informazioni non esaustive (elenco contiene solo alcune di quelle previste).</p>
@externaProviderIndicator	<p>indica che il prodotto viene fornito da un fornitore esterno: valore true=fornito da esterno; valore false= realizzato internamente.  - tipo base: boolean,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/@externaProviderIndicator) [Optional]</p> <p>- nota: Indicare true solo se prodotto realizzato completamente esternamente alla azienda</p>
fabric	<p>codice tessuto del capo di confezione  - tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric) 0-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1  - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1  - note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1</p>
@fax	<p>numero di fax di una persona contattata  - tipo base: string, lunghezza max: 35,  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax ) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty</p>

	<p> rty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/author/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  /person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@fax)  [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/person/@fax) [Option  al]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/p  erson/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/pers  on/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/SRVheader/receiverParty/  person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/SRVheader/senderParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@fax) [Option  al]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/per  son/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/ </p>
--	--

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/author/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@fax) [Optional]  ]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/author/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@fax) [Optional]</p>
--	---



	<p>ional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/  person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart  y/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/  person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/person/@  fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI  nformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optiona  l]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/person/@fax) [Option  al]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/is  suerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/person/@fax) [Opti  onal]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/person/  @fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax)  [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/person/@fax) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@fax) [Optional]</p>
@fibre	<p>tipo di fibra usata in un prodotto tessile  - tipo base: string, tabella cod.: T19  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  productCompos/percCompos/@fibre) [Required]</p>
fileName	<p>nome identificativo univoco del file  - tipo base: string, lunghezza max: 255,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/fileName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/fileName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/fileName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment/fileName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p>
--	--



	<p>externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/fileName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/fileName) 0-1</p>
@format	<p>formato del contenuto binario (esempio xml, pdf, doc,...)  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/binaryObject/@format) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional]</p>
formatCode	<p>il formato dell'oggetto esterno (esempio xml, pdf, doc,...)  - tipo base: normalizedString,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/externalReference/formatCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/externalReference/formatCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/externalReference/formatCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/attachment/externalReference/formatCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/formatCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/formatCode) 0-1</p>
functionalUnitDescription	<p>descrizione della unita' funzionale oggetto dello studio</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/functionalUnitDescription) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/functionalUnitDescription) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p>
@geoRefSystem	<p>sistema di georeferenziazione adottato per le coordinate (ad esempio wgs84, con gradi decimali o minuti e secondi)</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p>

	<p>efDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilit</p>
--	---



	<p>yLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoC  oordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati  on/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSyste  m) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSy  stem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@geoRefSy  stem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/  @geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoord  inates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/geoCoordinates/@  geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf  ormation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/  geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [O  ptional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optio  nal]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  organisationAddress/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinat  es/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/is  suerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geo  Coordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/ @geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoo rdinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geo RefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Option al]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/@geoRefSyste m) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@geo RefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSyste m) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLoc ation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLo cation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/ge oCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geo Coordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRef System) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>
--	--



	<p>listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/activityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/SRVheader/receiverParty/  geoCoordinates/@geoRefSystem) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/ geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional]</p>
gPart	<p>codice che specifica il tipo di componente o parte di un prodotto fashion (manica, collo, ...)</p> <p>- tipo base: string, tabella cod.: T48</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/gPart) 1-1</p>
hashFootprint	<p>impronta ottenuta applicando un algoritmo di hash</p> <p>- tipo base: string, lunghezza max: 80,</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/hashFootprint) 0-1</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/hashFootprint) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external</p>
--	--

	<p>RefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen  t/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/h  ashFootprint) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/attachment/hashFootprint) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/  hashFootprint) 0-1</p>
@hashMethod	<p>tipo algoritmo hashing utilizzato  - tipo base: string, lunghezza max: 80, tabella cod.: NT333  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hash  Footprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/attachment/hashFootprint/@hashMethod)  [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic</p>



	<p>allItem/SDSDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashF  ootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/  hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@has  hMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@hashM  ethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exte  rnalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/h  ashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  y/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Requi  red]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/attachment/hashFootprint/@hashMethod  ) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@hashMe  thod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@has  hMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/refDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/attachment/hashFootprint/@hashMethod) [Required]</p>
@hazardous	<p>qualifica di 'pericoloso' per l'oggetto a cui si riferisce (se true è pericoloso)  - tipo base: boolean,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/@hazardous) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/@hazardous) [Required]  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/@hazardous) [Required]</p>
id	<p>codice identificativo primario di una Parte; si consiglia di utilizzare un numero EORI (con @numberingOrg= "EO") o il formato: codice nazione (ISO 3166) + codice tributario</p>

	<p>nazionale (ad es. partita IVA) con @numberingOrg= "MF"  - tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/signatureInformation/signatoryParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/signatureInformation/signatoryParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/signatureInformation/signatoryParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /issuerParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/signatureInformation/signatoryParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/id  ) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor  mation/signatoryParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter  nalRefDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/issuerParty/id) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/id)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryP  arty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/issuerParty/id) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/issuerParty/id) 0-1</p>
--	---



	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/i d) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/SRVheader/receiverParty/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI nformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/supplier/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/id) 0-1</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/id) 0-1</p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/certificate/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/certifiedParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/issuerParty/id) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/id) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p>
@idQualifier	Qualificatore che distingue l'identificativo.

	<p>- tipo base: string, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/supplier/additionalIdentifier/@idQualifier ) [Optional]</p> <p>- nota: questo attributo va utilizzato nel caso che numberingOrg non sia sufficiente o a deguato a indicare la natura dell'identificatore (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/supplier/additionalIdentifier/@id Qualifier) [Optional]</p> <p>- nota: questo attributo va utilizzato nel caso che numberingOrg non sia sufficiente o a deguato a indicare la natura dell'identificatore</p>
@indirectIncluded	<p>indica che sono stati considerati anche i consumi o le emissioni o gli impatti indiretti (a d esempio i consumi energetici dei sistemi ausiliari). Valore false= solo impatti diretti, v alore true anche impatti indiretti.</p> <p>- tipo base: boolean, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo nsumptionDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/energyConsumptionDescriptor/@indirectIncluded) [Requi red]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO utputList/wasteDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/used WaterDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/wasteWaterDescriptor/@indirectIncluded) [Required ]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/wasteDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes criptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wast eWaterDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ directEmissionDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/usedWaterDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDes criptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/@indirectIncluded) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/directEmissionDescriptor/@indirectIncluded) [Re</p>

	quired]
inputMaterialCategory	<p>categoria del materiale di input</p> <p>- tipo base: string, tabella cod.: NT322</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT322.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT322.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/inputMaterialCategory) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/inputMaterialCategory) 1-1</p>
@internalEnergyProduction	<p>indica se l'energia è fornita da una produzione di energia interna (TRUE) o da una fonte esterna (ad esempio rete elettrica)</p> <p>- tipo base: boolean,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/@internalEnergyProduction) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/@internalEnergyProduction) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/@internalEnergyProduction) [Required]</p>
@internallyPerformed	<p>indica che operazione è svolta internamente (valore TRUE) all'organizzazione e non presso terzi o altro soggetto (valore FALSE)</p> <p>- tipo base: boolean,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/@internallyPerformed) [Required]</p> <p>- nota: <i>informazione relativa all'intero componente</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/@internallyPerformed) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/@internallyPerformed) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/@internallyPerformed) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/@internallyPerformed) [Required]</p> <p>- nota: <i>informazione relativa all'intero componente</i></p>
@isElectric	<p>indica se si tratta di energia elettrica (valore 'true') o termica (valore 'false'). Se assente e ci si sta riferendo a entrambe.</p> <p>- tipo base: boolean,</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/@isElectric) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc/@isElectric) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/auxSystemsConsumptionPerc/@isElectric) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/auxSystemsConsumptionPerc/@isElectric) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/@isElectric) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/@isElectric) [Required]</p>
@isStudyDataset	<p>se 'true' l'elemento a cui è associato è il dataset di uno studio da trattare come dataset binario, altrimenti è un report</p> <p>- tipo base: boolean,</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/@isStudyDataset) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/@isStudyDataset) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/@isStudyDataset) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/@isStudyDataset) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/@isStudyDataset) [Required]</p>
issuerAccreditationInfo	<p>informazioni di accreditamento dell'emittente del documento</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p>



	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/issuerParty/issuerAccreditationInfo)</p>
--	--

	<p>o) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p>
@isURL	<p>indica se l'elemento a cui si riferisce e' un URL (true) oppure no (false)  - tipo base: boolean,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p>
--	--

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfWasteWater/externalRefDoc/attachment/blockChainReference/ur  
i/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/exter  
nalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFStudyDocument/attachment/externalReference/uri  
/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  
y/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  
fDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/uri/@is  
URL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen  
t/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  
fDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen  
t/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference/uri/  
@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  
y/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= tr  
ue]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  
efDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= tr  
ue]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/  
@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  
RefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/

	<p>selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]  - nota: l'uso di URL è raccomandato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p>
--	---

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]

- nota: l'uso di URL è raccomandato  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]

	<p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: l'uso di URL è raccomandato</p>
itemID	<p>numero che contraddistingue la riga/item del documento in oggetto</p> <p>- tipo base: string, lunghezza max: 40, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/itemID) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/itemID) 0-1</p>
legalName	<p>ragione sociale</p> <p>- tipo base: string, lunghezza max: 250, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>billOfComponents/productComponent/certificate/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFStudyDocument/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/certificate/certifiedParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>socialAndEthicalSpecificInformation/certificate/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/legalName) 0-1 (XPath PEFInformationSupply/SRVheader/senderParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/</p> <p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p> <p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/SRVheader/receiverParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/legalName) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/legalName) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1</p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/legalName) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/legalName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/legalName) 0-1</p>
limitationsDescription	<p>descrizione dei limiti dello studio  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/limitationsDescription) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/limitationsDescription) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i></p>
@limitedByDisclosureIndicator	<p>indica se il contenuto è stato limitato dalla applicazione di diritti di accessibilità (cioè potrebbe non essere completo): true=limitato, false= non limitato  - tipo base: boolean,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/@limitedByDisclosureIndicator) [Optional]  - nota: <i>usare quando si vuole segnalare che il contenuto fornito è solo una parte di quanto effettivamente archiviato</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIndicator) [Optional]  - nota: <i>usare quando si vuole segnalare che il contenuto fornito è solo una parte di quanto effettivamente archiviato</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/@limitedByDisclosureIndicator) [Optional]</p>

	<p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito è solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/@limitedByDisclosureIndicator) [Optional]</p> <p>- nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di quanto effettivamente archiviato</p>
--	---

	<p><i>anto effettivamente archiviato</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/@limitedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/@limitedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/@limi  tedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/@limite  dByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/@limitedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/@limitedByDisclosureIndicat  or) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito è solo una parte di qua  nto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/@li  mitedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/@limitedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/@limitedByDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/@limitedB  yDisclosureIndicator) [Optional]  - nota: usare quando si vuole segnalare che il contenuto fornito e' solo una parte di qu  anto effettivamente archiviato</p>
<p>@listName</p>	<p>il nome della lista di codici usati per istanziare l'elemento (può avere intento descrittivo  , p.es. 'tecnologie di stampa', oppure non averlo, ad es. 'T264')  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional  ]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/rawCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/rawCode/color/@listName) [Optional]</p>

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/c olor/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/pat tern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod e/garmentCodeB/artGroup/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/art /@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/pattern/@listName) [Option al]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/yarnCode/color/@listName) [Option al]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod e/garmentCodeA/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/g armentVariant/variantCode/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p>
--	--



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/yarnCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional]</p>
--	--

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/acsCode/pattern/@listName) [Op tional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/texCode/art/@listName) [Option al]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Op tional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/ar t/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/rawCode/art/@listName) [Optio nal]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/acsCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Opti onal]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"</p>
--	--

	<p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/texCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/color/@lis  tName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/  @listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/acsCode/art/@listName) [Opti  onal]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/  @listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@list  Name) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/yarnCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/acsCode/color/@listName) [Opt  ional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/acsCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fa  bric/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p> <p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/</p>
--	---



	<p><b>@listName) [Optional]</b>  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/acsCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/size/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional]</p> <p>]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/texCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/texCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/art/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/pattern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
--	---

	<p><i>rg</i>"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/yarnCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listName)  [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPart  Code/fabric/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listName) [O  ptional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/si  ze/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [O  ptional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/m  od/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName)  [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [O  ptional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg</i>"</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/refDoc/season/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
--	---

	<p>rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/fabric/@listName) [Optional  ]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@listNa  me) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod  e/garmentCodeB/garmentVariant/variantCode/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  A/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCod  e/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/col  or/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentCode/garmentCodeB/drop/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/mod/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType  /@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/color/@listName) [  Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/ar  t/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/art/  @listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO</p>
--	---

	<p><i>rg"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@list  Name) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@list  Name) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/c  olor/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/garmentVariant/variantType/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName)  [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/pattern/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/garmentVariant/variantCode/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@list  Name) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/rawCode/color/@listName) [Opt  ional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/fabric/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listN  ame) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@lis  tName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  <i>rg"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/color/@listName) [Optional]</p>
--	---



	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/rawCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/fabric/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/texCode/color/@listName) [Opti  onal]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/pat  tern/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod  e/garmentCodeB/drop/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Option  al]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Option  al]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/color/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod  e/garmentCodeB/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/art/@listName) [Op  tional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod</p>
--	--

	<p>e/garmentCodeB/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---



	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/yarnCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode/art/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg"</p>
@listVersion	<p>specifica la versione della lista di codici usati per istanziare l'elemento</p> <p>- tipo base: string, lunghezza max: 6,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/art/@listVersion) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod e/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod e/garmentCodeB/artGroup/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod e/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/art/ @listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/col or/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/ar tGroup/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/si ze/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName"</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional]</p>
--	---



	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion ) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/refDoc/season/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/color/@listVersion) [Optional]</p>
--	---

	<p>billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/size/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/size/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@listVersion) [Optional]</p>
--	---



	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/acsCode/pattern/@listVersion) [Optional ]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/g armentVariant/variantCode/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/texCode/color/@listVersion) [O ptional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingOrg" e "listName"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p>
--	--

	<p>ication/acsCode/pattern/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/acsCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/texCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/rawCode/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/yarnCode/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/yarnCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/  @listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/game  ntVariant/variantType/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/  @listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/  @listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/game  ntVariant/variantCode/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGro  up/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/  @listVersion) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/ @listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@listVe rsion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/acsCode/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion ) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion ) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersio n) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantType/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode B/garmentVariant/variantCode/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName"</p>
--	---

	<p><i>rg</i>" e "<i>listName</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/fabric/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/color/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/drop/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Option  al]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  A/art/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/size/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/artGroup/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/mod/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion)  [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@list  Version) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersio  n) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCod  e/@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType  /@listVersion) [Optional]  - nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO  rg" e "listName"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Option  al]</p>
--	--



	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/refDoc/season/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/size/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/drop/@listVersion) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato sempre in abbinamento a "numberingO rg" e "listName"</p>
@ln	<p>Codice lingua.</p> <p>- tipo base: string, tabella cod.: NT60 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml</a> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/ description/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exte rnalRefDoc/title/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wast eWaterDescriptor/description/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/rawCode/description/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exte rnalRefDoc/description/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/selfAssertionEntity/description/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/title/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/description/@ln) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	---



	<p>mentDescriptor/certificate/certifiedEntity/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/title/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description/@In) [Optional]</p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/texCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/wasteWaterDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/yarnCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/rawCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/rawCode/description/@In) [Optional]</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/texCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/certifiedEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/acsCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeA/descriptio</p>
--	---

	<p>n/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  certificate/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  certificate/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/limitationsDescription/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/allocationsDescription/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/systemBoundariesDescription/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>indica la lingua usata nel testo</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/refProductFunctionalUnit/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/dataQualityDescription/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/systemBoundariesDescription/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/functionalUnitDescription/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/dataQualityDescription/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/allocationsDescription/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/limitationsDescription/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/publishableAbstract/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/functionalUnitDescription/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/publishableAbstract/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableAbstract/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedEntity/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/publishableAbstract/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/title/@In) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]  ]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/description/@In) [Optional]</p>
--	---



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDescriptor/description/@In) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/billOfChemical/dyesDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/d  escription/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/directEmissionDescriptor/description/@In) [Optio  nal]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/energyConsumptionDescriptor/description/@In) [Optional  ]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/wasteDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/chemicalItem/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic  allItem/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/energySupplyDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo  nsumptionDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/description/@In) [  Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/descrip  tion/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/used  WaterDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/sustainabilityChar  acteristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	---



	<p>mentDescriptor/billOfWaste/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/title/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/sustainabilityCharact  eristicText/@In) [Optional]  - nota: <i>indica la lingua usata nel testo</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/description/@In) [Opti  onal]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/wasteWaterDescriptor/description/@In) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/description/@In) [Optional]</p>
location	<p>specificazione di luogo. Può essere rappresentato da un codice identificativo (preferibil  e) o un breve testo (sconsigliato). Ad esempio un codice GS1-GLN, che richiede di as  segnare il valore "GLN" all'attributo@LRI.  - tipo base: string, lunghezza max: 128,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL  ocation/location) 1-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/facilityLocation/location) 1-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/facilityLocation/location) 1-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/facilityLocation/location) 1-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLoc  ation/location) 1-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/loc  ation) 0-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  location) 0-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/facilityLocation/location) 1-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/location) 0-1  - note: <i>Usa questo elemento solo per indicare un codice identificativo di questo luogo.</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste</p>

	<p>Water/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/location) 1-1</p> <p>- note: Usa questo elemento solo per indicare un codice identificativo di questo luogo.</p>
@logo	<p>logo aziendale (URL dell'immagine in formato jpg o gif). Si raccomanda che l'immagine non ecceda i 640 pixel di larghezza.</p> <p>- tipo base: string, lunghezza max: 255, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/@logo) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/supplier/@logo) [Optional]</p>
@LRI	<p>emittente dell'identificatore (o sistema di identificazione) di una località.</p> <p>- tipo base: string, tabella cod.: NT3 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml</a> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/location/@LRI) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/location/@LRI) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/location/@LRI) [Optional]</p>
machineryName	<p>denominazione del macchinario  - tipo base: string, lunghezza max: 50,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/machineryName) 1-1</p>
manufacturingOperationCode	<p>tipo di singola operazione manifatturiera</p>

	<p>- tipo base: string, tabella cod.: T305  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/manufacturingO  perationCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/manufacturingOperationCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/manufacturingOperationCode) 1-1</p>
@materialSource	<p>Indica se il materiale è vergine oppure proviene da processi di riciclo o riuso  - tipo base: string, tabella cod.: T306  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T306.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T306.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  productCompos/percCompos/@materialSource) [Optional]</p>
maximumIroningTemperature	<p>temperatura massima di stiraggio, secondo BS EN 23758: 1994 Tessili - Codice di etic  hettatura per la cura tramite simboli  - tipo base: decimal,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/maximumI  roningTemperature) 0-1</p>
maximumWashingTemperature	<p>temperatura massima di lavaggio, secondo BS EN 23758: 1994 Tessili - Codice di etic  hettatura per la cura tramite simboli  - tipo base: decimal,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/maximum  WashingTemperature) 0-1</p>
@mime	<p>tipo mime dell'oggetto binario  - tipo base: normalizedString,  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy  y/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bi  naryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/attachment/binaryObject/@mime) [O  ptional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binary  Object/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/attachment/binaryObject/@mime) [Optio  nal]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@mim  e) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---



	<p>billOfComponents/productComponent/certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/binaryObject/@mime) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p>
mimeCode	<p>tipo mime dell'oggetto esterno  - tipo base: normalizedString,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference /mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference /mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmiss ions/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/ mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/exter nalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/e xternalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/refDoc/attachment/externalRefer ence/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalRefer ence/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fUsedWater/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Pr actice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/certificate/attachment/externalReference/mimeCode) 0-1 Bes t Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/atta chment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ certificate/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/ex ternalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/ex ternalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment/externalReference/mimeCode) 0- 1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWaste/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalR eference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/exte rnalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/externalReferen ce/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attach ment/externalReference/mimeCode) 0-1 Best Practice (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalRefer</p>
--	---

	<p><b>ence/mimeType) 0-1 Best Practice</b>  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/externalReference/mimeType)</p> <p><b>0-1 Best Practice</b>  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/  treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/  mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/ch  emicalltem/SDSDoc/attachment/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO  fWasteWater/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best P  ractice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFStudyDocument/attachment/externalReference/mimeType) 0-1 Best Pra  ctice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/exter  nalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/  treatmentDescriptor/billOfComponents/productComponent/selfAssertion/extern  alRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerfor  mance/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/  treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalR  eference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfA  ssertion/externalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practic  e</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/ext  ernalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/exter  nalRefDoc/attachment/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/  treatmentDescriptor/billOfComponents/productComponent/certificate/attachmen  t/externalReference/mimeType) 0-1 Best Practice</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attach  ment/externalReference/mimeType) 0-1 Best Practice</p>
mod	<p>codice modello del capo di confezione  - tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentPartCode/mod) 1-1</p> <p>- note: <i>nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap  o intero</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/mod) 1-1</p> <p>- note: <i>nel caso di un componente, dovrebbe essere lo stesso codice assegnato al cap  o intero</i>  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/m  od) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentCode/garmentCodeB/mod) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/garmentPartCode/mod) 1-1</p>



	<p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentCode/garmentCodeB/mod) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/mod) 1-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentPartCode/mod) 1-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/mod) 1-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod) 1-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/mod) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentPartCode/mod) 1-1</p> <p>- note: nel caso di un componente, dovrebbe essere lo stesso codice assegnato al capo intero (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod) 1-1</p>
msgDate	<p>data di emissione del presente messaggio (documento xml), espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)</p> <p>- tipo base: string, (XPath PEFInformationSupply/SRVheader/msgDate) 0-1</p>
msgID	<p>chiave identificativa univoca del documento di business nel sistema informativo della Parte emittente. Mantiene il medesimo valore In caso di più spedizioni del medesimo documento di business.</p> <p>- tipo base: string, lunghezza max: 35, (XPath PEFInformationSupply/SRVheader/msgID) 0-1</p>
note	<p>nota in testo libero o strutturata (computer processing). Per strutturare la nota si devono usare gli attributi "noteLabel" e "codelist"</p> <p>- tipo base: string, lunghezza max: 350, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFStudyDocument/ProductIdentification/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/note  ) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDes  criptor/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/note) 0-  9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantIn  putList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryDat  a/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/note) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/note) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  certificate/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/refProductFunctionalUnit/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  directEmissionDescriptor/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/note) 0-0  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/usedWaterDescriptor/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic  alltem/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/note) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR</p>
--	--

	<p>efDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material  Descriptor/transportImpactPrimaryData/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material  Descriptor/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/note) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif  ication/note) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit  /note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/  note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportI  mpactPrimaryData/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/chemicalItem/note) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/note) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/note  ) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/note) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/note) 0-  9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/no  te) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/note) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/note) 0-99</p>
--	---

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfWasteWater/note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDe  
scriptor/note) 0-9

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note) 0-99

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/certificate/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  
nalRefDoc/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/externalRefDoc/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/dyesDescriptor/note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
assessmentStudyDocument/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/note)  
0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
processStepsList/processStep/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  
externalRefDoc/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  
note) 0-9

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/  
externalRefDoc/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wast  
eWaterDescriptor/note) 0-9

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/  
energyConsumptionDescriptor/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo  
nsumptionDescriptor/note) 0-99

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  
wasteDescriptor/note) 0-9

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/  
note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  
fDoc/note) 0-99

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfUsedWater/note) 0-9

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  
Water/externalRefDoc/note) 0-99

(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  
Water/note) 0-9

(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/note) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/note) 0-9 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note) 0-9 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note) 0-9 (XPath PEFInformationSupply/organisationDescriptor/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note) 0-99 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/note) 0-9 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note) 0-9 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/note) 0-9 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note) 0-9 (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	listOfFacilities/facilityDescriptor/assessmentStudyDocument/note) 0-99
@noteLabel	<p>qualificatore dell'argomento di una nota  - tipo base: string, lunghezza max: 35,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel) [Optional]</p>



- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wast  
eWaterDescriptor/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/note/@n  
oteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFStudyDocument/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
ProductIdentification/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  
e/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/note/@noteLabel) [Optiona  
l]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfWasteWater/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/note/@no  
teLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/refProductFunctionalUnit/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  
Water/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  
nalRefDoc/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFStudyDocument/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySu  
pplyDescriptor/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  
externalRefDoc/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/organisationDescriptor/  
certificate/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
processStepsList/processStep/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  
e/externalRefDoc/note/@noteLabel) [Optional]

- nota: *deve usarsi per qualificare l'argomento della nota*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  
efDoc/note/@noteLabel) [Optional]

	<p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/note/@note Label) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportI mpactPrimaryData/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/note /@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/no te/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/note/@ noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/ note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/note/@note Label) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDe scriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/note/@not eLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes</p>
--	--



	<p>criptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>socialAndEthicalSpecificInformation/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic alltem/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/note/@noteLabel) [O ptional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ directEmissionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/dyesDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@not eLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO utputList/wasteDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material Descriptor/transportImpactPrimaryData/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/note/@noteLabel) [O ptional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/note/@ noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i></p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>deve usarsi per qualificare l'argomento della nota</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/note/@noteLabel) [Optional]</p> <p>- nota: deve usarsi per qualificare l'argomento della nota (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: deve usarsi per qualificare l'argomento della nota (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/note/@noteLabel) [Optional]</p> <p>- nota: deve usarsi per qualificare l'argomento della nota (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: deve usarsi per qualificare l'argomento della nota</p>
@numberingOrg	<p>organizzazione che ha creato la codifica o immatricolazione in oggetto</p> <p>- tipo base: string, tabella cod.: NT6 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml</a> (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentPartCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---



	<p>PEFStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..) (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p style="text-align: center;"><b>assessmentStudyDocument/note/@numberingOrg) [Optional]</b></p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/additionalIdentifier/@numberingOrg) [Optional]</p> <p>- nota: qui deve specificarsi il soggetto che ha assegnato il codice</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p>
--	--



	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/fi leName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/note/@ numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (  es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/added/@numberingOrg) [O ptional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Opt ional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg) [O ptional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg) [  Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/art/@numberingOrg) [Optional]</p>
--	---

	<p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect</p>
--	---

	<p>Emissions/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/organisationDescriptor/  certificate/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/added/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/color/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  ]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/art/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/art/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/docID/@numberingOrg) [Optional]  ]  - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/refProductFunctionalUnit/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/rawCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDes criptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/note/@numbering Org) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/col or/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/ad ded/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO utputList/wasteDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/id/@n umberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPart Code/mod/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPart Code/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/attachment/fileName/@numb eringOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/ad ded/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/SRVheader/receiverParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  certificate/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/</p>
--	--



	<p><b>@numberingOrg</b> [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/id/  <b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/fileName/<b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/<b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/added/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/note/<b>@numberingOrg</b>) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/note/<b>@numberingOrg</b>) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/<b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/id/<b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/<b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/color/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/added/<b>@numberingOrg</b>) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/<b>@numberingOrg</b>) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/dyesDescriptor/note/<b>@numberingOrg</b>) [Optional]</p>
--	--

	<p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste</p>
--	--



	<p><b>Water/externalRefDoc/note/@numberingOrg) [Optional]</b>  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/yarnCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/texCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "</p>
--	--

	<p><i>listName</i>" e "<i>listVersion</i>"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: <i>qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/size/@numberingOrg) [Optional]  - nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg) [Optional]  - nota: <i>deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/added/@numberingOrg)</p>
--	--

	<p>rg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]</p>
--	--

	<p><b>mberingOrg) [Optional]</b>  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/id/@n  umberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/added/@numberingOrg) [Optio  nal]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/@numberingOrg) [Op  tional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/id/@numberingOrg)  [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i  n "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numeri  ngOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/color/@numberingOrg) [Option  al]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i  n "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/acsCode/pattern/@numberingOrg) [Opti  onal]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentPartCode/mod/@numberingOrg  ) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>
--	--



	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/season/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed</p>
--	--

	<p>Water/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart  y/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/usedWaterDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i  n "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentCode/garmentCodeB/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/fileName/@numberin  gOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg) [Optiona  l]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i  n "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati  on/garmentPartCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "  listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati</p>
--	--



	<p>on/texCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/additionalIdentifier/@numberingOrg) [Optional]  - nota: qui deve specificarsi il soggetto che ha assegnato il codice  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optio nal] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentCode/garmentCodeB/added/@n umberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/@numberingOrg) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/attachmen t/fileName/@numberingOrg) [Optional] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/ @numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/garmentCode/garmentCodeB/size/@nu mberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@nu mberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati i n "noteLabel" (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion" (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/docID/@n umberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento (  es.: del Cliente, del Fornitore, ..) (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/art/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode</p>
--	--

	<p>B/garmentVariant/variantCode/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/filename/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p>
--	--



	<p>ication/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/reviewerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/dyesDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/note/@numberingOrg) [Optional]</p>
--	---

	<p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg) [Optional]</p>
--	--



	<p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/rawCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/yarnCode/@numberingOrg) [Optional] [Default= CL]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/texCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ...)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p>
--	--

	<p>nal]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/@numberingOrg) [Optional] [Default= CL]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in</p>
--	---



	<p><i>n "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/art/ @numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/rawCode/color/ @numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/fileName/ @numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/note/ @numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/id/ @numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/id/ @numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/note/ @numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/note/ @numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/ @numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/id/ @numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/note/ @numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/docID/ @numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/note/ @numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/note/ @numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/id/ @numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ...)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ...)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]  - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/id/@numberingOrg) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/color/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/docID/@numberingOrg) [Optional] - nota: qui si può specificare quale numerazione è usata per identificare il documento ( es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/added/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/note/@numberingOrg) [Optional] - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "noteLabel"</p>
--	--

	<p><i>n "noteLabel"</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/id/@numberingOrg) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional]  - nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "<i>listName</i>" e "<i>listVersion</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "<i>noteLabel</i>"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]  - nota: deve usarsi per esplicitare la organizzazione che creato la lista dei codici usati in "<i>noteLabel</i>"</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/acsCode/color/@numberingOrg ) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCod e/garmentCodeB/size/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/yarnCode/added/@numberingO rg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/ar tGroup/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryPa rty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/texCode/added/@numberingOr g) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/si ze/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con " listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (  es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ..)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p>
--	--



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>qui si può specificare quale numerazione è usata per identificare il documento (es.: del Cliente, del Fornitore, ...)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/@numberingOrg) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional]</p> <p>- nota: <i>questo attributo dovrebbe essere usato o singolarmente o in abbinamento con "listName" e "listVersion"</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p>
objectTypeCode	<p>codice che identifica il tipo di oggetto</p> <p>- tipo base: string, tabella cod.: T302</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/objectTypeCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/objectTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/objectTypeCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/objectTypeCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/objectTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/objectTypeCode) 1-1</p>
packageText	<p>denominazione del tipo di collo di trasporto (testo)</p> <p>- tipo base: string, lunghezza max: 80,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/packagingImpactPrimaryData/packageText) 1-1</p> <p>- note: <i>tipo di imballaggio e relativo materiale</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImpactPrimaryData/packageText) 1-1</p> <p>- note: <i>tipo di imballaggio e relativo materiale</i></p>
@part	<p>frazione percentuale</p> <p>- tipo base: decimal, min incluso: 1, max incluso: 100, cifre decimali: 2,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/activityLocation/@part) [Optional] [Default= 100]</p> <p>- nota: <i>percentuale di attività svolta presso la location</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/@part) [Optional] [Default= 100]</p> <p>- nota: <i>percentuale di attività svolta presso la location</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/@part) [Optional] [Default= 100]</p> <p>- nota: <i>frazione del totale che segue questo percorso (o gruppo di percorsi);</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/@part) [Optional] [Default= 100]</p> <p>- nota: frazione del totale che segue questo percorso (o gruppo di percorsi); (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di acque reflue in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100% (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di rifiuto in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100%. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/@part) [Optional] [Default= 100]</p> <p>- nota: percentuale di attività svolte presso la location (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di acque reflue in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100% (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/@part) [Optional] [Default= 100]</p> <p>- nota: frazione del totale che segue questo percorso (o gruppo di percorsi); (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di acque reflue in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100% (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di rifiuto in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100%. (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di rifiuto in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100%. (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@part) [Optional]</p> <p>- nota: Indica la quota di rifiuto in percentuale destinata a questo trattamento (riferita a unità misura di relatedQuantity), se assente si assume sia 100%.</p>
pattern	<p>codice del disegno, quando non incluso nel codice articolo</p> <p>- tipo base: string, lunghezza max: 15, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/acsCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/texCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/acsCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/ProductIdentification/texCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ ProductIdentification/acsCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/ProductIdentification/texCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/texCode/pattern) 0-1</p>



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/acsCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/texCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p>
PEFCRCategory	<p>categoria PEFCR, per esempio 'APPAREL and FOOTWEAR'</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/refProductFunctionalUnit/PEFCRCategory) 1-1</p> <p>- note: <i>utilizzare 'APPAREL and FOOTWEAR'</i></p>
PEFCRSubCategory	<p>sotto categoria PEFCR</p> <p>- tipo base: string, tabella cod.: NT321</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT321.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT321.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/refProductFunctionalUnit/PEFCRSubCategory) 1-1</p>
PEFLifeCyclePhase	<p>PEF life cycle phase (è un raggruppamento di primo livello delle attività analizzate dal PEF; ogni gruppo include più operazioni di produzione o altre attività come 'distribuzione')</p> <p>- tipo base: string, tabella cod.: T308</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFLifeCyclePhase) 1-1</p> <p>- note: <i>Deve essere indicata la persona di contatto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFLifeCyclePhase) 1-1</p> <p>- note: <i>Deve essere indicata la persona di contatto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFLifeCyclePhase) 1-1</p> <p>- note: <i>Deve essere indicata la persona di contatto</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/PEFLifeCyclePhase) 0-6</p> <p>- note: <i>iindica a quali fasi del ciclo di vita è rivolto lo studio; quando omesso si intende l'intero ciclo di vita.</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/PEFLifeCyclePhase) 0-6</p> <p>- note: <i>iindica a quali fasi del ciclo di vita è rivolto lo studio; quando omesso si intende l'intero ciclo di vita.</i></p>
percCompos	<p>peso percentuale della fibra nella composizione del prodotto</p> <p>- tipo base: decimal, min incluso: 0, max incluso: 100, cifre decimali: 2,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/productCompos/percCompos) 1-99</p>
@percSourcesRenewable	<p>indica la percentuale di sorgenti rinnovabili</p> <p>- tipo base: decimal,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/productCompos/percCompos/@percSourcesRenewable) [Optional]</p> <p>- nota: <i>utilizzare solo per materiale vergine</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable) [Optional]  - nota: percentuale di energia rinnovabile calcolata sul totale di energia dell'elemento e energySupplyDescriptor a cui appartiene  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable) [Optional]  - nota: percentuale di energia rinnovabile calcolata sul totale di energia dell'elemento e energySupplyDescriptor a cui appartiene  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable) [Optional]  - nota: percentuale di energia rinnovabile calcolata sul totale di energia dell'elemento e energySupplyDescriptor a cui appartiene</p>
person	<p>nome di una persona (ad esempio persona di riferimento all'interno di una organizzazione)  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/person) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect</p>

	<p>Emissions/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/  person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si  gnatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/SRVheader/receiverParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/supplier/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/person) 0  -1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/per  son) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>certificate/certifiedParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/per  son) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat  ion/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/perso  n) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI  nformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart  y/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/certifiedParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/perso  n) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/person) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty/person) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/person) 1-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/issuerParty/person) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/person) 0-1</p>
@phone	<p>numero di telefono di una persona contattata  - tipo base: string, lunghezza max: 35,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/author/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p>



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/SRVheader/receiverParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@ph</p>
--	---



	<p>one) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/per  son/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/  person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf  ormation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/per  son/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/person/@phone) [O  ptional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/person/@phone) [Opt  ional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart  y/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/person/@phone) [  Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/supplier/person/@phone) [Optio  nal]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@phone) [Option  al]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryP  arty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/  person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>certificate/certifiedParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/author/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/author/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]  (XPath PEFInformationSupply/SRVheader/senderParty/person/@phone) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@phone) [Optional]</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/person/@phone) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/certifiedParty/person/@phone) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/perso n/@phone) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/issuerParty/person/@phone) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/issuerParty/person/@phone) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/issuerParty/person/@phone) [Optional] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/perso n/@phone) [Optional]</p>
platformServiceCode	<p>codice del servizio disponibile - tipo base: string, tabella cod.: TRK01 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml</a> (XPath PEFInformationSupply/SRVheader/platformServiceReference/platformService Code) 1-1</p>
postCode	<p>codice postale - tipo base: string, lunghezza max: 10, (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0- 1 (XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exte rnalRefDoc/issuerParty/postCode) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/postC ode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/issuerParty/postCode) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/facilityLocation/postCode) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/postCode) 0-1</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/selfAssertion/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  organisationAddress/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/postCode) 0-1</p>
--	--



	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facili tyLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/post Code) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externa lRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart y/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/facilityLocation/postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ postCode) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>
--	--



	<p>socialAndEthicalSpecificInformation/certificate/certifiedParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  facilityLocation/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/po  stCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si  gnatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL  ocation/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/f  acilityLocation/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLoc  ation/postCode) 0-1  (XPath PEFInformationSupply/SRVheader/receiverParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/is  suerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/certifiedParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat</p>
--	--

	<p>ion/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/  postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/postCo  de) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf  ormation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/post  Code) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/post  Code) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/postCode) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/signatureInformation/signatoryParty/postCode) 0-1</p>
processStepID	<p>identificatore interno della singola operazione manifatturiera necessaria per produrre il  prodotto  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/processStepID) 1-1  - note: <i>identificatore interno della singola operazione manifatturiera</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/processStepID)  1-1  - note: <i>identificatore interno della singola operazione manifatturiera</i></p>
prodServName	<p>è la descrizione del prodotto o servizio che completa o surroga la sua codifica  - tipo base: string, lunghezza max: 100,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/refProductFunctionalUnit/prodServName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit  /prodServName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/  prodServName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantIn  putList/wasteWaterPlantInputDescriptor/materialDescriptor/prodServName) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/prodServNa</p>

	<p>me) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/prod  ServName) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material  Descriptor/prodServName) 1-1</p>
productReferenceQty	<p>quantità netta di riferimento del prodotto  - tipo base: decimal, min incluso: 0, cifre decimali: 2,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/used  WaterDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia'  nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimar  yDataSet)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantIn  putList/wasteWaterPlantInputDescriptor/materialDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in un descrittore in cui è g  ia' nota la quantita' della l'unita' funzionale di riferimento (ad esempio PEFProductionP  rimaryDataSet)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/productReferenceQty) 0-1 Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott  o/materiale  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO  fWaste/wasteDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'  dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wast  eDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'  dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO  fWasteWater/productReferenceQty) 0-1 Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott  o/materiale  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO  fEnergy/energyConsumptionDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'  dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet) o e' riferito ad una facil  ity  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/prod  uctReferenceQty) 0-1 Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott  o/materiale  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPI  antOutputList/wasteDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'  dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater  /wasteWaterDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'  dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/productRefer  enceQty) 0-1  - note: quando la quantita' è riferita ad un'attività ANNUALE globale di uno stabilimento indicare la prod  uzione ANNUALE dell'impianto se non è possibile stimare in maggior dettaglio  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO  fWasteWater/wasteWaterDescriptor/productReferenceQty) 0-1  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'  dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p><b>PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omesso se è contenuto in una distinta in cui è già nota la quantità dell'unità funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/productReferenceQty) 1-1</b>  - note: quantità di prodotto utilizzata come riferimento per calcolare la Unita' Funzionale usata per il calcolo degli impatti  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/productReferenceQty) 1-1</b>  - note: quantità di prodotto utilizzata come riferimento per calcolare la Unita' Funzionale usata per il calcolo degli impatti  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omesso se è contenuto in una distinta in cui è già nota la quantità dell'unità funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omesso se è contenuto in una distinta in cui è già nota la quantità dell'unità funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet) o e' riferito ad una facility  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---

	<p><b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott o/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>billOfComponents/productReferenceQty) 0-1</b>  - note: se indicato, tutte le quantita' indicate in productComponent sono relative alla realizzazione di qu esta quantita' di prodotto.  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/pr oductReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott o/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/productRefere nceQty) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet) o e' riferito ad una facil ity  (XPath PEFInformationSupply/organisationDescriptor/  <b>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fUsedWater/usedWaterDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunction alUnit/productReferenceQty) 1-1</b>  - note: quantita' di prodotto utilizzata come riferimento per calcolare la Unita' Funzionale' usata per il ca lcolo degli impatti  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmiss ions/directEmissionDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/ productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott o/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfEnergy/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantita' di prodott o/materiale  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/refProductFunctionalUnit/productReferenceQty) 1-1</b>  - note: quantita' di prodotto utilizzata come riferimento per calcolare la Unita' Funzionale' usata per il ca lcolo degli impatti  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/productReferenceQt y) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita' dell'unita' funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfComponents/productReferenceQty) 0-1</b>  - note: se indicato, tutte le quantita' indicate in productComponent sono relative alla realizzazione di qu esta quantita' di prodotto.  (XPath PEFInformationSupply/TRCPProductSimplifiedForPEF/  <b>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/ treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/productReference Qty) 0-1</b>  - note: questo elemento puo' essere omissso se è contenuto in una distinta in cui è gia' nota la quantita'</p>
--	--



	<p>dell'unità funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento può essere omesso se è contenuto in una distinta in cui è già nota la quantità dell'unità funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/productReferenceQty) 0-1</b> Best Practice  - note: quando presente ogni dato di input/output contenuto fa riferimento a questa quantità di prodotto/materiale  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/productReferenceQty) 0-1</b>  - note: questo elemento può essere omesso se è contenuto in un descrittore in cui è già nota la quantità della l'unità funzionale di riferimento (ad esempio PEFProductionPrimaryDataSet)</p>
@progr	<p>numero progressivo nella sequenza  - tipo base: positiveInteger, min incluso: 1,  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/@progr) [Required]</b>  - nota: Indica la sequenza di operazioni necessarie a realizzare il prodotto. Nel caso di operazioni ripetute assegnare valori diversi di progr.  <b>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/@progr) [Required]</b>  - nota: Indica la sequenza di operazioni necessarie a realizzare il prodotto. Nel caso di operazioni ripetute assegnare valori diversi di progr.</p>
@propulsionSystemCode	<p>tipo di sistema di propulsione  - tipo base: string, tabella cod.: NT324  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT324.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT324.xml</a>  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/transMeans/@propulsionSystemCode) [Optional]</b>  - nota: indica il tipo di propulsione del mezzo di trasporto  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/transMeans/@propulsionSystemCode) [Optional]</b>  - nota: indica il tipo di propulsione del mezzo di trasporto  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/transMeans/@propulsionSystemCode) [Optional]</b>  - nota: indica il tipo di propulsione del mezzo di trasporto</p>
publishableAbstract	<p>sommario pubblicabile dello studio  - tipo base: string,  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/publishableAbstract) 0-99</b>  - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)  <b>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract) 0-99</b>  - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)  <b>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableAbstract) 0-99</b>  - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)  <b>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/publishableAbstract) 0-99</b>  - note: Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</p>

	<p>gua)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/publishableAbstract) 0-99  - note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'ln' (lingua)</i></p>
qty	<p>quantità netta dell'articolo o dell'oggetto correlato, qualificata dalla funzione del documento e dal contesto  - tipo base: decimal, min incluso: 0, cifre decimali: 2,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/qty) 0-2  - note: <i>tale valore è riferito all'unità di misura del prodotto dichiarato in billOfcomponents</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/qty) 0-2  - note: <i>tale valore è riferito all'unità di misura del prodotto dichiarato in billOfcomponents</i></p>
@recyclingProcessEfficiency	<p>valore di efficienza del processo di riciclaggio (percentuale calcolata sul peso)  - tipo base: decimal, min incluso: 0, max incluso: 100,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency) [Optional]  - nota: <i>Indica efficienza del processo di riciclaggio del rifiuto</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency) [Optional]  - nota: <i>Indica efficienza del processo di riciclaggio del rifiuto</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency) [Optional]  - nota: <i>Indica efficienza del processo di riciclaggio del rifiuto</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  productCompos/percCompos/@recyclingProcessEfficiency) [Optional]  - nota: <i>efficienza del processo dichiarata dal fornitore della fibra</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency) [Optional]  - nota: <i>Indica efficienza del processo di riciclaggio del rifiuto</i></p>
@recyclingProcessMethod	<p>metodo del processo di riciclo  - tipo base: string, tabella cod.: T307  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T307.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T307.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  productCompos/percCompos/@recyclingProcessMethod) [Optional]  - nota: <i>utilizzare solo per materiale non vergine</i></p>
@referenceYear	<p>anno di riferimento per l'elemento a cui è associato  - tipo base: positiveInteger,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/activePower/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageWashingNumber/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo</p>



	<p>consumptionDescriptor/energy/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/used  WaterDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/energySupplyDescriptor/activePower/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/waste  WaterDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySu  pplyDescriptor/energy/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/energyConsumptionDescriptor/energy/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDes  criptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/usedWaterDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  directEmissionDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/wasteWaterDescriptor/declaredQty/@referenceYear  ) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes  criptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/energySupplyDescriptor/energy/@referenceYear) [Option  al]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/declaredQty  /@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy  /energySupplyDescriptor/activePower/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo  nsumptionDescriptor/activePower/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@referen  ceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantIn  putList/wasteWaterPlantInputDescriptor/materialDescriptor/declaredQty/@referenceY  ear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  wasteDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy  /energyConsumptionDescriptor/energy/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material  Descriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySu  pplyDescriptor/activePower/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	---

	<p>mentDescriptor/billOfWaste/wasteDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageReferenceProductLifeTime/@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageProductLifetime/@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@referenceYear) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@referenceYear) [Optional]</p>
@releasedOn	<p>indica le possibili destinazioni delle emissioni dirette a cui è associato  - tipo base: string, tabella cod.: NT317  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/@releasedOn) [Required]  - nota: quando si utilizza l'attributo considerare il valore 'terreno' solo per Fibre animali, Fibre vegetali, Fibre sintetiche  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/@releasedOn) [Required]  - nota: quando si utilizza l'attributo considerare il valore 'terreno' solo per Fibre animali, Fibre vegetali, Fibre sintetiche  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/@releasedOn) [Required]  - nota: quando si utilizza l'attributo considerare il valore 'terreno' solo per Fibre animali, Fibre vegetali, Fibre sintetiche  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/@releasedOn) [Required]  - nota: quando si utilizza l'attributo considerare il valore 'terreno' solo per Fibre animali, Fibre vegetali, Fibre sintetiche</p>
reviewDate	<p>data di completamento della review del documento, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewDate) 0-1</p>
@role	<p>qualificatore del ruolo della Terza Parte  - tipo base: string, tabella cod.: NT2  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml</a>  (XPath PEFInformationSupply/SRVheader/receiverParty/@role) [Optional]  - nota: L'uso di questo attributo è obbligatorio quando l'elemento a cui e' associato ha come padre TRCHeader.  (XPath PEFInformationSupply/SRVheader/senderParty/@role) [Optional]  - nota: L'uso di questo attributo è obbligatorio quando l'elemento a cui e' associato ha come padre TRCHeader</p>
routeLength	lunghezza di un percorso

	<p>- tipo base: decimal, min incluso: 0, cifre decimali: 2, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material Descriptor/transportImpactPrimaryData/routeLength) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO utputList/wasteDescriptor/routeLength) 0-1</p> <p>- note: <i>lunghezza del percorso effettuato per portare al trattamento finale il rifiuto (pref eribile unita' di misura in chilometri)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportI mpactPrimaryData/routeLength) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/routeLength) 0-1</p> <p>- note: <i>lunghezza del percorso effettuato per portare al trattamento finale il rifiuto (pref eribile unita' di misura in chilometri)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantIn putList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryDat a/routeLength) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/wasteDescriptor/routeLength) 0-1</p> <p>- note: <i>lunghezza del percorso effettuato per portare al trattamento finale il rifiuto (pref eribile unita' di misura in chilometri)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes criptor/routeLength) 0-1</p> <p>- note: <i>lunghezza del percorso effettuato per portare al trattamento finale il rifiuto (pref eribile unita' di misura in chilometri)</i></p>
@schemeID	<p>identificatore di uno schema di identificazione</p> <p>- tipo base: string, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID /@schemeID) [Required] (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hash Footprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/uniqueProductID/@schemeID) [Required] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required] (XPath PEFInformationSupply/organisationDescriptor/ certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashF ootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>

	<p>mentDescriptor/billOfComponents/productComponent/uniqueProductID/@schemeID) [ Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID) [Optional]</p>
--	--

	<p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID) [Required]</p> <p>- nota: <i>indica la classificazione adottata, consigliabile un URI</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certificateID/@schemeID) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  activityStatisticalCode/@schemeID) [Optional] [Default= NACE]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certificateID/@schemeID) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certificateID/@schemeID) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [</p>
--	--



	<p>Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID) [Required]</p> <p>- nota: <i>indica la classificazione adottata, consigliabile un URI</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/uniqueProductID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID) [Required]</p> <p>- nota: <i>indica la classificazione adottata, consigliabile un URI</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>ProductIdentification/uniqueProductID/@schemeID) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  ] - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certificateID/@schemeID) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFFS..)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityID/@schemeID) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/wasteTypeCode/@schemeID) [Required]  - nota: <i>indica la classificazione adottata, consigliabile un URI</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]  - nota: <i>specificare per quale sistema questa impronta hash potrebbe essere utilizzata</i></p>
--	---



	<p>come identificatore (ad esempio sistema HDFS..)  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specificare per quale sistema questa impronta hash potrebbe essere utilizzata come identificatore (ad esempio sistema HDFS..)</p>
season	<p>stagione di vendita, composta da: stagione (1 crt) + anno (4 crt) - stagione: P/E=1 A/I=2 P=3-E=4 A=5 I=6; per più di quattro stagioni usare sequenza alfabetica: 1a stagione=A 2a stagione=B etc.etc.</p> <p>- tipo base: string, lunghezza max: 15,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/season) 0-1</p> <p>- note: qui indica la stagione a cui appartiene il documento in oggetto  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/season) 0-1</p> <p>- note: qui indica la stagione a cui appartiene il documento in oggetto</p>
@sender	<p>qualificatore che distingue la Parte che spedisce il documento</p> <p>- tipo base: boolean,  (XPath PEFInformationSupply/SRVheader/senderParty/@sender) [Optional]</p> <p>- nota: L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/@sender) [Optional]</p> <p>- nota: L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET  (XPath PEFInformationSupply/SRVheader/receiverParty/@sender) [Optional]</p> <p>- nota: L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET.  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/@sender) [Optional]</p> <p>- nota: L'uso di questo attributo è obbligatorio quando si vuole usare lo STYLESHEET</p>
serviceRequestedAction	<p>azione richiesta al servizio</p> <p>- tipo base: string, tabella cod.: TRK02  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml</a>  (XPath PEFInformationSupply/SRVheader/platformServiceReference/serviceRequestedAction) 1-1</p>
serviceTicketID	<p>identificatore del ticket relativo al servizio</p> <p>- tipo base: string,  (XPath PEFInformationSupply/SRVheader/platformServiceReference/serviceTicketID) 0-1</p> <p>- note: obbligatorio dopo attivazione</p>
@sharePerc	<p>indica la percentuale</p> <p>- tipo base: decimal, min incluso: 0, max incluso: 100, cifre decimali: 2,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/@sharePerc) [Optional]</p>

	- nota: <i>indica quanta percentuale di acque reflue proviene da questa origine</i>
signatureTypeCode	<p>indicatore della esistenza e del tipo di firma presente</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p>
size	<p>codice taglia del prodotto fashion (maglieria, confezione, ..)</p> <p>- tipo base: string, lunghezza max: 15,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/garmentPartCode/size) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentPartCode/size) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentPartCode/size) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentPartCode/size) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/size) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentPartCode/size) 0-1</p>
socialAccountabilityEvidenceCategory	<p>Categoria dei requisiti di responsabilità sociale (secondo la descrizione SA8000)  - tipo base: string, tabella cod.: NT326  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml</a>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/socialAccountabilityEvidenceCategory) 1-1</p>
@socialAccountabilityMethod	<p>metodo di valutazione della responsabilità sociale applicato (potrebbe essere SA8000 o una sua specializzazione/adattamento)  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/@socialAccountabilityMethod) [Optional]</p>
@standardOwner	<p>proprietario dello standard è l'organizzazione che possiede e gestisce le specifiche standard (ad esempio Textile exchange o OEKO-TEX)  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certificationStandardName/@standardOwner) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certificationStandardName/@standardOwner) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certificationStandardName/@standardOwner) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certificationStandardName/@standardOwner) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certificationStandardName/@standardOwner) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certificationStandardName/@standardOwner) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certificationStandardName/@standardOwner) [Required]</p>
@storageAction	<p>indica le modalità di inserimento in un archivio delle informazioni a cui si riferisce, specificando anche che cosa debba avvenire delle informazioni pre-esistenti.  - tipo base: string, tabella cod.: NT312  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/@storageAction) [Required]  (XPath PEFInformationSupply/@storageAction) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/@storageAction) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@storageAction) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/@storageAction) [Required]</p>
street	<p>via e numero civico di una locazione  - tipo base: string, lunghezza max: 80,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe</p>

	<p>fDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/street) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/street) 0-1</p>
--	---



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/street) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/supplier/street) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/street) 0-1</p>
--	--



<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/facilityLocation/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty/street) 0-1 (XPath PEFInformationSupply/SRVheader/receiverParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart y/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/stre et) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLo cation/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/str eeet) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/selfAssertion/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/reviewerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/organisationAddress/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/certificate/certifiedParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/street) 0-1 (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/certifiedParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/signatureInformation/signatoryParty/street) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	--

	<p>mentDescriptor/billOfChemical/externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/stre  et) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  /street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/street)  0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/st  reet) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityL  ocation/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/stre  et) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/facilityLocation/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor  mation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/street) 0-  1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/issuerParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste</p>
--	---

	<p>Water/facilityLocation/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/facilityLocation/street) 0-1</p>
subCountry	<p>sigla o codice della provincia (sub-country)  - tipo base: string, lunghezza max: 9,  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/subCountry) 0-1  (XPath PEFInformationSupply/SRVheader/receiverParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf  ormation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/subCo  untry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  subCountry) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart  y/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/certifiedParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/subCou  ntry) 0-1</p>

	<p>(XPath PEFInformationSupply/organisationDescriptor/organisationAddress/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/processStepsList/processStep/activityLocation/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/certifiedParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/subCountry) 0-1</p>
--	---

	<p>nalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/  subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/f  acilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityL  ocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/  externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati  on/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/  subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si  gnatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL  ocation/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilit  yLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/subCountry) 0-  1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor  mation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/subCount</p>
--	---



	<p>ry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/subCountry) 0-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	---

	<p>mentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  /subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/subCountry) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1</p>
subDept	<p>nome o codice di una unità (Divisione, Ufficio, Stabilimento)  - tipo base: string, lunghezza max: 40,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/subDe  pt) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  y/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  y/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  /subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/sub  Dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/sub  Dept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/s  ubDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/subDept)  0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/subDep  t) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/reviewerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc</p>

	<p>e/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/is  suerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/su  bDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subD  ept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/certifiedParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter  nalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc  e/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter  nalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/SRVheader/senderParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR  efDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/subD  ept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryPa  rty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/s  ubDept) 0-1</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI nformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/supplier/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/su bDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/subDe pt) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/issuerParty/subDept) 0-1</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/subDept) 0-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/issuerParty/subDept) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/reviewerParty/subDept) 0-1  (XPath PEFInformationSupply/SRVheader/receiverParty/subDept) 0-1</p>
sustainabilityCharacteristicText	<p>testo che descrive una singola caratteristica di sostenibilità (ad esempio un claim). Il contenuto dell'elemento deve essere unico, può essere tradotto e ripetuto in più lingue (quindi non più di un'istanza per ogni lingua).  - tipo base: string, lunghezza min: 1,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText) 0-99  - note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText) 0-99  - note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/sustainabilityCharacteristicText) 0-99  - note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/organisationDescriptor/selfAssertion/sustainabilityCharacteristicText) 0-99</p>



	<p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText) 0-99  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText) 0-99</p> <p>- note: <i>Descrivere la asserzione. Potrebbe essere un claim pubblico.</i>  <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p>
systemBoundariesDescription	<p>descrizione dei confini ( system boundaries) del sistema oggetto dello studio</p> <p>- tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/systemBoundariesDescription) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/systemBoundariesDescription) 0-99</p> <p>- note: <i>Una sola istanza di questo elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p>
timeDuration	<p>tempo di durata in giorni, ore, eventualmente anche indicando anche minuti e secondi (formato nnnD:nnnH:nnM:nnS)</p> <p>- tipo base: duration,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/timeDuration) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/timeDuration) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/timeDuration) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/timeDuration) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/timeDuration) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/timeDuration) 1-1</p>
title	<p>titolo di un documento</p> <p>- tipo base: string,</p>



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/title) 0-unbounded - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lin gua)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	---

	<p>mentDescriptor/billOfWasteWater/externalRefDoc/title) 0-unbounded  - note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/title) 0-unbounded</p> <p>- note: <i>Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</i></p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/title) 0-unbounded  - note: Una sola istanza di queste elemento per ogni diverso valore dell'attributo 'In' (lingua)</p>
transactionReceipt	<p>ricevuta di transazione in blockchain  - tipo base: string, lunghezza max: 80,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/refDoc/attachment/blockChainReference</p>

	<p>/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/attachment/blockChainReference/transactionReceipt) 1-9  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p>
--	---

	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p>
--	---

	fDoc/attachment/blockChainReference/transactionReceipt) 1-9
transMeans	<p>mezzo usato per il trasporto, complessivo o relativo ad una tratta</p> <p>- tipo base: string, tabella cod.: T40</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/transMeans) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/transMeans) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/transMeans) 1-1</p>
transMode	<p>modo di trasporto, complessivo o relativo ad una tratta</p> <p>- tipo base: string, tabella cod.: T8</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/transMode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/transMode) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/transMode) 1-1</p>
transportMeansUtilisationPercentage	<p>percentuale di utilizzo del mezzo di trasporto (stima)</p> <p>- tipo base: decimal,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/transportMeansUtilisationPercentage) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/transportImpactPrimaryData/transportMeansUtilisationPercentage) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/transportMeansUtilisationPercentage) 0-1</p>
typeOfEnergyVector	<p>tipo di vettore energetico</p> <p>- tipo base: string, tabella cod.: NT319</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/typeOfEnergyVector) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/typeOfEnergyVector) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/typeOfEnergyVector) 1-1</p>
@uid	<p>identificatore elemento, univoco all'interno del documento xml</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p>



	<p>externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter  nalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/  @uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/attachment/@uid) [O  ptional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/  @uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/@uid)  [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/externalRefDoc/attachment/@uid) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/@uid  ) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/@uid) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/att  achment/@uid) [Optional]</p>
--	--



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic allItem/SDSDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/refDoc/attachment/@uid) [Optio nal]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe fDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/attachment/@uid) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/attachment/@uid) [Optional]</p>
@um	<p>unità di misura fisica - tipo base: string, tabella cod.: NT7 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml</a></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Opti onal] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/ geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/productReferenceQty/@um) [Required]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/activePower/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/energy/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>
--	---

	<p>mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCo</p>
--	--

	<p>ordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  directEmissionDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo  nsumptionDescriptor/activePower/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg  y/energySupplyDescriptor/activePower/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/  @um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoC  oordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= D  EGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa  lRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/produ  ctReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/productRefe  renceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/@um) [Op  tional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryP  arty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantIn  putList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImpactPrimaryD  ata/weight/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/geoCoordinates/@u  m) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion  /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional]  [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  organisationAddress/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/activePower/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/declaredQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/qty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageWashingNumber/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/declaredQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/routeLength/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	---



	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/productReferenceQty/@um) [Required] (XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/transportImpactPrimaryData/routeLength/@um) [Required] (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/SRVheader/receiverParty/ geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional]</p>
--	---

[Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes  
criptor/routeLength/@um) [Required]  
(XPath PEFInformationSupply/organisationDescriptor/  
selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [De  
fault= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  
RefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/prod  
uctReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material  
Descriptor/packagingImpactPrimaryData/weight/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/productReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinat  
es/@um) [Optional] [Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/organisationDescriptor/  
socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty  
/geoCoordinates/@um) [Optional] [Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  
Emissions/productReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/geoCoo  
rdinates/@um) [Optional] [Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDes  
criptor/declaredQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/material  
Descriptor/transportImpactPrimaryData/routeLength/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfChemical/facilityLocation/geoCoordinates/@um) [Optional] [Defa  
ult= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes  
criptor/declaredQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLoc  
ation/geoCoordinates/@um) [Optional] [Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoord  
inates/@um) [Optional] [Default= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
assessmentStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Def  
ault= DEGD]  
- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDes  
criptor/productReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/maximum  
WashingTemperature/@um) [Optional]



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/weight/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/energy/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/weight/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/evidenceValue/@um) [Optional]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter</p>
--	--

	<p>nalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/transportImpactPrimaryData/routeLength/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/declaredQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/geoCoordinates/@um) [Optional] [Default= DEGD]</p>
--	---

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  
externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional]  
[Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um) [Optio  
nal] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/prod  
uctReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/organisationDescriptor/  
socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@u  
m) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfEnergy/facilityLocation/geoCoordinates/@um) [Optional] [Default  
= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/SRVheader/senderParty/  
geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  
productReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyCo  
nsumptionDescriptor/productReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/internalWastewaterTreatmentPlant/productReference  
Qty/@um) [Required]  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfEnergy/energySupplyDescriptor/energy/@um) [Required]  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@u  
m) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
processStepsList/processStep/activityLocation/geoCoordinates/@um) [Optiona  
l] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  
Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um)  
[Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DE  
GD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si  
gnatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
mentDescriptor/billOfDirectEmissions/productReferenceQty/@um) [Required]  
(XPath PEFInformationSupply/organisationDescriptor/  
listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC  
ordinates/@um) [Optional] [Default= DEGD]

- nota: *se non indicata si assumono GRADI decimali*  
(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
billOfComponents/productComponent/qty/@um) [Required]

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/@um) [Required]</p> <p>- nota: <i>tale unità di misura è l'unità di riferimento per le quantità di ciascuna componente; se vale 'pezzo', ogni quantità è riferita alla quantità del componente necessaria per 1 pezzo.</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/declaredQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>se non indicata si assumono GRADI decimali</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/refProductFunctionalUnit/productReferenceQty/@um) [Required]</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>PEFSpecificInformation/refProductFunctionalUnit/weight/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/energy/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/declaredQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/activePower/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/weight/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageReferenceProductLifeTime/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageProductLifetime/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: <i>se non indicata si assumono GRADI decimali</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--



	<p>billOfComponents/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@um)  [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/@um) [Required]  - nota: tale unità di misura è l'unità di riferimento per le quantità di ciascuna componen  te; se vale 'pezzo', ogni quantità è riferita alla quantità del componente necessaria per  1 pezzo.  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  wasteDescriptor/routeLength/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL  ocation/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/@um) [Optional]  [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO  utputList/wasteDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/wasteDescriptor/routeLength/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/used  WaterDescriptor/productReferenceQty/@um) [Required]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  wasteDescriptor/declaredQty/@um) [Required]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEG  D]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@um) [Re  quired]  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/  geoCoordinates/@um) [Optional] [Default= DEGD]  - nota: se non indicata si assumono GRADI decimali  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= D  EGD]  - nota: se non indicata si assumono GRADI decimali</p>
uniqueProductID	Identificatore unico di prodotto. Identifica il prodotto in maniera completa, differenziand o eventuali varianti, taglie, colori ecc. Dovrebbe essere univo lungo tutta la catena del valore. (Può essere il GTIN)

	<p>- tipo base: string, lunghezza max: 80,  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/uniqueProductID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/uniqueProductID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/uniqueProductID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/uniqueProductID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/uniqueProductID) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/uniqueProductID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/uniqueProductID) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/uniqueProductID) 1-1</p>
uri	<p>URI (Uniform Resource Identifier) che identifica l'oggetto esterno come una risorsa Internet  - tipo base: normalizedString,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/refDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/uri) 1-</p>



1  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  
 Water/externalRefDoc/attachment/externalReference/uri) 1-1  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  
 RefDoc/attachment/externalReference/uri) 1-1  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
 mentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/uri) 1-1  
 (XPath PEFInformationSupply/organisationDescriptor/  
 socialAndEthicalSpecificInformation/certificate/attachment/blockChainReferenc  
 e/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
 mentDescriptor/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri)  
 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  
 efDoc/attachment/externalReference/uri) 1-1  
 (XPath PEFInformationSupply/organisationDescriptor/  
 socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/  
 blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
 mentDescriptor/billOfWaste/externalRefDoc/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/  
 externalReference/uri) 1-1  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  
 RefDoc/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemic  
 allItem/SDSDoc/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 billOfComponents/productComponent/refDoc/attachment/blockChainReference  
 /uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  
 Water/externalRefDoc/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 assessmentStudyDocument/attachment/externalReference/uri) 1-1  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  
 Emissions/externalRefDoc/attachment/externalReference/uri) 1-1  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 certificate/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  
 mentDescriptor/billOfChemical/externalRefDoc/attachment/blockChainReference/uri) 1  
 -1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFStudyDocument/attachment/blockChainReference/uri) 1-1  
 - note: *referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat

	<p>mentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	---

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/uri) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri) 1-1  - note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>referimento alla blockchain utilizzata (p.es. url https://etherscan.io/ di ethereum)</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1</p>
--	--

	- note: <i>referimento alla blockchain utilizzata (p.es. url <a href="https://etherscan.io/">https://etherscan.io/</a> di ethereum)</i>
usedWaterType	<p>origine dell'acqua utilizzata</p> <p>- tipo base: string, tabella cod.: NT318  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/usedWaterType) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/usedWaterType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/usedWaterType) 1-1</p>
@useProfile	<p>profilo uso al quale il presente documento è conforme nel caso sia stato definito tra le parti. Preferibile sia un URI con nome aziende o eventualmente un URL con link al profilo.</p> <p>- tipo base: string,  (XPath PEFInformationSupply/@useProfile) [Optional]</p>
@validationMethod	<p>tipo di metodo utilizzato per validare la grandezza a cui si riferisce. Ad esempio indica se sia stata misurata sul campo, stimata per via indiretta, approvata da un esperto o tratta da letteratura.</p> <p>- tipo base: string, tabella cod.: NT329  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/activePower/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantOutputList/wasteDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/directEmissionDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/activePower/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energySupplyDescriptor/energy/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/wasteDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>



	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/energyConsumptionDescriptor/energy/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/energy/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energyConsumptionDescriptor/activePower/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageProductLifetime/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/activePower/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageWashingNumber/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  productCompos/percCompos/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/usedWaterDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/usedWaterDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/coproduct/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/energySupplyDescriptor/energy/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@validationMethod) [Optional]  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/averageReferenceProductLifeTime/@validationMethod) [Optional]</p>
validityEnd	<p>data di fine della validità, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG: HH-MM o AAAA-SS (cioè anno-settimana)  - tipo base: string,  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/validityEnd) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityEnd) 0-1</p>
--	---



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/selfAssertion/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/validityEnd) 0-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityEnd) 0-1</p>
validityExtensionDate	<p>data di fine della validità risultante da estensione, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG:HH-MM o AAAA-SS (cioè anno-settimana)</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/validityExtensionDate) 0-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/validityExtensionDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/validityExtensionDate) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/validityExtensionDate) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/validityExtensionDate) 0-1</p>
<p>validityStart</p>	<p>data di inizio della validità, espressa in uno dei formati: AAAA-MM-GG, AAAA-MM-GG :HH-MM o AAAA-SS (cioè anno-settimana)  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/certificate/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/certificate/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--

	<p>selfAssertion/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/validityStart) 0-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/validityStart) 0-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/validityStart) 0-1</p>
variantCode	<p>Codice di variante utilizzata per prodotto fashion.  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p>
variantType	<p>Tipo di variante utilizzata per prodotto fashion (esempi 'trattamento', 'tipo lavaggio', "classe di misure", ...)  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType</p>

	<p>) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/ProductIdentification/garmentCode/garmentCode  B/garmentVariant/variantType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/garmentCode/garmentCodeB/g  armentVariant/variantType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garme  ntVariant/variantType) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/garmentCode/garmentCodeB/garmentV  ariant/variantType) 1-1</p>
@version	<p>Versione del dizionario da cui è creata l'istanza  - tipo base: string, tabella cod.: NT100  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml</a>  (XPath PEFInformationSupply/@version) [Optional] [Default= draft]</p>
washingType	<p>tipo di lavaggio, secondo BS EN 23758: 1994 Tessili - Codice di etichettatura per la cu  ra tramite simboli  - tipo base: decimal, tabella cod.: T309  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T309.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T309.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/washingT  ype) 0-1</p>
wasteFinalTreatmentType	<p>indica il trattamento finale del rifiuto (tutto o in parte)  - tipo base: string, tabella cod.: NT316  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml</a>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/wasteDescriptor/wasteFinalTreatmentType) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes  criptor/wasteFinalTreatmentType) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  wasteDescriptor/wasteFinalTreatmentType) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO  utputList/wasteDescriptor/wasteFinalTreatmentType) 0-9</p>
wasteTypeCode	<p>indica un codice del tipo di rifiuto secondo una classificazione che può essere di varia  natura, solitamente di maggior dettaglio rispetto a quella CER; la classificazione è in  dividuata da SchemeID  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/wasteDescriptor/wasteTypeCode) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantO  utputList/wasteDescriptor/wasteTypeCode) 0-9  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  wasteDescriptor/wasteTypeCode) 0-9  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/wasteDes  criptor/wasteTypeCode) 0-9</p>
wasteWaterContaminantType	<p>tipo di contaminante nelle acque reflue prodotte (esempi tessile e pelle: BOD, solids, s  ulfates and chromium; altri settori: Chlorinated organic compounds, COD, mineral oils,  phenols, organic chemicals, heavy metals, SS, cyanide, Fluorine)  - tipo base: string,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wast  eWaterDescriptor/wasteWaterContaminantType) 0-99  - note: <i>indica la presenza di contaminante nel flusso di acque reflue descritto da eleme  nto corrente</i>  (XPath PEFInformationSupply/organisationDescriptor/</p>

	<p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterContaminantType) 0-99</p> <p>- note: indica la presenza di contaminante nel flusso di acque reflue descritto da elemento corrente</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/wasteWaterContaminantType) 0-99</p> <p>- note: indica la presenza di contaminante nel flusso di acque reflue descritto da elemento corrente</p>
wasteWaterFinalTreatmentType	<p>tipo di trattamento finale delle acque reflue prodotte (esempi: nessuno, fossa settica, trattamento a fanghi attivi, ecc.)</p> <p>- tipo base: string,</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType) 0-9</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType) 0-9</p>
wasteWaterProvenance	<p>provenienza delle acque reflue</p> <p>- tipo base: string, tabella cod.: T308</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml</a></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/wasteWaterProvenance) 0-1</p> <p>- note: quando non indicato si assume come origine l'intero processo</p>
weight	<p>peso effettivo dell'oggetto specificato</p> <p>- tipo base: decimal, min incluso: 0, cifre decimali: 2,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/dataSetFunctionalUnit/weight) 1-1</p> <p>- note: peso della functional unit (indicare anche se già espressa in unità di peso)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/internalWastewaterTreatmentPlant/wasteWaterPlantInputList/wasteWaterPlantInputDescriptor/materialDescriptor/packagingImpactPrimaryData/weight) 1-1</p> <p>- note: il peso dell'imballaggio senza il prodotto</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/materialDescriptor/packagingImpactPrimaryData/weight) 1-1</p> <p>- note: il peso dell'imballaggio senza il prodotto</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/dataSetFunctionalUnit/weight) 1-1</p> <p>- note: peso della functional unit (indicare anche se già espressa in unità di peso)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/dataSetFunctionalUnit/weight) 1-1</p> <p>- note: peso della functional unit (indicare anche se già espressa in unità di peso)</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/refProductFunctionalUnit/weight) 1-1</p> <p>- note: peso della functional unit (indicare anche se già espressa in unità di peso)</p>
xGeoCoord	<p>coordinata geografica x, corrispondente a latitudine</p> <p>- tipo base: decimal,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR</p>



	<p>efDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/f  acilityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinate  s/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoo  rdinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilit  yLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoo  rd) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilit  yLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/facilityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina  tes/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef  Doc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf  ormation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/  geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/reviewerParty/geoCoordinates/x  GeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geo  Coordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati  on/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--



	<p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/SRVheader/receiverParty/  geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  organisationAddress/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/xGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p>
--	--

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/ geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1</p>
--	---

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/supplier/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/geoCoordinates/xGeoCoord) 1-1</p>
--	--

	<p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityL ocation/geoCoordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoC oord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ geoCoordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/geo Coordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/si gnatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/geoCoo rdinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates/xGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/ xGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/xGeo Coord) 1-1</p>
year	<p>anno di riferimento - tipo base: integer, min incluso: 1800, max incluso: 2100, (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/year) 0-1 - note: <i>indicare l'anno a cui si riferisce lo studio</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/year) 1-1 - note: <i>i dati sono riferiti a questo anno</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/year) 1-1 - note: <i>i dati sono riferiti a questo anno</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/year ) 0-1 - note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/year) 1-1 - note: <i>i dati sono riferiti a questo anno</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/year) 0-1 - note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/year) 0-1 - note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/year) 0-1 - note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/year) 0-1 - note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p>

	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/year) 0-1</p> <p>- note: <i>anno di produzione a cui si riferisce il dato</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/year) 0-1</p> <p>- note: <i>indicare l'anno a cui si riferisce lo studio</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/year) 0-1</p> <p>- note: <i>indicare l'anno a cui si riferisce lo studio</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/year) 0-1</p> <p>- note: <i>indicare l'anno a cui si riferisce lo studio</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/year) 0-1</p> <p>- note: <i>indicare l'anno a cui si riferisce lo studio</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/year) 0-1</p> <p>- note: <i>se presente indica che i dati raccolti sono riferiti ad un anno specifico</i></p>
yGeoCoord	coordinata geografica y, corrispondente a longitudine



	<p>- tipo base: decimal,</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/assessmentStudyDocument/reviewerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/SRVheader/senderParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFStudyDocument/reviewerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p>
--	---



	<p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureIn formation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/iss uerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoor d) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFStudyDocument/reviewerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/ geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1- 1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeo Coord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/y GeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/yG eoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinat es/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geo Coordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/yGeoC oord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter nalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR efDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external RefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryPa</p>
--	---

	<p> rty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  assessmentStudyDocument/issuerParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLoc  ation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord)  1-1  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina  tes/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/geoCoordinates/yGe  oCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geo  Coordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/SRVheader/receiverParty/  geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exte  rnalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/external  RefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect  Emissions/facilityLocation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed  Water/facilityLocation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalR  efDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoord  inates/yGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/yGeoCo  ord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/geoCoordinates/yGeoCoord) 1-  1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/yGeoC  oord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/yG  eoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ </p>
--	---

	<p>PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ organisationAddress/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath PEFInformationSupply/organisationDescriptor/</p>
--	--

	<p>listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/ yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/yGeo Coord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLo cation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/ge oCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/yGeoCo ord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1- 1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR efDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externa lRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoc ordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCo ordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoo rdinates/yGeoCoord) 1-1</p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerPart</p>
--	---

	<p>y/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor  mation/signatoryParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/exter  nalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityL  ocation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfEnergy/facilityLocation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/yGe  oCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoC  oordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/geo  Coordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCo  ordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati  on/signatoryParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste  Water/facilityLocation/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/  yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalR  efDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  processStepsList/processStep/activityLocation/geoCoordinates/yGeoCoord) 1-  1  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facili  tyLocation/geoCoordinates/yGeoCoord) 1-1</p>
zGeoCoord	<p>coordinata geografica z, corrispondente ad altitudine  - tipo base: decimal,  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/  externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat  mentDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/supplier/geoCoordinates/zGeoCoord) 0-  1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureI  nformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRe  fDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat</p>

	<p>mentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/PEFCompilerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/</p>
--	--



	<p>PEFStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ processStepsList/processStep/activityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/internalWastewaterTreatmentPlant/activityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/SRVheader/senderParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p>
--	---



	<p>(XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/ zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/exter nalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/zGeoCo ord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/zGeo Coord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformanc e/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0- 1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeo Coord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/ zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalR efDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treat mentDescriptor/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/ externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i></p> <p>(XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord)</p>
--	---

	<p>d) 0-1</p> <ul style="list-style-type: none"> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/ PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</li> <li>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/</li> </ul>
--	--

	<p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/PEFCompilerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFUsagePrimaryDataSet/PEFCompilerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitudine puo' essere omessa</i> (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/external</p>
--	--

	<p>IRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/SRVheader/receiverParty/  geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p>
--	---

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 organisationAddress/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/supplier/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/  
 selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/organisationDescriptor/  
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1

- note: *altitudine puo' essere omessa*  
 (XPath PEFInformationSupply/TRCProductSimplifiedForPEF/

	<p>PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i>  (XPath PEFInformationSupply/organisationDescriptor/  listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/  externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1  - note: <i>altitudine puo' essere omessa</i></p>
--	---

## 2.3 Best practice suggerite

### **PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

### **PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))



Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/organisationDescriptor/**

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/organisationDescriptor/**

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/facilityLocation (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation** (dati relativi al luogo di una facility (Indicare almeno identificatore location o un indirizzo, città e paese))

Usualmente indicare anche anno a cui si riferiscono i dati riportati. D'altrocanro productReferenceQty va ignorato se dati riferiti a facility.

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/docID** (numero identificativo del documento referenziato)

con numberingOrg va indicato chi ha assegnato l'identificatore al documento (è possibile indicarne due -p.es. cliente e fornitore- con due elementi docID dotati di numberingOrg differente)

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**billOfComponents/productComponent/refDoc/docID** (numero identificativo del documento referenziato)

con numberingOrg va indicato chi ha assegnato l'identificatore al documento (è possibile indicarne due -p.es. cliente e fornitore- con due elementi docID dotati di numberingOrg differente)

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**selfAssertion/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**billOfComponents/productComponent/certificate/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
certificate/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**  
listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**  
listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**  
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**  
billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/certificate/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

**certificate/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**assessmentStudyDocument/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/mimeType** (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/externalRefDoc/attachment/external**

Reference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFStudyDocument/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

socialAndEthicalSpecificInformation/certificate/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

selfAssertion/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/chemicalItem/SDSDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFStudyDocument/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFUsagePrimaryDataSet/usageDirectives/externalRefDoc/attachment/externalReference/mimeCode (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFUsagePrimaryDataSet/expectedUsagePerformance/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/externalRefDoc/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfComponents/productComponent/certificate/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/organisationDescriptor/**

socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/mimeType (tipo mime dell'oggetto esterno)

Utilizzare codifica IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfUsedWater/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/organisationDescriptor/**

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWaste/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfMaterials/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfDirectEmissions/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/organisationDescriptor/**

**listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfChemical/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWaste/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfDirectEmissions/productReferenceQty** (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

**PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfEnergy/productReferenceQty** (quantità netta di riferimento del prodotto)



Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfWasteWater/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfChemical/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfUsedWater/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfEnergy/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFProductionPrimaryDataSet/billOfTreatments/treatmentDescriptor/billOfWasteWater/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

**PEFInformationSupply/TRCProductSimplifiedForPEF/**

PEFSpecificInformation/PEFDistributionPrimaryDataSet/listOfRoutes/productReferenceQty (quantità netta di riferimento del prodotto)

Si puo' ignorare nel caso sia indicato facilityLocation

## 2.4 Tabelle di codifica utilizzate

Elenco delle tabelle di enumerazione utilizzate nel documento XML. Tutte le tabelle e i relativi codici sono presenti all'indirizzo: <http://www.ebiz.enea.it/eBIZ/imple/eBIZTCU-draft.asp?lingua=it&pag=6>

NT100 - Versione eBIZ TCFUpstream  
NT2 - qualificatore terzparte  
NT201 - tipo di entita'  
NT29 - formato data  
NT3 - emittente dell'identificatore (o sistema di identificazione) di una località.  
NT311 - livello di divulgazione delle informazioni  
NT312 - azione di archiviazione  
NT313 - stato del documento  
NT314 - Codici REACH  
NT316 - tipo di trattamento finale del rifiuto  
NT317 - emissione verso  
NT318 - tipo di acqua  
NT319 - Tipo di vettore energetico  
NT320 - tipo di sorgente di energia  
NT321 - PEFCR Sub-category / representative product  
NT322 - funzione dei materiali di input  
NT323 - categoria dell'oggetto della dichiarazione  
NT324 - tipo di sistema di propulsione  
NT326 - Tipo di evidenza sui Requisiti di responsabilità sociale  
NT329 - tipo di metodo di validazione della grandezza  
NT333 - tipo algoritmo hashing  
NT6 - ente codificatore  
NT60 - lingua, codifiche da ISO 639-1 (sottoinsieme)  
NT7 - unità di misura  
T10 - ISO3166 - Nazione  
T19 - tipo di fibra  
T21 - tipo documento  
T302 - tipo di oggetto  
T305 - tabella dei tipi di operazioni manifatturiere  
T306 - attributo di circolarità del materiale  
T307 - metodo del processo di riciclo  
T308 - tabella dei macro gruppi di operazioni manifatturiere per la PEF  
T309 - tipo di lavaggio  
T311 - modalità asciugatura consentita  
T312 - categoria di colorante  
T40 - tipo mezzo di trasporto  
T44 - tipo codice addizionale  
T48 - tipo di parte del capo confezionato  
T8 - Trasporto - Modo  
TRK01 - lista dei servizi disponibili  
TRK02 - lista funzioni dei servizi

(le tabelle più rilevanti sono presentate anche negli annessi successivi)

## RICONOSCIMENTO



Questa azione fa parte del progetto TRICK, che ha ricevuto finanziamenti dal programma Horizon 2020 contratto No. 958352 dell'Unione europea.




## AVVERTENZA

Il contenuto di questo documento rappresenta solo il punto di vista degli autori ed è di loro esclusiva responsabilità; non si può ritenere che rifletta le opinioni della Commissione europea o qualsiasi altro organismo dell'Unione europea.


La Commissione europea non si assume alcuna responsabilità per l'uso che può essere fatto delle informazioni in esso contenute.

# Allegato A


Immagine rappresentativa della struttura dei principali elementi complessi.




**energyConsumptionDescriptor**  
 : descrittore di una quantità di energia usata con indicazione delle sue caratteristiche




**energySupplyDescriptor**  
 : descrittore di una quantità di energia fornita o prodotta con indicazione delle sue caratteristiche




**facilityDescriptor**  
 : descrittore di una facility aziendale




**garmentPartCode**  
: codifica della componente o parte di un articolo fashion




**internalWastewaterTreatmentPlant**  
: descrittore dell'impianto interno di trattamento delle acque reflue. Indicare se serve l'intero ciclo produzione o solo alcune fasi.




**materialDescriptor**  
: descrittore di una quantità di materiale usato con indicazione delle sue caratteristiche




**organisationDescriptor**  
: descrizione di organizzazione



**PEFProductionPrimaryDataSet**  
: Classe PEF Primary DataSet, contiene tutti i dati primari relativi a una fase del ciclo di vita per un prodotto specifico




**platformServiceReference**  
: istruzioni e riferimenti sul servizio







**productComponent**  
 : descrittore di uno degli elementi utilizzati per creare il prodotto, indica i codici del componente, la quantità per unità di prodotto finale, il fornitore e l'eventuale documentazione




**refDoc**  
 : identificazione di un documento di riferimento ed eventualmente di un suo item (riga)




**SRVheader**  
 : testata dei documenti di supporto a Servizi di piattaforma




**TRCProductSimplifiedForPEF**  
 : Descrizione delle caratteristiche di trasparenza e sostenibilità di un prodotto semplificato per servizio PEF



**treatmentDescriptor**  
 : descrittore della singola fase di lavorazione (con l'indicazione della quantità e delle distinte ad essa associate)




**usedWaterDescriptor**  
 : descrittore delle acque utilizzate (con l'indicazione della quantità)




### wasteDescriptor

: descrive un tipo di rifiuto generato dalle attività a cui è associato e eventualmente la sua quantità in relazione a una quantità di riferimento di prodotto



### wasteWaterDescriptor

: descrittore delle acque reflue prodotte (con indicazione della quantità, del loro trattamento e dell'eventuale presenza di contaminanti)





## Allegato B

### NT100 - Versione eBIZ TCFUpstream

versione dizionario

Agenzia: eBIZ

Tabella decodifica: NT100

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT100.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
2013-1	v2013-1		01/07/2013
2018-1	v2018-1		04/11/2018
draft	draft		08/09/2017

### NT2 - qualificatore terzaparte

qualificatore del ruolo della Terza Parte

Agenzia: eBIZ

Tabella decodifica: NT2

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT2.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
AG	Agente		
AU	Auditor		08/04/2019
BU	Acquirente		13/06/2022
CE	Autorita' certificatrice		08/04/2019
CM	Committente		13/06/2022
CO	Collaudatore		
CU	Autorita' doganale		13/06/2022
DC	Destinatario Conferma		
DF	Destinatario Fattura		
DI	Destinatario per conoscenza (CC)		28/10/2014
DM	Destinatario Merce		
DP	Indirizzo consegna merce		
EX	Esperto		13/06/2022
IM	Importatore		
OR	Originatore (cliente finale)		10/09/2014
SC	Terzista		10/04/2019
SM	Gestore servizio/ePlatform		08/04/2019

SP	Spedizioniere		
SU	Fornitore		13/06/2022
TL	Laboratorio di analisi o test		13/06/2022
TX	Autorita' fiscale		

### NT201 - tipo di entita'

indica a il tipo di entità a cui ci si riferisce

Agenzia: eBIZ for TRICK

Tabella decodifica: NT201

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT201.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
FAC	Stabilimento o sede		03/06/2022
INS	Singola istanza di prodotto		03/06/2022
LOT	Lotto		03/06/2022
ORG	Organizzazione		03/06/2022
PRC	Processo produzione		03/06/2022
PRD	Prodotto		03/06/2022
PRO	Procedura organizzativa		03/06/2022
SHP	Spedizione		25/04/2023

### NT29 - formato data

formato in cui è espressa la data

Agenzia: eBIZ

Tabella decodifica: NT29

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT29.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
D	AAAA-MM-GG		
M	AAAA-MM-GG:HH-MM (data e orario)		
S	AAAA-MM-GG:HH-MM-SS (data e orario con secondi)		13/06/2022
W	AAAA-SS (anno-settimana)		

### NT3 - emittente dell'identificatore (o sistema di identificazione) di una località.

lista dei possibili emittenti dell'identificatore (o sistema di identificazione) di una località.

Agenzia: eBIZ

Tabella decodifica: NT3

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT3.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
EN4	GS1-GLN	obsolete	01/07/2013
GLN	GS1-GLN	equivalent to EN4	25/04/2023
MD	concordata tra le parti		
NCA	Autorita' doganale nazionale (magazzini doganli)	identifier of a bonded warehouse assigned by the custom authority	19/05/2023
PLA	Piattaforma	internal coding of the involved platform	14/05/2023
TRI	TRICK		14/05/2023

#### NT311 - livello di divulgazione delle informazioni

Agenzia: eBIZ for TRICK

Tabella decodifica: NT311

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT311.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
1	pubblico		22/07/2022
2	divulgato a qualsiasi partner coinvolto nella attivita'		22/07/2022
3	divulgato a categorie specifiche di partner coinvolti nella attivita'		22/07/2022
4	divulgato solo su specifica autorizzazione		22/07/2022
9	completamente confidenziale		22/07/2022

#### NT312 - azione di archiviazione

indica le modalità di inserimento in un archivio delle informazioni a cui si riferisce, specificando anche che cosa debba avvenire delle informazioni pre-esistenti.

Agenzia: eBIZ for TRICK

Tabella decodifica: NT312

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT312.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
AD	aggiungi solo nuovi elementi (senza sovrasc		22/07/2



	riavere quelli esistenti)		022
DW	cancellare gli elementi esistenti e scrivere nuovi dati	use this when it is necessary to reset a list of information	22/07/2022
NA	nessuna azione richiesta		22/07/2022
WU	aggiungere nuovi dati e aggiornare se necessario quelli esistenti	usually prefer this; it is necessary when an update of existing information is needed	22/07/2022

### NT313 - stato del documento

sottinsieme della United Nations Code List (UNCL) 4405 code list di UNCEFACT

Agenzia: eBIZ for TRICK (elaboration on UNECE)

Tabella decodifica: NT313

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT313.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml)

Altro link: <https://service.unece.org/trade/untdid/d21b/tred/tred4405.htm#>

Codice	Descrizione	Note di adozione	Data di inserimento
112	Incompleto		22/07/2022
21	Temporaneo		22/07/2022
39	Approvato		22/07/2022
40	Ritirato		22/07/2022
41	Respinto		22/07/2022
45	Nessuno Stato		22/07/2022
67	Preliminare		22/07/2022
70	Rilasciato		22/07/2022
73	Confermato (da revisore)		30/08/2022
74	Data di scadenza superata		22/07/2022
97	In attesa		22/07/2022

### NT314 - Codici REACH

Lista di valori estratta dalla tabella delle classi REACH

Agenzia: eBIZ for TRICK (elaboration from REACH)

Tabella decodifica: NT314

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT314.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT314.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
01-2119433307-44-XXXX	Metanolo (reach #)	TEST	22/07/2022
7758-97-6	Cromato di piombo (CAS)	TEST	22/07/2022

**NT316 - tipo di trattamento finale del rifiuto**

Agenzia: eBIZ for TRICK

Tabella decodifica: NT316

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT316.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
CHR	Riciclo chimico		26/07/2022
COM	Processo di compostaggio		01/09/2022
EZR	Riciclo enzimatico		01/09/2022
IER	Incenerimento con recupero energia		26/07/2022
IWE	Incenerimento senza recupero e energia		26/07/2022
LND	Discarica		26/07/2022
MCR	Riciclo meccanico		26/07/2022
OTH	altro		28/08/2022
RCY	Riciclaggio non meglio specificato	use this value if it is not possible to choose an appropriate type of recycling.	27/05/2023
REC	Recupero (di parti)		26/07/2022
REU	Riuso		26/07/2022
TMR	Riciclo termomeccanico		01/09/2022

**NT317 - emissione verso**

indica le possibili destinazioni delle emissioni descritte

Agenzia: eBIZ for TRICK

Tabella decodifica: NT317

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT317.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
AIR	aria		27/07/2022
SOI	suolo		27/07/2022
WAT	acqua		27/07/2022

### NT318 - tipo di acqua

indica l'origine dell'acqua

Agenzia: eBIZ for TRICK

Tabella decodifica: NT318

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT318.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
DESA	Acqua dissalata		27/07/2022
GRND	Acque sotterranee (pozzo o simile)		27/07/2022
NETW	Rete di approvvigionamento idrico		27/07/2022
RAIN	Acqua piovana		27/07/2022
SURF	Acque superficiali (fiume,..)		02/09/2022
TREAT	Acque reflue trattate		27/07/2022
TRUCK	Fornito da autocisterna		27/07/2022

### NT319 - Tipo di vettore energetico

Agenzia: eBIZ for TRICK

Tabella decodifica: NT319

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT319.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
BIOFUEL	biocombustibili		22/08/2022
BIOMASS	biomassa (legno)		22/08/2022
COAL	carbone		22/08/2022
DIESEL	diesel		22/08/2022
GAS	gas naturale		22/08/2022
GASOLINE	benzina		22/08/2022
GRID	rete elettrica		22/08/2022
HFO	olio combustibile pesante		22/08/2022
HYDR	idrogeno		22/08/2022
LFO	olio combustibile leggero		22/08/2022
LPG	GPL		22/08/2022
OTHER	altro		22/08/2022
SELF	auto produzione		22/08/2022
STEAM	vapore		22/08/2022
WATER	acqua calda		22/08/2022

## NT320 - tipo di sorgente di energia

Agenzia: eBIZ for TRICK

Tabella decodifica: NT320

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT320.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
COG	cogenerazione		22/08/2022
FOSS	combustibili fossili		22/08/2022
GEO	geotermico		22/08/2022
HYDR	idroelettrico		02/09/2022
NUC	nucleare		22/08/2022
OTH	altro		22/08/2022
PV	fotovoltaico		22/08/2022
SOLC	collettore solare		22/08/2022
UNK	ignota		22/08/2022
WND	eolico		22/08/2022

## NT321 - PEFCR Sub-category / representative product

Estratto da draft di APPAREL-FOOTWEAR PEFCR, versione 1.2, 7/7/2021

Agenzia: eBIZ for TRICK

Tabella decodifica: NT321

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT321.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT321.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
1	Magliette	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
10	Accessori Abbigliamento	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
101	costumi	Extension for TRICK project	01/09/2022
102	abiti da sposa	Extension for TRICK project	01/09/2022
103	abbigliamento protettivo	Extension for TRICK project	01/09/2022
104	guanti	Extension for TRICK project	01/09/2022
105	cappelli	Extension for TRICK project	01/09/2022
11	Scarpe aperte	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022

		7/7/2021	2
12	Scarpe chiuse	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
13	Stivali	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
2	Camicie e camicette	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
3	Maglioni e strati intermedi	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
4	Giacche e cappotti	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
5	Pantaloni e pantaloncini	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
6	Abiti, gonne e tute	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
7	Leggings, calze, collant e calzini	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
8	Biancheria intima	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022
9	Costumi da bagno	Extracted from draft of APPAREL-FOOTWEAR PEFCR, version 1.2, 7/7/2021	23/08/2022

### NT322 - funzione dei materiali di input

E' utilizzato nella PEF per distinguere i materiali di input in base alla loro funzione: materiali per il processo distinti da quelli per il packaging o ausiliari (p.es. per lubrificare o pulire le macchine)

Agenzia: eBIZ for TRICK

Tabella decodifica: NT322

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT322.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT322.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
AUX	materiale di input ausiliario (es. olio lubrificante)		23/08/2022
PACK 1	materiale per imballaggio di primo livello (es. busta con maglietta)		23/08/2022
PACK 2	materiale per imballaggio di secondo livello (es. scatola di cartone con molte magliette)		23/08/2022
PACK 3	materiale per imballaggio di terzo livello (es. pallet con diverse scatole)		23/08/2022
PROC	materiale di input del processo		23/08/2022

### NT323 - categoria dell'oggetto della dichiarazione

Agenzia: eBIZ

Tabella decodifica: NT323

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT323.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
ENV	ambiente (GEG, energia, acqua..)		30/08/2022
ETH	etica e sociale		30/08/2022
FIB	contenuto di fibre		30/08/2022
HLT	salute e prodotti chimici		30/08/2022
LOC	localizzazione		30/08/2022
ORG	origine		30/08/2022
OTH	altro		30/08/2022
PER	prestazione		30/08/2022
PRO	processi		30/08/2022
REC	riciclo e circolarità		30/08/2022

#### **NT324 - tipo di sistema di propulsione**

il tipo di sistema di propulsione utilizzato ad esempio dal mezzo di trasporto

Agenzia: eBIZ for TRICK

Tabella decodifica: NT324

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT324.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT324.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
ALC	Alcool		05/07/2022
BDIE	Bio diesel		05/07/2022
BEV	Battery Electric Vehicle		05/07/2022
BFUE	Bio combustibile	biodiesel excluded	02/09/2022
DIE	Diesel		05/07/2022
FCEV	Hydrogen Fuel cell		05/07/2022
GAS	GAS		05/07/2022
GPL	GPL		05/07/2022
HEV	Full hybrid (Hybrid Electric Vehicle)		05/07/2022
HUM	Propulsione umana		05/07/2022
HYB	Ibrido		05/07/2022
MHY	Mild hybrid		05/07/2022
NUC	Nucleare		05/07/2022
PET	Benzina		05/07/2022
PHEV	plug-in Hybrid Electric Vehicle		05/07/2022

STEAM	Vapore		05/07/2022
WIND	Vento		05/07/2022

### NT326 - Tipo di evidenza sui Requisiti di responsabilità sociale

Tipologie di evidenze sui Requisiti di responsabilità sociale (derivati da SA8000)

Tabella decodifica: NT326

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT326.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml)

Altro link: <https://sa-intl.org/programs/sa8000/#>

Codice	Descrizione	Note di adozione	Data di inserimento
1.1	Minori impiegati, Maschi - Percentuale del personale maschile di età 7-14 anni (%)		05/09/2022
1.2	Minori impiegati, Femmine - Percentuale del personale femminile di età 7-14 anni (%)		05/09/2022
1.3	Minori impiegati, Totale - Percentuale di tutto il personale di età compresa tra 7 e 14 anni (%)		05/09/2022
2.1	Merci prodotte da lavoro forzato/obbligatorio - "Numero di merci che fanno parte del prodotto valutato"		05/09/2022
3.1	Tasso di infortuni sul lavoro - Casi per 100.000 dipendenti e anno (unità)		05/09/2022
3.2	Infortuni mortali sul lavoro - Casi per 100.000 dipendenti e anno (unità)		05/09/2022
3.3	Presenza di misure di sicurezza sufficienti - Altri casi HSE (ad es. basati su OSHA) ogni 100.000 dipendenti. *Dovrebbe essere combinato con un audit fisico per verificare tutti i restanti requisiti SA8000. (unità)		05/09/2022
4.1	Densità sindacale - % dei dipendenti organizzati in sindacati (%)		05/09/2022
4.2	Diritto di associazione - punteggio della scala ordinale 0-3 (0-3)		05/09/2022
4.3	Diritto di contrattazione collettiva - punteggio della scala ordinale 0-3 (0-3)		05/09/2022
5.1	Donne nel settore - Numero totale lavoratori donne e uomini (rapporto) (rapporto)		05/09/2022
5.2	Divario salariale di genere - Stipendio (medio) di uomini e donne per la stessa posizione (%)		05/09/2022
6	Pratiche disciplinari - Possono essere verificate attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
7	Orario di lavoro - Ore di lavoro per dipendente, per settimana (ore)		05/09/2022
8.1	Salario di sussistenza - Stipendio o busta paga (euro)		05/09/2022
8.2	Salario minimo - Stipendio o busta paga (euro)		05/09/2022
8.3	Media del settore - Stipendio o busta paga (euro)		05/09



			/2022
9.1	Politiche, procedure e registri - Possono essere verificati attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.10	Gestione dei fornitori e degli appaltatori - Può essere verificata attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.2	Social Performance Team - Può essere verificato attraverso un audit fisico presso i fornitori e un sondaggio/intervista (anonimo) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.3	Identificazione e valutazione dei rischi - Può essere verificata attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.4	Monitoraggio - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.5	Coinvolgimento interno e comunicazione - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.6	Gestione e risoluzione dei reclami - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.7	Verifica esterna e coinvolgimento degli stakeholder - Può essere verificata attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.8	Azioni Correttive e Preventive - Possono essere verificate attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022
9.9	Formazione e sviluppo delle capacità - Può essere verificato attraverso un audit fisico presso i fornitori e un'indagine/intervista (anonima) del personale. Include la revisione della documentazione pertinente. (s/n)		05/09/2022

### NT329 - tipo di metodo di validazione della grandezza

indica il tipo di metodo utilizzato per validazione e calcolare la grandezza a cui si riferisce; utilizzato per capirne affidabilità'.

Agenzia: eBIZ

Tabella decodifica: NT329

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT329.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
CER	verificato da certificazione parte terza		11/06/2023
EST	stima		12/05/2023
EXP	valore confermato da esperto		19/05/2023
LAB	test di laboratorio		11/06/2023
LIT	letteratura	refer to a literature analysis outcome	12/05/2023
MON	monitoraggio	refer to continuous measurement in field	12/05/2023
REV	valore confermato da review		11/06/2023

SAM	campionamento	refer to a sample measurement in field	12/05/2023
SUP	dichiarazione fornitore		11/06/2023

### NT333 - tipo algoritmo hashing

tipo algoritmo hashing

Tabella decodifica: NT333

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT333.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
ADLER32	ADLER32		26/05/2023
HMAC	HMAC		26/05/2023
MD2	MD2		26/05/2023
MD4	MD4		26/05/2023
MD5	MD5		26/05/2023
MDC-2	MDC-2		26/05/2023
PANAMA	PANAMA		26/05/2023
RIPEMD-160	RIPEMD-160		26/05/2023
SHA-1	SHA-1		26/05/2023
SHA-2 256	SHA-2 256		26/05/2023
SHA-2 384	SHA-2 384		26/05/2023
SHA-2 512	SHA-2 512		26/05/2023
TIGER	TIGER		26/05/2023

### NT6 - ente codificatore

organizzazione che ha creato e detiene il registro della codifica o immatricolazione a cui ci si riferisce

Agenzia: eBIZ

Tabella decodifica: NT6

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT6.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
CBR	Registro nazionale degli spedizionieri doganali		12/06/2023
CL	cliente		
CO	collaudo tessile		
DU	Registro D-U-N-S (Data Universal Numbering System)		04/05/2023
EB	eBIZ	replaces 'ML'	18/03/2019
EN	GS1 (gia' EAN-International )		

EO	Register of EORI (Economic Operators Registration and Identification number)		04/03/2023
ES	e-Stockflow	DEPRECATED	
FO	fornitore		
GS	GS1		01/07/2013
MF	autorità tributaria nazionale (es. registro codici IVA)		
ML	Moda-ML	DEPRECATED	
PL	Piattaforma applicativa		13/06/2022
REX	Sistema degli Esportatori Registrati (REX)		19/05/2023
SP	Service Provider		
SU	Enterprise Identification Number UID	Only switzerland	04/03/2023

### NT60 - lingua, codifiche da ISO 639-1 (sottoinsieme)

Agenzia: eBIZ / ISO

Tabella decodifica: NT60

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT60.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
af	Afrikaans		31/01/2019
ar	Arabic		31/01/2019
be	Belarusian		31/01/2019
bg	Bulgarian		31/01/2019
bn	Bengali		31/01/2019
bo	Tibetan		31/01/2019
bs	Bosnian		31/01/2019
ca	Catalan, Valencian		31/01/2019
cs	Czech		31/01/2019
da	Danish		31/01/2019
de	German		31/01/2019
el	Greek, Modern (1453-)		31/01/2019
en	English		31/01/2019
eo	Esperanto		31/01/2019
es	Spanish, Castilian		31/01/2019
et	Estonian		31/01/2019
eu	Basque		31/01/2019
F	Femminile		15/04/2019
fa	Persian		31/01/2019
fi	Finnish		31/01/2019

fr	French		31/01/2019
ga	Irish		31/01/2019
gd	Gaelic, Scottish Gaelic		31/01/2019
gn	Guarani		31/01/2019
he	Hebrew		31/01/2019
hr	Croatian		31/01/2019
ht	Haitian, Haitian Creole		31/01/2019
hu	Hungarian		31/01/2019
hy	Armenian		31/01/2019
ia	Interlingua (International Auxiliary Language Association)		31/01/2019
id	Indonesian		31/01/2019
is	Icelandic		31/01/2019
it	Italian		31/01/2019
ja	Japanese		31/01/2019
jv	Javanese		31/01/2019
ka	Georgian		31/01/2019
km	Central Khmer		31/01/2019
ko	Korean		31/01/2019
ku	Kurdish		31/01/2019
lb	Luxembourgish, Letzeburgesch		31/01/2019
lo	Lao		31/01/2019
lt	Lithuanian		31/01/2019
lv	Latvian		31/01/2019
mg	Malagasy		31/01/2019
mk	Macedonian		31/01/2019
mn	Mongolian		31/01/2019
mt	Maltese		31/01/2019
nl	Dutch, Flemish		31/01/2019
no	Norwegian		31/01/2019
pl	Polish		31/01/2019
pt	Portuguese		31/01/2019
ro	Romanian, Moldavian, Moldovan		31/01/2019
ru	Russian		31/01/2019
se	Northern Sami		31/01/2019
sk	Slovak		31/01/2019
sl	Slovenian		31/01/2019
sm	Samoan		31/01/2019
so	Somali		31/01/2019

sq	Albanian		31/01/2019
sr	Serbian		31/01/2019
sv	Swedish		31/01/2019
sw	Swahili		31/01/2019
ta	Tamil		31/01/2019
th	Thai		31/01/2019
tr	Turkish		31/01/2019
uk	Ukrainian		31/01/2019
ur	Urdu		31/01/2019
uz	Uzbek		31/01/2019
vi	Vietnamese		31/01/2019
zh	Chinese		31/01/2019

### NT7 - unità di misura

unità di misura fisica, è sottoinsieme della tabella di codifiche delle unità di misura Unit of Measure Code - UN/ECE REC 20 prodotto dalla United Nations Economic Commission for Europe (UN/ECE)

Agenzia: eBIZ / UN/ECE

Tabella decodifica: NT7

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT7.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml)

Altro link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

Codice	Descrizione	Note di adozione	Data di inserimento
CMK	centimetro quadro		20/12/2017
CMQ	centimetro cubo		20/12/2017
CMT	centimetro		
CNE	centiNewton		
CO2TON	tonnellate di CO2		10/09/2014
COUPLES	paia		
DAY	giorno		22/08/2022
DEGD	gradi decimali		04/07/2022
DEGMS	grado con minuti e secondi		01/07/2022
DMQ	decimetro cubo		
E37	pixel		11/04/2018
GRM	grammo		
HUR	ora		
INH	pollice		
KGM	kilogrammo		
KMT	kilometro		

KWH	kilowattora		10/09/2014
LBR	libbra		
MCG	microgrammo		23/08/2022
MG	milligrammo		23/08/2022
MIN	minuto		
MMK	millimetro quadro		20/12/2017
MONTH	mese		22/08/2022
MSEC	millisecondo (unità di tempo)		22/08/2022
MTK	metro quadro		20/12/2017
MTQ	metro cubo		
MTR	metro		
NMB	number		
ONZ	oncia		
P1	percentuale		
PPM	parti per milione		
PZ	pezzo o pezza		
RPM	giri per metro		
SEC	secondo (unità di tempo)		22/08/2022
YEAR	anno		22/08/2022
YRD	yarda		

#### T10 - ISO3166 - Nazione

codice della nazione

Agenzia: ISO

Tabella decodifica: T10

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T10.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml)

Tabella non stampata: sono presenti 240 elementi, oltre il massimo previsto di 99 elementi.

#### T19 - tipo di fibra

tipo di fibra usata in un prodotto tessile

Agenzia: eBIZ

Tabella decodifica: T19

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T19.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
AB	abaca		20/08/2018

AC	acetato		
AF	altre fibre		
AG	alginica		
AL	alfa		20/08/2018
AR	aramide		25/04/2022
CA	canapa		
CC	cocco		20/08/2018
CL	clorofibra		
CO	cotone		
CU	cupro		
EA	elastan		
EF	elastolefin		25/04/2022
EL	gomma		20/08/2018
EM	elastomultiestere		25/04/2022
FL	fluorofibra		
GI	ginestra		20/08/2018
GL	vetro tessile		
HA	pelo - crine (in genere)		20/08/2018
HE	henequen		20/08/2018
HL	misto lino		
JU	juta		
KE	kenaf		20/08/2018
KP	kapoc		20/08/2018
LI	lino		
LY	lyocell		20/08/2018
MA	modacrilica		
MD	modal		
ME	metallizzata		
MG	maguey		20/08/2018
MM	melamina		25/04/2022
PA	poliammide (nylon)		
PB	poliureica		
PC	acrilica		
PE	polietilenica		
PI	carta tessile		20/08/2018
PL	poliestere		
PM	poliimmide		
PO	polilattide		25/04/2022



PP	polipropilenica		
PR	proteica		
PU	poliuretanic		
RA	ramie		20/08/2018
SE	seta		
SI	sisal		20/08/2018
SN	sun		20/08/2018
TA	triacetato		
TR	residui tessili		20/08/2018
TV	trivinilica		
VI	viscosa		
VY	vinilal		
WA	angora		
WB	castoro		20/08/2018
WC	cashgora		
WG	vigogna		
WK	cammello		
WL	lama		
WM	mohair		
WN	pelliccia coniglio		20/08/2018
WO	lana		
WP	alpaca		
WS	cashmir		
WT	lontra		20/08/2018
WU	guanaco		
WV	lana vergine		
WY	yack		

## T21 - tipo documento

tipo del documento cui si fa riferimento

Agenzia: eBIZ

Tabella decodifica: T21

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T21.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
BIL	Polizza di carico		07/03/2023
BOR	Ordine aperto		01/02/2018

CAT	Listino - scheda tecnica		
CEO	Certificato di origine		13/04/2018
CER	Certificato		13/04/2018
CMR	Lettera di Vettura Internazionale CMR		07/03/2023
COC	Cartella colore		
CRN	Nota di credito		08/09/2017
CTO	Disposizione controllo		01/07/2013
CTR	Contratto o capitolato		
CXF	File CxF3		01/07/2013
DAD	Disposizione rammendo		
DDT	Documento di trasporto		
DEA	Avviso spedizione		
DER	Richiesta spedizione		
DR	Richiesta documento		02/12/2014
EAD	Documento di accompagnamento all'esportazione (DAE)	adopted by European customs	12/05/2023
ECMR	Lettera di Vettura Internazionale CMR elettronica		07/03/2023
ECUS	EXPORT Dichiarazione doganale		07/03/2023
FOR	Previsione		02/12/2014
GSO	Offerta stock abbigliamento		
GSX	Modifica offerta stock abbigliamento		
ICUS	IMPORT Dichiarazione doganale		07/03/2023
INV	Fattura		
KCC	Disposizione Maglieria-Confezione		02/12/2014
KCI	Inventario Capi in Lavorazione		02/12/2014
LCA	Studio LCA		28/08/2022
LCAD	Dataset di studio LCA		28/08/2022
M2M	Ordine su misura		02/12/2014
MAS	Carta modello		
MCI	Istruzioni visual merchandising		13/04/2018
OCH	Modifica ordine		
OFF	Offerta		
ORD	Ordine acquisto		
ORP	Risposta ordine		
OSR	Richiesta avanzamento ordine		
OSS	Stato offerta		02/12/2014
OST	Avanzamento ordine		
OUR	ns. riferimento		
PCO	Certificato di origine preferenziale		07/03/2023

PEF	Studio PEF		28/08/2022
PEFD	Dataset di studio PEF		28/08/2022
PEFP	Profilo ambientale PEF		07/03/2023
QR	Report Qualita		02/12/2014
RAI	Inventario Materia Prima in Lavorazione		02/12/2014
RDC	Disposizione tintura materia prima		
RDH	Modifica disposizione tintura materia prima		
RDR	Risposta disposizione tintura materia prima		
REA	Avviso ricevimento		
REQ	Richiesta di Offerta		
RET	Ritorno merce		02/12/2014
RSC	Disposizione di filatura		
RSH	Modifica disposizione filatura		
RSR	Risposta disposizione filatura		
SAD	Documento Amministrativo Unico (DAU)	adopted by European customs	12/05/2023
SCL	Scheda lavorazione		
SDE	Autodichiarazione		07/03/2023
SDS	SDS - Scheda dati di sicurezza		07/03/2023
SLCA	Studio S-LCA		07/03/2023
SLCAD	Documentazione di studio S-LCA		07/03/2023
TFC	Disposizione tintura-finissaggio tessuto		
TFX	Modifica Disposizione Tintura-Finissaggio Tessuto		02/12/2014
TPC	Disposizione stampa tessuto		
TPX	Modifica Disposizione Stampa Tessuto		02/12/2014
TWI	Inventario tessuto in lavorazione		
VMI	istruzioni visual merchandising		01/02/2018
WAC	Disposizione orditura		
WAYB	Lettera di vettura		07/03/2023
WEC	Disposizione tessitura		
YDC	Disposizione tintura filato		
YDH	Modifica disposizione tintura filato		
YDR	Risposta disposizione tintura filato		
YTC	Disposizione ritorcitura		
YWI	Inventario filato in lavorazione		

### T302 - tipo di oggetto

indica il tipo di oggetto. Indica la natura di un oggetto tracciabile (ad esempio carico di un camion)

Agenzia: eBIZ for TRICK

Tabella decodifica: T302

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T302.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
ACCE	accessorio		13/06/2022
CFBR	fibra (pettinata)		01/09/2022
FABR	tessuto (non maglia) (finito)	after any finishing or dyeing or darning	01/09/2022
FIL	filamento		01/09/2022
GARM	capo abbigliamento (finito)	garment ready fo use (sales, rent or anything else)	13/06/2022
GRCO	componente di capo abbigliamento		13/06/2022
KNFA	tessuto maglia (finito)		01/09/2022
LFIB	fiocco		01/09/2022
PFBR	fibra trattata		01/07/2022
POLY	polimero		04/09/2022
PPFB	fibra (preprocessata)	might include washed fiber or dyed	01/09/2022
RAFA	tessuto grezzo (non maglia)		01/09/2022
RAFI	fibra (grezza)	before any kind of treatment or preprocessing	01/09/2022
RAGA	capo abbigliamento (non finito)		01/09/2022
RAKF	tessuto maglia (non finito)		01/09/2022
RAYA	filato (non finito)		13/06/2022
TOPS	nastro di carda (o tops)		23/03/2023
TRIM	guarnizioni		01/09/2022
WACC	accessori per rifiuti		01/09/2022
WFFP	tessuto di scarto dalla produzione di tessuti		01/09/2022
WFGP	tessuto di scarto dalla produzione di abbigliamento		01/09/2022

	nto		2
WFYP	fibra di scarto dalla produzione di filati		01/09/2022
WGGP	indumenti di scarto dalla produzione di indumenti		01/09/2022
WPAC	accessori di scarto (Post-Consumo)		01/09/2022
WPFB	tessuto di scarto (Post-Consumo)		01/09/2022
WPGR	indumenti di scarto (Post-Consumo)		01/09/2022
WPTR	guarnizioni di scarto (Post-Consumo)		01/09/2022
WTRM	guarnizioni di scarto		01/09/2022
WYFP	filati di scarto dalla produzione di tessuti		01/09/2022
WYYP	filati di scarto dalla produzione di filati		01/09/2022
YARN	filato (finito)		13/06/2022

### T305 - tabella dei tipi di operazioni manifatturiere

Utilizzata in nei documenti relativi a tracciabilità e trasparenza per descrivere i trattamenti e le operazioni

Agenzia: eBIZ for TRICK

Tabella decodifica: T305

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T305.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
0	Produzione fibre		05/09/2022
0.1	Produzione di fibre animali	NACE equivalent: 01.4 Animal production	05/09/2022
0.2	Produzione di fibre vegetali	NACE equivalent: 01.16 Growing of fibre crops	05/09/2022
0.3	Produzione di filamenti e fibre artificiali	NACE equivalent: 20.60 Manufacture of man-made fibres	05/09/2022
0.3.1	Materie prime per fibre e filamenti artificiali	NACE equivalent: 20.60 Manufacture of man-made fibres	05/09/2022
0.3.2	Estrusori	NACE equivalent: 20.60 Manufacture of man-made fibres	05/09/2022
1	Produzione di filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1	Preparazione per la filatura delle fibre di cotone	NACE equivalent: 13.10 Preparation and spinning	05/09/2022

		of textile fibres	022
1.1.1	Apriballe per il cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.2	Cardatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.3	Stiratoi per il cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.4	Roccatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.5	Pettinatrici per il cotone	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.1.6	Ritorcitura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2	Preparazione per la filatura delle fibre di lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.1	Apriballe per la lana grezza	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.1 0	Impianti di controlavaggio	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.1 1	Banchi di finissaggio	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.1 2	Impianti di ritorcitura per filati pettinati	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.2	Impianti di lavatura della lana grezza	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.3	Impianti di carbonizzazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.4	Apriballe per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.5	Cardatrici per lana pettinata	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.6	Cardatrici per lana semi-pettinata	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.7	Cardatrici per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.8	Stiratoi per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.2.9	Pettinatrici per la lana	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.3	Preparazione per la filatura di fibre miscelate	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.3.1	Miscelazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.3.2	Mechanical Blending	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4	Filatura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.1	Mechanical Spinning	NACE equivalent: 13.10 Preparation and spinning	05/09/2

		of textile fibres	022
1.4.1.1	Filatura ad anello	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.1.2	Filatura compact	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.1.3	Filatura rotor	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.1.4	Filatura Air-jet	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.1.99	Altri tipi di filatoi	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.2	Thermo-mechanical Filament spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.2.1	Melt spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.3	Chemical -Cotton Filament Spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.3.1	Blending with wood pulp	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.3.2	Drying of pulp sheets	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.4.3.3	(Dry-jet) wet spinning	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5	Roccatatura, aspatatura e covering	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5.1	Roccatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5.2	Aspatoi	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.5.3	Covering machines	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6	Finissaggio del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1	Vaporizzazione, finissaggio, umidificazione e spalmatura del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1.1	Autoclave per la vaporizzazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1.2	Impianti per il trattamento termico	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.1.3	Impianti di umidificazione	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.2	Impianti per la spalmatura del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.2.1	Trattamento al plasma	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.3	Mercerizzazione del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.4	Lavaggio del filato	NACE equivalent: 13.10 Preparation and spinning	05/09/2



		of textile fibres	022
1.6.5	Tintura in continuo del filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.6	Tintura in matasse	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.6.7	Essiccatoi per il filato	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.7	Testurizzazione, bulking e aggraffatura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.7.1	Testurizzatrici	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.7.2	Impianti per l'aggraffatura e bulking	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.8	Binatura e ritorcitura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.8.1	Macchine di binatura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
1.8.2	Macchine di ritorcitura	NACE equivalent: 13.10 Preparation and spinning of textile fibres	05/09/2022
2	Manifattura di tessuti	NACE equivalent: 13. Manufacture of textiles	05/09/2022
2.1	Preparazione alla tessitura	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.1	Orditura a sezioni	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.2	Subbio dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.3	Stiratura dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.4	Macchine per avvolgere l'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.5	Apprettatura/produzione di ciniglia	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.6	Tintura con indaco dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.1.7	Purga (per seta)	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2	Tessitura	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.1	Tessitura con telaio rapier	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.1.1	Tessitura Jaquard	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.1.2	Tessitura rapier con dobby	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.2	Tessitura con telaio a proiettile	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.3	Tessitura a getto d'aria	NACE equivalent: 13.20 Weaving of textiles	05/09/2022

			022
2.2.4	Tessitura a getto d'acqua	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.5	Telai a spoletta volante	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.6	Tessitura con telaio circolare	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.2.7	Tessitura di tessuti stretti	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.3	Preparazione per maglieria	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.3.1	Subbio dell'ordito	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.3.2	Orditura a sezioni	NACE equivalent: 13.20 Weaving of textiles	05/09/2022
2.4	Maglieria (tessuti)	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.1	Macchine circolari per maglieria	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.2	Macchine rettilinee per maglieria	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.3	Macchine per maglieria del filo d'ordito	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.4.4	Macchine per maglieria per scopi speciali	NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics	05/09/2022
2.99	Other fabric production technologies	NACE equivalent: 13.9 Manufacture of other textiles	05/09/2022
3	Finissaggio e tintura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1	Pretrattamento	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.1	Carbonizzaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.1.0	Macinatura/follatura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.1.1	Mercerizzazione del tessuto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.2	Bruciapelo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.3	Crabbing	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.4	Sbozzimatura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.5	Candeggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.6	Candeggio in continuo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.7	Lavaggio in corda	NACE equivalent: 13.30 Finishing of textiles	05/09/2022

			022
3.1.8	Lavaggio in largo	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.1.9	Lavaggio in solvente	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2	Tintura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1	Tintura in fiocco della fibra	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1.1	Tintura fibra cellulosica	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1.2	Tintura fibra proteica	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.1.3	Tintura fibra sintetica	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.2	Tintura in continuo del tessuto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.3	Autoclavi	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.4	Tintura a getto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.5	Tintura in overflow	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.6	Tintura in macchinari tipo winch	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.7	Tintura in macchinari tipo Jiggers	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.2.9	Altre macchine di tintura	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3	Estrazione dell'acqua ed essiccazione	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.1	Idro-estrattori centrifughi	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.2	Rameuse	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.3	Essiccatoi per il tessuto	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.4	Altri essiccatoi	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.3.5	Tumblers	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4	Macchine di finissaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1	Finissaggio meccanico	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.10	Finissaggio impermeabile	NACE equivalent: 13.30 Finishing of textiles	05/09/2022
3.4.1	Finissaggio antipiega	NACE equivalent: 13.30 Finishing of textiles	05/09/2022

1			022
3.4.1 2	Finissaggio antimacchia	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.1 3	Finissaggio ignifuga	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.1 4	Finissaggio anti UV	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.2	Decatissaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.3	Calendre	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.4	Macchine bruciapelo	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.5	Presse da stiro per maglieria	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.6	Tumblers	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.7	Sanfor	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.8	Finissaggio antitarpe	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.9	Finissaggio antiritiro	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.4.9 9	Altre macchine di finissaggio	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.5	Stampa	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.5.1	Stampa di filati e top	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.5.2	Stampa tavolo	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.5.3	Stampa rotativa	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.5.4	Stampa a getto d'inchiostro	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
3.5.9 9	Altre macchine da stampa	NACE equivalent: 13.30 Finishing of textiles	05/09/2 022
4	Manifattura abbigliamento	NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel	05/09/2 022
4.1	Taglio	NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel	05/09/2 022
4.2	Cucitura	NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel	05/09/2 022
4.3	Stiratura	NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel	05/09/2 022
4.4	Lavaggio (abbigliamento)	NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel	05/09/2 022
4.5	Tintura (abbigliamento)	NACE equivalent: 14.1 Manufacture of wearing ap	05/09/2

		parel, except fur apparel	022
4.6	Maglieria (calze)		05/09/2022
4.7	Impacchettamento		05/09/2022
4.99	Altro		05/09/2022
5	Distribuzione		05/09/2022
6	Uso		05/09/2022
7	Raccolta fine vita	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8	Riciclo	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1	Preliminary sorting and cleaning	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1.1	Sorting	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1.2	Sanitation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.1.3	Cleaning	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2	Disassembly/Pre-treatment	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.1	Removal of non textile (accessories) and coated/printed parts and labels	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.2	Cutting into batches of fabric	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.3	Washing/cleaning	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.4	Drying	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.5	Shredding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.2.6	Grinding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3	Material Recovery	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1	Mechanical Material Recovery	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.1	pre-opening	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.2	tearing	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.3	fine-opening	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.1.	carding	NACE equivalent: 38.32 Recovery of sorted materi	05/09/2

4		als	022
8.3.1.5	removal of short fibres and contaminations	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2	Thermo-mechanical material recovery	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2.1	Compounding	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2.2	Regranulation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.2.3	Solid state post-condensation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3	Chemical -Cotton material recovery - pulping	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3.1	Dyes removal/bleaching	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3.2	Pulping	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.3.3	Removal of contaminants	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4	Chemical - PET and PA - depolymerisation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.1	Dissolution of polymers (hydrolysis, methanolysis, glycolysis, enzymatic)	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.2	Removal of contaminants	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.3	Removal of colorants	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.4	Separation	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.3.4.5	Drying	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.4	Gasification	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.4.1	Air/steam gasification	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022
8.4.2	Separation/purification	NACE equivalent: 38.32 Recovery of sorted materials	05/09/2022

### T306 - attributo di circolarità del materiale

Indica se il materiale è vergine oppure proviene da processi di riciclo o riuso

Agenzia: eBIZ for TRICK

Tabella decodifica: T306

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T306.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T306.xml)

Codice	Descrizione	Note di adozione	Data di inserim
--------	-------------	------------------	-----------------

			<b>ento</b>
REU	Materiale riusato		30/08/2022
SCL	Materia prima seconda	adopt this for any secondary raw material when information about the first or following loop is not available	22/07/2022
SCL1	materia prima seconda - primo loop		22/07/2022
SCLx	materia prima seconda - loop successivi al primo		22/07/2022
VRG	Materia prima vergine	adopt this for any virgin raw material when biobased information is not available	22/07/2022
VRGB	Materia prima vergine - biobased		23/03/2023
VRGN	Materia prima vergine - non biobased		23/03/2023

### T307 - metodo del processo di riciclo

Agenzia: eBIZ for TRICK

Tabella decodifica: T307

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T307.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T307.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
CHMD	riciclo chimico (dissoluzione)		28/07/2022
CHMP	riciclo chimico (depolimerizzazione)		28/07/2022
ENZ	riciclo enzimatico		01/09/2022
MEC	riciclo meccanico		28/07/2022
THE	riciclo termico		31/08/2022
THMC	riciclo termo-meccanico		01/09/2022

### T308 - tabella dei macro gruppi di operazioni manifatturiere per la PEF

Utilizzata per raccolta informazioni primarie per analisi PEF

Agenzia: eBIZ for TRICK

Tabella decodifica: T308

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T308.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T308.xml)

<b>Codice</b>	<b>Descrizione</b>	<b>Note di adozione</b>	<b>Data di inserimento</b>
0.1	Produzione di fibre animali		22/08/2022
0.2	Produzione di fibre vegetali		22/08/2022
0.3	Produzione fibre e filamenti artificiali		22/08/2022
1	Fabbricazione di filati		22/08/2022



2	Fabbricazione di tessuti		22/08/2022
3	Rifinitura e Tintura		22/08/2022
4	Produzione abbigliamento e accessori		22/08/2022
5	Distribuzione		02/09/2022
6	Uso		22/08/2022
7	Raccolta		22/08/2022
8	Riciclo		22/08/2022

### T309 - tipo di lavaggio

modalità di lavaggio, conforme a etichetta, definita secondo BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols

Tabella decodifica: T309

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T309.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T309.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
1	lavaggio a mano		27/08/2022
2	lavaggio in lavatrice, normale		27/08/2022
3	lavaggio in lavatrice, delicato		27/08/2022
4	lavaggio in lavatrice, molto delicato		27/08/2022
5	lavaggio a secco		27/08/2022
6	non lavare		27/08/2022

### T311 - modalità asciugatura consentita

modalità di asciugatura, conforme a etichetta, definita secondo BS EN 23758: 1994 Textiles - Care Labelling Code Using Symbols

Agenzia: eBIZ

Tabella decodifica: T311

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T311.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T311.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
NOT	no asciugatura		27/08/2022
TDL	asciugatura a bassa temperatura		27/08/2022
TDN	asciugatura temperatura normale		27/08/2022

### T312 - categoria di colorante

Tabella decodifica: T312

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T312.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T312.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
1	Coloranti diretti		30/08/2022
10	Coloranti dispersi		30/08/2022
11	Colori a pigmento		30/08/2022
12	Colori minerali		30/08/2022
13	Colore di ossidazione		30/08/2022
14	Coloranti sviluppabili/copulabili		30/08/2022
15	Candeggianti ottici		30/08/2022
17	Coloranti pre-metallizzati		06/09/2022
2	Coloranti acidi (compresi coloranti acidi a complessi metallici)		30/08/2022
3	Coloranti basici (cationici)		30/08/2022
5	coloranti azoici		30/08/2022
6	Coloranti al tino		30/08/2022
9	Coloranti reattivi		30/08/2022

#### T40 - tipo mezzo di trasporto

mezzo usato per il trasporto, complessivo o relativo ad una tratta

Agenzia: eBIZ

Tabella decodifica: T40

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T40.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
AIR	aereo		
SHP	nave		
TRU	camion		
VAN	furgone		

#### T44 - tipo codice aggiuntivo

qualificatore dell'elemento aggiuntivo di codifica di un prodotto

Agenzia: eBIZ

Tabella decodifica: T44

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T44.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
CC	cartella colori		
CL	collezione		

CO	codice identificativo azienda		08/09/2017
DY	numero bagno		
LT	numero lotto/partita		
MDI	Made in		08/09/2017
MS	stadio di lavorazione		
PKG	confezionamento		09/09/2014
PL	linea di prodotto		
RGB	valore RGB		
SE	codice cimossa		

#### T48 - tipo di parte del capo confezionato

codice che specifica il tipo di componente o parte di un articolo di maglieria/confezione (manica, collo, ...)

Agenzia: eBIZ

Tabella decodifica: T48

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T48.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
BB	bottom retro		01/08/2018
BF	bottom davanti		01/08/2018
CO	collare		01/08/2018
CU	polsino		01/08/2018
DV	davanti		
EM	ricamo		01/08/2018
OC	altro componente		01/08/2018
PO	tasca		01/08/2018
SC	schiena		
SL	manica		01/08/2018
TB	top retro		01/08/2018
TF	top davanti		01/08/2018

#### T8 - Trasporto - Modo

modo di trasporto, complessivo o relativo ad una tratta. Derivato da raccomandazione 28 UNECE (vedi link).

Agenzia: eBIZ

Tabella decodifica: T8

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T8.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml)

Altro link: <https://tfig.unece.org/contents/recommendation-28.htm#>

Codice	Descrizione	Note di adozione	Data di inserimento
1	VIA MARE		
10	Corriere	DEPRECATED	01/07/2013
2	FERROVIA		
3	SU GOMMA		
4	VIA AEREA		
5	POSTA		
6	MULTIMODALE	example ship + truck. Not used for custom declarations.	13/06/2023
8	VIA D'ACQUA INTERNA		
9	MODO DA DEFINIRE	Includes Own propulsion	13/06/2023

### TRK01 - lista dei servizi disponibili

Agenzia: TRICK project

Tabella decodifica: TRK01

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_TRK01.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
0	Tracciabilita'		07/09/2022
1	PCO, Preferential Origin certification		07/09/2022
2	Circular Manufacturing assessment		07/09/2022
3	PEF and environmental footprint		07/09/2022
4	Health protection assessment		07/09/2022
5	Social and Ethical protection assessment		07/09/2022

### TRK02 - lista funzioni dei servizi

Agenzia: TRICK project

Tabella decodifica: TRK02

File lista codici (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_TRK02.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml)

Codice	Descrizione	Note di adozione	Data di inserimento
activate	attivazione servizio		07/09/2022
execution	esecuzione servizio		07/09/2022
getinfo	richiesta informazioni da servizio		07/09/2022
proposedreport	proposta report finale		07/09/2022
reportapproval	report finale approvato		07/09/2022
reportrejected	report finale rifiutato		07/09/2022

setinfo	invio informazioni al servizio		07/09/2022
---------	--------------------------------	--	------------